

ISO 18310-2:2021 (E)

Measurement and prediction of the ambient dose equivalent from patients receiving iodine 131 administration after thyroid ablation — Part 2: External effective dose of the caregivers after release from the hospital

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	General requirements for the release of patient with caregiver
4.1	Discharge criteria
4.2	Management procedures of the patient receiving 131I administration
4.3	Release from the medical facility
4.4	Responsibility of the designated expert
5	Measurement of the effective dose to the caregiver
5.1	General
5.2	Specifications of the personal dosimeter
5.3	Measurement of the effective dose to the caregiver
6	Quality control
7	Uncertainty
Annex A	(informative) Examples of written instructions to be presented to patients or their legal guardians before leaving the hospital after treatment with radioiodine
A.1	Procedure for measuring radiation exposure to the caregiver of the patient receiving radiation treatment
A.2	Recommended instructions for caregiver
A.3	Precautions after discharge for patients and caregivers
A.4	Letter of consent
Annex B	(informative) Experimental application to this document: measurement and prediction of the effective dose to the caregiver in the vicinity of the patients receiving radioiodine 131 administration after thyroid ablation
B.1	General
B.2	Estimation of the effective dose to the caregiver
B.3	Summary of measurement
B.4	Result

Page count: 12