

# DIN 6868-157:2022-01 (E)

## Image quality assurance in diagnostic X-ray departments - Part 157: X-ray ordinance acceptance and constancy test of image display systems in their environment

---

Contents	Page
<b>Foreword .....</b>	<b>4</b>
1 <b>Scope .....</b>	<b>7</b>
2 <b>Normative references .....</b>	<b>7</b>
3 <b>Terms and definitions .....</b>	<b>7</b>
4 <b>Symbols and abbreviated terms .....</b>	<b>13</b>
4.1 <b>Symbols .....</b>	<b>13</b>
4.2 <b>Abbreviated terms .....</b>	<b>14</b>
5 <b>Test conditions .....</b>	<b>14</b>
6 <b>Test equipment .....</b>	<b>15</b>
6.1 <b>General .....</b>	<b>15</b>
6.2 <b>Luminance meter .....</b>	<b>16</b>
6.2.1 <b>Luminance meter for the acceptance test .....</b>	<b>16</b>
6.2.2 <b>Luminance meter for the constancy test .....</b>	<b>16</b>
6.3 <b>Illuminance meter/luxmeter .....</b>	<b>16</b>
6.4 <b>Test images .....</b>	<b>16</b>
7 <b>Room classes .....</b>	<b>17</b>
8 <b>Acceptance test for image display systems with diagnostic quality .....</b>	<b>18</b>
8.1 <b>Scope of testing .....</b>	<b>18</b>
8.2 <b>Visual tests .....</b>	<b>20</b>
8.2.1 <b>General .....</b>	<b>20</b>
8.2.2 <b>Overall image quality .....</b>	<b>20</b>
8.2.3 <b>Greyscale resolution of the image display device .....</b>	<b>22</b>
8.2.4 <b>Luminance uniformity (visual) .....</b>	<b>23</b>
8.2.5 <b>Colour impression and uniformity .....</b>	<b>23</b>
8.2.6 <b>Pixel errors .....</b>	<b>23</b>
8.2.7 <b>Image geometry .....</b>	<b>24</b>
8.2.8 <b>Test based on clinical reference images .....</b>	<b>24</b>
8.2.9 <b>Additional tests for mammography image display systems .....</b>	<b>24</b>
8.3 <b>Metrological tests .....</b>	<b>24</b>
8.3.1 <b>Minimum luminance .....</b>	<b>24</b>
8.3.2 <b>Maximum luminance .....</b>	<b>24</b>
8.3.3 <b>Ambient luminance .....</b>	<b>24</b>
8.3.4 <b>Illuminance .....</b>	<b>24</b>
8.3.5 <b>Maximum luminance ratio .....</b>	<b>25</b>
8.3.6 <b>Uniformity of the image display device .....</b>	<b>25</b>
8.3.7 <b>Uniformity of multiple image display devices .....</b>	<b>26</b>
8.3.8 <b>Luminance response curve .....</b>	<b>26</b>
8.4 <b>Minimum requirements for image display systems (without mammography) .....</b>	<b>26</b>
8.5 <b>Minimum requirements for image display systems used in mammography and stereotactic mammography .....</b>	<b>28</b>
8.6 <b>Mobile systems .....</b>	<b>30</b>
9 <b>Reference values for the constancy test .....</b>	<b>30</b>

10	Constancy test for image display systems with diagnostic quality .....	30
11	Significant changes to an image display system .....	31
12	Image display systems with review quality .....	32
	<b>Annex A (normative) Methods of measuring luminance .....</b>	<b>33</b>
A.1	General .....	33
A.2	Measurement methods .....	33
A.2.1	Method A: Telescopic method .....	33
A.2.2	Method B: Close-range luminance meter in combination with an illuminance meter (luxmeter) .....	34
A.2.3	Method C: Front-integrated luminance meter in combination with an illuminance meter (luxmeter) .....	35
A.2.4	Method D: Back-integrated luminance meter in combination with an illuminance meter (luxmeter) .....	36
A.3	Notes on the measuring methods .....	36
	<b>Annex B (informative) Typical errors .....</b>	<b>37</b>
	<b>Annex C (informative) Test report templates .....</b>	<b>38</b>
C.1	Example of a test report template for the acceptance test .....	38
C.2	Example of a test report template for the constancy test .....	49
C.3	Example of a test report template for the daily constancy test .....	55
	<b>Bibliography .....</b>	<b>56</b>
	<b>Index of defined terms .....</b>	<b>58</b>
	<b>Figures</b> <b>Figure 1 -- Test images for use on image display systems (images a) to f) as in DIN EN 62563-1:2014-01, Table 4, and g) to l) as in AAPM) .....</b>	<b>17</b>
	<b>Figure 2 -- Overall image quality test using test image TG18-OIQ .....</b>	<b>21</b>
	<b>Figure 3 -- Enlarged view of test image TG18-MP, depicting the 8-bit and 10-bit markers .....</b>	<b>22</b>
	<b>Figure 4 -- Positions of the measuring points for the luminance uniformity test .....</b>	<b>25</b>
	<b>Figure A.1 -- Method A -- Telescopic method .....</b>	<b>33</b>
	<b>Figure A.2 -- Method B --Close-range luminance meter in combination with an illuminance meter (luxmeter) .....</b>	<b>34</b>
	<b>Figure A.3 -- Method C --Front-integrated luminance meter in combination with an illuminance meter (luxmeter) .....</b>	<b>35</b>
	<b>Figure A.4 -- Method D -- Back-integrated luminance meter in combination with an illuminance meter (luxmeter) .....</b>	<b>36</b>
	<b>Tables</b> <b>Table 1 -- Symbols .....</b>	<b>13</b>
	<b>Table 2 -- Abbreviated terms .....</b>	<b>14</b>
	<b>Table 3 -- Definition of room classes with their respective requirements .....</b>	<b>18</b>
	<b>Table 4 -- Visual tests for acceptance testing .....</b>	<b>19</b>
	<b>Table 5 -- Metrological tests for acceptance testing .....</b>	<b>19</b>

<b>Table 6 -- Minimum requirements for image display devices .....</b>	<b>27</b>
<b>Table 7 -- Minimum requirements for image display systems used in mammography and stereotactic mammography .....</b>	<b>29</b>
<b>Table 8 -- Visual tests for the constancy test .....</b>	<b>31</b>
<b>Table 9 -- Metrological test items in the constancy test .....</b>	<b>31</b>