

# DIN EN ISO 16638-2:2022-10 (E)

## Radiological protection - Monitoring and internal dosimetry for specific materials - Part 2: Ingestion of uranium compounds (ISO 16638-2:2019)

---

<b>Contents</b>	<b>Page</b>
European foreword .....	3
Foreword .....	4
Introduction .....	5
<b>1 Scope</b> .....	<b>6</b>
<b>2 Normative references</b> .....	<b>7</b>
<b>3 Terms and definitions</b> .....	<b>7</b>
<b>4 Symbols and abbreviated terms</b> .....	<b>9</b>
4.1 Symbols .....	9
4.2 Abbreviated terms .....	10
<b>5 Purpose and need for monitoring programmes</b> .....	<b>10</b>
<b>6 General aspects</b> .....	<b>12</b>
<b>7 Special monitoring programmes</b> .....	<b>13</b>
<b>8 Task-related monitoring programmes for individual monitoring</b> .....	<b>13</b>
<b>9 Reference values as performance criteria for laboratories</b> .....	<b>13</b>
<b>10 Quality assurance and quality control for bioassay laboratories</b> .....	<b>14</b>
<b>11 Procedure for the assessment of exposures</b> .....	<b>15</b>
11.1 Assessment of individual monitoring data .....	15
11.2 Properties of a software tool .....	15
11.3 Uncertainties .....	16
11.4 Quality assurance of the assessment process .....	16
<b>12 Reporting and documentation</b> .....	<b>17</b>
12.1 Reporting results for in vitro measurements .....	17
12.2 Documentation of the dose assessment .....	17
<b>Annex A (informative) Nuclear data of U-238 and U-235 decay</b> .....	<b>19</b>
<b>Annex B (informative) Default classification of uranium compounds</b> .....	<b>20</b>
<b>Annex C (informative) Measurement techniques for uranium in case of ingestion</b> .....	<b>21</b>
<b>Annex D (informative) Excretion rates for ingestion of uranium compounds</b> .....	<b>24</b>
<b>Annex E (informative) Committed effective dose per unit intake after ingestion of uranium compounds</b> .....	<b>26</b>
<b>Annex F (informative) Estimation of uncertainties for internal dose assessments after ingestion</b> .....	<b>27</b>
<b>Annex G (informative) A-deviations</b> .....	<b>30</b>
<b>Bibliography</b> .....	<b>31</b>