

ISO 19238:2023-08 (E)

Radiological protection - Performance criteria for service laboratories performing biological dosimetry by cytogenetics - Dicentric assay

| Contents | | Page |
|-------------------|--|-------------|
| Foreword..... | | v |
| Introduction..... | | vii |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | Abbreviated terms | 3 |
| 5 | Dicentric assay | 4 |
| 6 | Responsibility of the requestor | 5 |
| 7 | Responsibility of the service laboratory | 5 |
| | 7.1 Setup and sustainment of the QA program..... | 5 |
| | 7.2 Responsibility during service..... | 5 |
| 8 | Confidentiality of personal information | 6 |
| | 8.1 Overview..... | 6 |
| | 8.2 Applications of the principle of confidentiality..... | 7 |
| | 8.2.1 Delegation of responsibilities within the laboratory..... | 7 |
| | 8.2.2 Requests for analysis..... | 7 |
| | 8.2.3 Transmission of confidential information..... | 7 |
| | 8.2.4 Anonymity of samples..... | 7 |
| | 8.2.5 Reporting of results..... | 7 |
| | 8.2.6 Storage..... | 7 |
| | 8.2.7 Data security plan..... | 7 |
| 9 | Laboratory safety requirements | 8 |
| | 9.1 Overview..... | 8 |
| | 9.2 Microbiological safety requirements..... | 8 |
| | 9.3 Chemical safety..... | 8 |
| | 9.4 Optical safety requirements..... | 9 |
| 10 | Sample processing | 9 |
| | 10.1 Culturing..... | 9 |
| | 10.2 Scoring..... | 10 |
| | 10.2.1 Coding of samples and slides..... | 10 |
| | 10.2.2 Scoring techniques..... | 10 |
| | 10.2.3 Procedure for scoring first-division metaphases..... | 10 |
| | 10.2.4 Laboratory scoring expertise..... | 11 |
| 11 | Calibration curves | 11 |
| | 11.1 Calibration source(s)..... | 11 |
| | 11.2 Establishment of calibration curve(s)..... | 11 |
| 12 | Criteria for converting a measured aberration frequency into an estimate of absorbed dose | 13 |
| | 12.1 General..... | 13 |
| | 12.2 Testing the distribution of aberrations per cell..... | 13 |
| | 12.3 Comparison with the background level: Characterisation of the minimum detectable dose..... | 14 |
| | 12.4 Confidence limits on the number of dicentrics..... | 16 |
| | 12.5 Calculation of absorbed dose for whole-body exposures..... | 17 |
| | 12.6 Calculation of uncertainty on absorbed dose..... | 17 |

| | | |
|-----------|---|-----------|
| 12.7 | Acute and non-acute exposure cases..... | 18 |
| 12.8 | Partial body and prior exposure cases..... | 18 |
| 12.9 | Other exposure scenarios..... | 19 |
| 13 | Reporting of results..... | 20 |
| 13.1 | General..... | 20 |
| 13.2 | Content of the report (see Annex C for a standard form)..... | 20 |
| 13.3 | Interpretation of the results..... | 20 |
| 14 | Quality assurance and quality control..... | 21 |
| 14.1 | Overview..... | 21 |
| 14.2 | Specific requirements..... | 21 |
| 14.2.1 | General..... | 21 |
| 14.2.2 | Performance checks by laboratory inter-comparisons..... | 21 |
| 14.2.3 | Periodical performance check of scorer qualification..... | 22 |
| 14.2.4 | Performance checks of sample transport integrity..... | 22 |
| 14.2.5 | Performance checks of sample integrity by service laboratory..... | 22 |
| 14.2.6 | Performance checks for instrumentation..... | 23 |
| 14.2.7 | Performance checks of sample protocol..... | 23 |
| 14.2.8 | Performance checks of sample scoring..... | 23 |
| 14.2.9 | Performance checks of dose and confidence limits estimation..... | 23 |
| 14.2.10 | Performance checks for result report generation..... | 23 |
| | Annex A (informative) Sample instructions for requestor..... | 24 |
| | Annex B (informative) Sample questionnaire..... | 26 |
| | Annex C (informative) Sample of report..... | 28 |
| | Annex D (informative) Fitting of the low-LET dose-response curve by the method of maximum likelihood and calculating the error of dose estimate..... | 30 |
| | Annex E (informative) Odds ratio method for cases of suspected exposure to a low dose..... | 33 |
| | Annex F (informative) Decision threshold and detection limit..... | 35 |
| | Annex G (informative) Sample data sheet for recording aberrations..... | 38 |
| | Bibliography..... | 39 |