

DIN EN ISO 21243:2026-03 (E)

Radiation protection - Performance criteria for laboratories performing initial cytogenetic dose assessment of mass casualties in radiological or nuclear emergencies - General principles and application to dicentric assay (ISO 21243:2022)

| Contents | Page |
|---|-------------|
| Foreword | iv |
| Introduction | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Responsibility of the laboratory | 3 |
| 4.1 Awareness of this document..... | 3 |
| 4.2 Biological dosimetry request and confidentiality..... | 3 |
| 4.3 Pre-planning..... | 4 |
| 4.4 Responsibility during service..... | 4 |
| 5 Biological dosimetry process in radiological or nuclear mass-casualty incidents | 5 |
| 6 Emergency response of the lead laboratory | 5 |
| 7 Design of a laboratory network | 5 |
| 7.1 Overview..... | 5 |
| 7.2 Preparedness of the laboratory network..... | 6 |
| 7.3 Laboratory network operation..... | 6 |
| 7.3.1 General..... | 6 |
| 7.3.2 Lead laboratory responsibilities..... | 7 |
| 7.3.3 Associate laboratory responsibilities..... | 7 |
| 8 Expected results | 8 |
| 8.1 General..... | 8 |
| 8.2 Whole-body exposure..... | 8 |
| 8.3 Inhomogeneous exposure..... | 9 |
| 9 Quality assurance and quality control | 9 |
| 9.1 Overview..... | 9 |
| 9.2 Quality control..... | 10 |
| 9.2.1 General..... | 10 |
| 9.2.2 Quality control procedures..... | 10 |
| 9.2.3 Performance checks of sample transport integrity..... | 10 |
| 9.2.4 Performance checks of sample integrity by the laboratory..... | 10 |
| 9.2.5 Performance checks of instrumentation..... | 10 |
| 9.2.6 Performance checks of sample protocol..... | 11 |
| 9.2.7 Performance checks of exposure categorization..... | 11 |
| 9.2.8 Performance checks of sample scoring..... | 11 |
| 9.2.9 Performance checks of dose and confidence intervals estimation..... | 11 |
| 9.2.10 Performance checks of the generation of reports results..... | 11 |
| 9.2.11 Performance checks of a data security plan..... | 11 |
| 9.2.12 Performance of the network..... | 12 |
| Annex A (informative) Interactions between requestors and biological dosimetry laboratories | 13 |
| Annex B (informative) Guidance for threshold of detection when the dicentric assay is analysed using manual scoring procedures | 15 |
| Annex C (informative) Example group sample report | 16 |
| Bibliography | 18 |