

DIN EN ISO 3821:2020-04 (E)

Gas welding equipment - Rubber hoses for welding, cutting and allied processes (ISO 3821:2019)

Contents

Page

European foreword	4
Foreword	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Abbreviated terms	7
5 Application	7
6 Hose designation	7
7 Materials	8
7.1 Construction	8
7.1.1 Light and normal duty hoses	8
7.1.2 Flux fuel gas hose	8
7.1.3 Twin hose	8
7.2 Manufacture	8
8 Dimensions and tolerances	8
8.1 Inside diameters	8
8.2 Outside diameters	9
8.3 Wall thickness	9
8.4 Concentricity (total indicator reading)	10
8.5 Cut lengths and tolerances	10
8.6 Disclosure of inside diameter and outside diameter	10
9 Requirements and type tests	10
9.1 General	10
9.2 Basic requirements	10
9.2.1 Tensile strength and elongation at break	10
9.2.2 Accelerated ageing	10
9.2.3 Adhesion	10
9.2.4 Hydrostatic requirements	11
9.2.5 Flexibility at ambient temperature	11
9.2.6 Low-temperature flexibility	11
9.2.7 Protection against incandescent particles and hot surfaces	11
9.2.8 Ozone resistance	11
9.3 Special requirements	11
9.3.1 Non-ignition requirement for oxygen hoses	11
9.3.2 Resistance to acetone and dimethylformamide for acetylene hoses	12
9.3.3 Resistance to <i>n</i> -pentane for propane hoses	12
9.3.4 Resistance to azeotrope of trimethylborate with methanol for flux fuel gas hoses	12
9.3.5 Flexibility of flux fuel gas hoses	13
9.3.6 Permeability to LPG, MPS, and natural gas of methane hoses, universal fuel gas hoses, and flux fuel gas hoses	13
9.3.7 Requirements for twin hoses	13
9.3.8 Requirements for universal fuel gas hose	13

10 Hose colour and gas identification 13
10.1 General..... 13
10.2 Gas identification 13
10.3 Marking 14
Annex A (normative) Method of test for non-ignition 15
Annex B (normative) Method of test for resistance to n-pentane 17
Annex C (normative) Method of test for resistance to incandescent particles and hot surfaces 18
Annex D (normative) Summary of requirements and type tests 20
Annex E (normative) Alternative oxygen gas colour codes 21
Bibliography 22