

# ISO 4289:2023-02 (E)

## High velocity oxygen fuel (HVOF) cermet coatings for metallurgical roll components - Guidance with requirements

---

<b>Contents</b>		<b>Page</b>
Foreword.....		iv
Introduction.....		v
<b>1</b>	<b>Scope</b> .....	<b>1</b>
<b>2</b>	<b>Normative references</b> .....	<b>1</b>
<b>3</b>	<b>Terms and definitions</b> .....	<b>1</b>
<b>4</b>	<b>Recommended HVOF cermet coating materials for various metallurgical rollers</b> .....	<b>2</b>
<b>5</b>	<b>Preparation of HVOF cermet coatings for various metallurgical rollers</b> .....	<b>2</b>
	5.1 Pre-treatment of various metallurgical components.....	2
	5.2 HVOF spraying.....	3
	5.3 Post-process of HVOF sprayed coatings.....	3
<b>6</b>	<b>Coating quality and performance evaluation</b> .....	<b>3</b>
	6.1 General.....	3
	6.2 Coating quality.....	3
	6.3 Performance evaluation of coatings.....	4
	6.3.1 Thickness.....	4
	6.3.2 Surface roughness.....	5
	6.3.3 Bonding strength.....	5
	6.3.4 Porosity.....	5
	6.3.5 Microhardness.....	5
	6.3.6 Friction and wear test.....	6
	6.4 Sealing treatment of coatings.....	9
	<b>Bibliography</b> .....	<b>11</b>