

DIN EN 71-1:2011-07 (E)

Safety of toys - Part 1: Mechanical and physical properties

Contents		Page
Foreword		7
Introduction		8
1	Scope (see A.2)	9
2	Normative references	11
3	Terms and definitions	12
4	General requirements	19
4.1	Material cleanliness (see A.3)	19
4.2	Assembly (see A.4)	19
4.3	Flexible plastic sheeting (see A.5 and A.16)	19
4.4	Toy bags	20
4.5	Glass (see 5.7 and A.6)	20
4.6	Expanding materials (see A.7)	20
4.7	Edges (see A.8)	20
4.8	Points and metallic wires (see A.9)	21
4.9	Protruding parts (see A.10)	21
4.10	Parts moving against each other	22
4.10.1	Folding and sliding mechanisms (see A.11)	22
4.10.2	Driving mechanisms (see A.12)	23
4.10.3	Hinges (see A.13)	24
4.10.4	Springs (see A.14)	24
4.11	Mouth-actuated toys and other toys intended to be put in the mouth (see A.15)	24
4.12	Balloons (see 4.3 and A.16)	25
4.13	Cords of toy kites and other flying toys (see A.17)	25
4.14	Enclosures	25
4.14.1	Toys which a child can enter (see A.18)	25
4.14.2	Masks and helmets (see A.19)	26
4.15	Toys intended to bear the mass of a child (see A.20)	26
4.15.1	Toys propelled by a child or by other means	26
4.15.2	Toy bicycles (see A.20)	31
4.15.3	Rocking horses and similar toys (see A.21)	31
4.15.4	Toys not propelled by a child	32
4.15.5	Toy scooters (see A.49)	33
4.16	Heavy immobile toys	34
4.17	Projectiles (see A.22)	34
4.17.1	General	34
4.17.2	Projectile toys without stored energy	35
4.17.3	Projectile toys with stored energy	35
4.17.4	Bows and arrows	35
4.18	Aquatic toys and inflatable toys (see A.23)	36
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps (see A.24)	36
4.20	Acoustics (see A.25)	36
4.21	Toys containing a non-electrical heat source	37
4.22	Small balls (see 5.10 and A.48)	37
4.23	Magnets (see A.51)	38
4.23.1	General	38
4.23.2	Toys other than magnetic/electrical experimental sets intended for children over 8 years	38

4.23.3	Magnetic/electrical experimental sets intended for children over 8 years	38
4.24	Yo-yo balls (see A.52)	38
4.25	Toys attached to food (see A.55)	39
5	Toys intended for children under 36 months	39
5.1	General requirements (see A.26)	39
5.2	Soft-filled toys and soft-filled parts of a toy (see A.27)	40
5.3	Plastic sheeting (see A.28)	41
5.4	Cords, chains and electrical cables in toys (see A.29)	41
5.5	Liquid-filled toys (see A.30)	42
5.6	Speed limitation of electrically-driven ride-on toys	43
5.7	Glass and porcelain (see 4.5 and A.6)	43
5.8	Shape and size of certain toys (see A.31)	43
5.9	Toys comprising monofilament fibres (see A.32)	43
5.10	Small balls (see also 4.22 and A.48)	43
5.11	Play figures	44
5.12	Hemispheric-shaped toys (see A.50)	44
5.13	Suction cups (see A.54)	47
5.14	Straps intended to be worn fully or partially around the neck (see A.53)	47
6	Packaging (see A.56)	47
7	Warnings, markings and instructions for use (see A.33)	48
7.1	General	49
7.2	Toys not intended for children under 36 months (see 4.22 and A.34)	49
7.3	Latex balloons (see 4.12 and A.16)	51
7.4	Aquatic toys (see 4.18 and A.23)	51
7.5	Functional toys (see A.35)	51
7.6	Hazardous sharp functional edges and points (see 4.7 and 4.8)	51
7.7	Projectiles (see 4.17.3 c) and 4.17.4 c))	51
7.7.1	Toys with projectiles which are able to discharge an object other than that provided with the toy	51
7.7.2	Toys capable of discharging a projectile with a kinetic energy greater than 0,08 J	51
7.8	Imitation protective masks and helmets (see 4.14.2 and A.19)	52
7.9	Toy kites (see 4.13)	52
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys (see 4.15.1.2 and A.20)	52
7.10.1	Roller skates, inline skates and skateboards	52
7.10.2	Ride-on toys without a braking device	52
7.10.3	Electrically-driven ride-on toys	52
7.10.4	Instructions for use	52
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator (see 5.4 f))	53
7.12	Liquid-filled teethingers (see 5.5)	53
7.13	Percussion caps specifically designed for use in toys (see 4.19)	53
7.14	Acoustics (see 4.19 and 4.20 f))	53
7.15	Toy bicycles (see 4.15.2.2)	53
7.16	Toys intended to bear the mass of a child (see 4.10.1, 4.15.1.2, 4.15.2.2, 4.15.3 and 4.15.4)	54
7.17	Toys comprising monofilament fibres (see 5.9)	54
7.18	Toy scooters (see 4.15.5.2)	54
7.19	Rocking horses and similar toys (see 4.15.3 and A.21)	54
7.20	Magnetic/electrical experimental sets (see 4.23.3 and A.51)	55
7.21	Toys with electrical cables exceeding 300 mm in length (see 5.4 i))	55
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months (see 5.4 b), 5.4 c) and 5.4 g))	55
8	Test methods	55
8.1	General requirements for testing	55
8.2	Small parts cylinder (see 4.6, 4.11, 4.18, 4.23.2, 4.23.3, 4.25, 5.1, 5.2 and A.36)	55
8.3	Torque test (see 4.6, 4.11, 4.14.2, 4.17, 4.18, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12, 5.13 and Clause 6)	56

8.4	Tension test (see A.37)	57
8.4.1	Apparatus	57
8.4.2	Procedure	57
8.5	Drop test (see 4.5, 4.6, 4.10.2, 4.14.2, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12 and 5.13)	59
8.6	Tip over test (see 4.10.2, 4.22, 4.23.2, 5.1, 5.10, 5.12 and 5.13)	59
8.7	Impact test (see 4.5, 4.6, 4.10.2, 4.14.2, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12, 5.13 and A.38)	60
8.8	Compression test (see 4.6, 4.14.2, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12, 5.13 and A.39)	60
8.9	Soaking test (see 4.11, 4.23.2, 5.1, 5.10 and 5.12)	60
8.10	Accessibility of a part or component (see 4.5, 4.7, 4.8, 4.10.2, 4.10.4, 4.15.1.3, 4.21, 5.2 and 5.7)	61
8.10.1	Principle	61
8.10.2	Apparatus	61
8.10.3	Procedure	61
8.11	Sharpness of edges (see 4.5, 4.7, 4.9, 4.10.2, 4.14.2, 4.15.1.3 and 5.1)	62
8.11.1	Principle	62
8.11.2	Apparatus	63
8.11.3	Procedure	64
8.12	Sharpness of points (see 4.5, 4.8, 4.9, 4.10.2, 4.14.2, 4.15.1.3, 5.1 and A.40)	64
8.12.1	Principle	64
8.12.2	Apparatus	64
8.12.3	Procedure	65
8.13	Flexibility of metallic wires (see 4.8 and A.41)	66
8.13.1	General	66
8.13.2	Metallic wires and other metallic components intended to be bent	66
8.13.3	Metallic wires likely to be bent	66
8.14	Expanding materials (see 4.6)	66
8.15	Leakage of liquid-filled toys (see 5.5 and A.42)	67
8.16	Geometric shape of certain toys (see 5.8, 5.11 and A.43)	67
8.17	Durability of mouth-actuated toys (see 4.11 and A.44)	68
8.17.1	Mouth-actuated projectile toys	68
8.17.2	Other mouth-actuated toys	68
8.18	Folding or sliding mechanisms (see 4.10.1 and A.45)	69
8.18.1	Loads	69
8.18.2	Toy pushchairs and perambulators	70
8.18.3	Other collapsible toys (see 4.10.1 c))	70
8.19	Electric resistivity of cords (see 4.13)	70
8.20	Cords cross-sectional dimension (see 5.4 a))	71
8.21	Static strength (see 4.15.1.3, 4.15.1.5, 4.15.3, 4.15.4 and A.46)	71
8.22	Dynamic strength (see 4.15.1.3)	72
8.22.1	Principle	72
8.22.2	Loads	72
8.22.3	Procedure	73
8.23	Stability	75
8.23.1	Toys intended to bear the mass of a child (see 4.15.1.4, 4.15.3 and 4.15.4)	75
8.23.2	Heavy immobile toys (see 4.16)	75
8.24	Determination of kinetic energy (see A.47)	76
8.24.1	Kinetic energy of projectiles (see 4.17.3)	76
8.24.2	Kinetic energy of bows and arrows (see 4.17.4)	76
8.25	Plastic sheeting	76
8.25.1	Thickness (see 4.3, 5.3 and Clause 6)	76
8.25.2	Adhesion (see 5.3)	76
8.26	Brake performance	77
8.26.1	Brake performance for certain ride-on toys (see 4.15.1.5)	77
8.26.2	Brake performance for toy bicycles (see 4.15.2.3)	77
8.26.3	Brake performance for toy scooters (see 4.15.5.5)	77
8.27	Strength of toy scooter steering tubes (see 4.15.5.3)	78
8.27.1	Resistance to downward forces	78
8.27.2	Resistance to upward forces	79
8.28	Determination of emission sound pressure levels (see 4.20)	79
8.28.1	Installation and mounting conditions	79
8.28.2	Measurement procedure	81

8.29	Determination of maximum design speed of electrically-driven ride-on toys (see 4.15.1.2, 4.15.1.5, 4.15.1.8 and 5.6)	86
8.30	Measurement of temperature rises (see 4.21)	86
8.31	Toy chest lids (see 4.14.1 c))	86
8.31.1	General	86
8.31.2	Lid support	86
8.31.3	Durability test for vertically opening hinged lids	87
8.32	Small balls and suction cups test (see 4.17, 4.22, 4.25, 5.10 and 5.13)	87
8.32.1	Small balls and suction cups (see Clause 6)	87
8.32.2	Small balls attached to a toy by a cord	87
8.33	Test for play figures (see 5.11)	88
8.34	Tension test for magnets (see 4.23.2 and A.51)	88
8.34.1	General	88
8.34.2	Toys that contain more than one magnet or magnetic component	89
8.34.3	Toys that contain one magnet only	89
8.35	Magnetic flux index (see 4.23.2 and 4.23.3)	89
8.35.1	General	89
8.35.2	Apparatus	89
8.35.3	Procedure	90
8.35.4	Calculation of magnetic flux index	90
8.36	Perimeter of cords and chains (see 5.4 c) and 5.4 d))	91
8.36.1	Test equipment	91
8.36.2	Test procedures	92
8.37	Yo-yo balls measurements (see 4.24)	96
8.37.1	Measurement of initial length l_0	96
8.37.2	Measurement of elastic constant k	96
8.38	Breakaway feature separation test (see 5.4 b), 5.4 c) and 5.14)	97
8.39	Self-retracting cords (see 5.4 e))	98
8.40	Length of cords, chains and electrical cables (see 5.4 b), 5.4 c), 5.4 g), 5.4 h) and 5.4 i)) ...	98
Annex A (informative) Background and rationale for this European Standard		99
A.1	General	99
A.2	Scope (see Clause 1)	99
A.3	Material cleanliness (see 4.1)	99
A.4	Assembly (see 4.2)	100
A.5	Flexible plastic sheeting (see 4.3)	100
A.6	Glass (see 4.5 and 5.7)	100
A.7	Expanding materials (see 4.6)	100
A.8	Edges (see 4.7)	100
A.9	Points and metallic wires (see 4.8)	101
A.10	Protruding parts (see 4.9)	101
A.11	Folding and sliding mechanisms (see 4.10.1)	102
A.12	Driving mechanisms (see 4.10.2)	102
A.13	Hinges (see 4.10.3)	102
A.14	Springs (see 4.10.4)	103
A.15	Mouth-actuated toys and other toys intended to be put in the mouth (see 4.11)	103
A.16	Balloons (see 4.3, 4.12 and 7.3)	103
A.17	Cords of toy kites (see 4.13)	104
A.18	Toys which a child can enter (see 4.14.1)	104
A.19	Masks and helmets (see 4.14.2 and 7.8)	104
A.20	Toys intended to bear the mass of a child (see 4.15 and 7.10)	104
A.21	Rocking horses and similar toys (see 4.15.3)	105
A.22	Projectiles (see 4.17)	106
A.23	Aquatic toys and inflatable toys (see 4.18 and 7.4)	106
A.24	Percussion caps specifically designed for use in toys and toys using percussion caps (see 4.19)	106
A.25	Acoustics (see 4.20)	107
A.26	General requirements for toys intended for children under 36 months (see 5.1)	107
A.27	Soft-filled toys and soft-filled parts of a toy (see 5.2)	108
A.28	Adhesion of plastic sheeting (see 5.3)	108
A.29	Cords and chains in toys (see 5.4)	108

A.30	Liquid-filled toys (see 5.5 and A.42)	110
A.31	Shape and size of certain toys (see 5.8 and A.43)	111
A.32	Toys comprising monofilament fibres (see 5.9)	111
A.33	Warnings, markings and instructions for use (see 7.1)	111
A.34	Warning for toys not intended for children under 36 months (see 7.2)	111
A.35	Warnings in connection with functional toys (see 7.5)	111
A.36	Small parts cylinder (see 8.2)	112
A.37	Tension test (see 8.4)	112
A.38	Impact test (see 8.7)	112
A.39	Compression test (see 8.8)	112
A.40	Sharpness of points (see 8.12)	112
A.41	Flexibility of metallic wires (see 8.13)	112
A.42	Leakage of liquid-filled teething toys (see 8.15 and A.30)	112
A.43	Geometric shape of certain toys (see 8.16 and A.31)	113
A.44	Durability of mouth-actuated toys (see 8.17)	113
A.45	Folding or sliding mechanisms (see 8.18)	113
A.46	Static strength (see 8.21)	113
A.47	Kinetic energy of projectiles, bows and arrows (see 8.24)	113
A.48	Small balls (see 4.22 and 5.10)	113
A.49	Toy scooters (see 4.15.5)	115
A.50	Hemispheric-shaped toys (see 5.12)	115
A.51	Magnets (see 4.23)	115
A.52	Yo-yo balls (see 4.24)	117
A.53	Straps intended to be worn fully or partially around the neck (see 5.14)	121
A.54	Suction cups (see 5.13)	121
A.55	Toys attached to food (see 4.25)	121
A.56	Packaging (see Clause 6)	121
Annex B (informative) Significant technical changes between this European Standard and the previous version		124
Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives		126
Bibliography		128