

DIN EN 71-8:2011-11 (E)

Safety of toys - Part 8: Activity toys for domestic use

Contents		Page
Foreword		4
1	Scope (see A.1)	6
2	Normative references	6
3	Terms and definitions	6
4	Requirements	10
4.1	General (see A.2)	10
4.1.1	Assembly	10
4.1.2	Static strength	10
4.1.3	Maximum height (see A.3)	10
4.1.4	Corners and edges (see A.4)	10
4.1.5	Protruding parts	10
4.1.6	Diameter of ropes and other means of suspension	10
4.2	Barriers, handrails and ladders and similar means of access to activity toys	11
4.2.1	Barriers and handrails preventing a child from falling down (see A.5)	11
4.2.2	Ladders and similar means of access to activity toys (see A.6)	11
4.3	Entrapment (see A.7)	13
4.3.1	Head and neck entrapment	13
4.3.2	Entrapment of clothing and hair	13
4.3.3	Entrapment of feet	14
4.3.4	Entrapment of fingers	14
4.4	Stability of activity toys other than slides, swings and activity toys with crossbeams, and see-saws	15
4.4.1	General	15
4.4.2	Stability of activity toys with a free height of fall of 600 mm or less	15
4.4.3	Stability of activity toys with a free height of fall of more than 600 mm	15
4.5	Slides (see A.8)	15
4.5.1	Stability of slides	15
4.5.2	Retaining sides for slides (see A.9)	15
4.5.3	Starting, sliding and run-out sections on slides	16
4.6	Swings (see A.10)	18
4.6.1	Stability of swings and other activity toys with crossbeams	18
4.6.2	Strength of crossbeams, swing devices and suspension connectors	19
4.6.3	Swings intended for children under 36 months	19
4.6.4	Minimum clearance between adjacent swing elements, and adjacent structures	19
4.6.5	Lateral stability of swing elements	20
4.6.6	Minimum clearance between swing elements and the ground (see A.11)	21
4.6.7	Suspension connectors and swing devices	21
4.6.8	Impact, geometry and design of swing elements	22
4.7	See-saws	23
4.7.1	Stability of see-saws	23
4.7.2	Seat/stand height	23
4.7.3	Restraint of motion	23
4.7.4	Pinching and crushing of fingers and toes	23
4.7.5	Hand supports	23
4.8	Carousels and rocking activity toys (see A.12)	23
4.9	Paddling pools	24
4.9.1	Static strength of paddling pools with non-inflatable walls	24
4.9.2	Paddling pools with inflatable walls	24

5	Warnings, markings, and instructions	24
5.1	Warnings and markings	24
5.1.1	General	24
5.1.2	Paddling pools	25
5.2	Assembly and installation instructions	25
5.3	Maintenance	26
6	Test methods	27
6.1	General	27
6.2	Stability	27
6.2.1	Stability of activity toys with a free height of fall of 600 mm or less (see 4.4.2 and 4.8)	27
6.2.2	Stability of activity toys with a free height of fall of more than 600 mm (see 4.4.3)	29
6.2.3	Stability of slides (see 4.5.1)	29
6.2.4	Stability of swings and other activity toys with crossbeams (see 4.6.1)	30
6.2.5	Stability of see-saws (see 4.7.1)	31
6.3	Static strength	32
6.3.1	Strength of activity toys other than swings and paddling pools (see 4.1.2 and 4.8)	32
6.3.2	Strength of swings (see 4.6.2)	34
6.4	Dynamic strength of barriers and handrails (see 4.2.1)	35
6.4.1	Principle	35
6.4.2	Apparatus	35
6.4.3	Procedure	36
6.5	Test for head and neck entrapment (see 4.3.1)	36
6.5.1	Head and neck entrapment in accessible completely bound openings (see 4.3.1 a) and 4.3.1 c))	36
6.5.2	Head and neck entrapment in partially bound and V-shaped openings (see 4.3.1 d))	38
6.6	Toggle test (see 4.3.2)	41
6.6.1	Principle	41
6.6.2	Apparatus	41
6.6.3	Procedure	42
6.7	Measurements of sliding and run-out sections on slides (see 4.5.3)	45
6.7.1	Measurement of inclination of the sliding section on slides (see 4.5.3 f))	45
6.7.2	Measurement of the minimum angle between the sliding section and the run-out section on slides (see 4.5.3 g))	45
6.8	Diameter of ropes and other means of suspension (see 4.1.6)	47
6.9	Determination of impact from swing elements (see 4.6.8.2)	48
6.9.1	Principle	48
6.9.2	Apparatus	48
6.9.3	Preparations	49
6.9.4	Testing	50
6.10	Static load test for paddling pools with non-inflatable walls (see 4.9.1)	51
Annex A (informative) Rationale		52
A.1	Activity toys (see scope)	52
A.2	General requirements (see 4.1)	52
A.3	General requirements (maximum height) (see 4.1.3)	52
A.4	Corners and edges (see 4.1.4)	52
A.5	Barriers (see 4.2)	53
A.6	Ladders and similar means of access to activity toys (see 4.2.2)	53
A.7	Entrapment (see 4.3)	53
A.8	Slides (see 4.5)	53
A.9	Retaining sides for slides (see 4.5.2)	53
A.10	Swings (see 4.6)	54
A.11	Clearance between swing elements and the ground for crossbeams with a maximum height of 1 200 mm (see 4.6.6)	54
A.12	Rocking activity toys and similar toys (see 4.8)	55
A.13	Stability of swings and other activity toys with crossbeams (see 6.2.4.1.1)	55
Annex B (informative) Significant technical changes between this European Standard and the previous version		56

Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives58

Bibliography59