

DIN EN 71-1:2015-02 (E)

Safety of toys - Part 1: Mechanical and physical properties

Contents		Page
Foreword		8
Introduction		11
1	Scope (see A.2)	12
2	Normative references	14
3	Terms and definitions	15
4	General requirements	23
4.1	Material cleanliness (see A.3)	23
4.2	Assembly (see A.4)	23
4.3	Flexible plastic sheeting (see A.5 and A.16)	24
4.4	Toy bags	24
4.5	Glass (see 5.7 and A.6)	24
4.6	Expanding materials (see A.7)	24
4.7	Edges (see A.8)	24
4.8	Points and metallic wires (see A.9)	25
4.9	Protruding parts (see A.10)	25
4.10	Parts moving against each other	26
4.10.1	Folding and sliding mechanisms (see A.11)	26
4.10.2	Driving mechanisms (see A.12)	28
4.10.3	Hinges (see A.13)	28
4.10.4	Springs (see A.14)	28
4.11	Mouth-actuated toys and other toys intended to be put in the mouth (see A.15)	29
4.12	Balloons (see 4.3 and A.16)	29
4.13	Cords of toy kites and other flying toys (see A.17)	29
4.14	Enclosures	29
4.14.1	Toys which a child can enter (see A.18)	29
4.14.2	Masks and helmets (see A.19)	30
4.15	Toys intended to bear the mass of a child (see A.20)	31
4.15.1	Toys propelled by a child or by other means	31
4.15.2	Toy bicycles (see A.20)	35
4.15.3	Rocking horses and similar toys (see A.21)	36
4.15.4	Toys not propelled by a child	37
4.15.5	Toy scooters (see A.49)	37
4.16	Heavy immobile toys	39
4.17	Projectiles (see A.22)	39
4.17.1	General	39
4.17.2	Projectile toys without stored energy	39
4.17.3	Projectile toys with stored energy	40
4.17.4	Bows and arrows	40
4.18	Aquatic toys and inflatable toys (see A.23)	40
4.19	Percussion caps specifically designed for use in toys and toys using percussion caps (see A.24)	41
4.20	Acoustics (see A.25)	41
4.20.1	Exposure categories for time-averaged sound pressure levels	41
4.20.2	Emission sound pressure level limits	42
4.21	Toys containing a non-electrical heat source	46
4.22	Small balls (see 5.10 and A.48)	47
4.23	Magnets (see A.51)	47

4.23.1	General	47
4.23.2	Toys other than magnetic/electrical experimental sets intended for children over 8 years	47
4.23.3	Magnetic/electrical experimental sets intended for children over 8 years	48
4.24	Yo-yo balls (see A.52)	48
4.25	Toys attached to food (see A.55)	48
5	Toys intended for children under 36 months	48
5.1	General requirements (see A.26)	48
5.2	Soft-filled toys and soft-filled parts of a toy (see A.27)	49
5.3	Plastic sheeting (see A.28)	50
5.4	Cords, chains and electrical cables in toys (see A.29)	50
5.5	Liquid-filled toys (see A.30)	52
5.6	Speed limitation of electrically-driven ride-on toys	52
5.7	Glass and porcelain (see 4.5 and A.6)	52
5.8	Shape and size of certain toys (see A.31)	52
5.9	Toys comprising monofilament fibres (see A.32)	53
5.10	Small balls (see also 4.22 and A.48)	53
5.11	Play figures	53
5.12	Hemispheric-shaped toys (see A.50)	54
5.13	Suction cups (see A.54)	56
5.14	Straps intended to be worn fully or partially around the neck (see A.53)	56
6	Packaging (see A.56)	56
7	Warnings, markings and instructions for use (see A.33)	57
7.1	General	57
7.2	Toys not intended for children under 36 months (see 4.22 and A.34)	58
7.3	Latex balloons (see 4.12 and A.16)	59
7.4	Aquatic toys (see 4.18 and A.23)	59
7.5	Functional toys (see A.35)	60
7.6	Hazardous sharp functional edges and points (see 4.7 and 4.8)	60
7.7	Projectiles (see 4.17.3 c) and 4.17.4 c))	60
7.7.1	Toys with projectiles which are able to discharge an object other than that provided with the toy	60
7.7.2	Toys capable of discharging a projectile with a kinetic energy greater than 0,08 J	60
7.8	Imitation protective masks and helmets (see 4.14.2 and A.19)	60
7.9	Toy kites (see 4.13)	60
7.10	Roller skates, inline skates, skateboards and certain other ride-on toys (see 4.15.1.2 and A.20)	61
7.10.1	Roller skates, inline skates and skateboards	61
7.10.2	Ride-on toys without a braking device	61
7.10.3	Electrically-driven ride-on toys	61
7.10.4	Instructions for use	61
7.11	Toys intended to be attached to or strung across a cradle, cot, or perambulator (see 5.4 f))	62
7.12	Liquid-filled teething (see 5.5)	62
7.13	Percussion caps specifically designed for use in toys (see 4.19)	62
7.14	Acoustics (see 4.19 and 4.20)	62
7.15	Toy bicycles (see 4.15.2.2)	62
7.16	Toys intended to bear the mass of a child (see 4.15.1.2, 4.15.2.2, 4.15.3 and 4.15.4)	62
7.17	Toys comprising monofilament fibres (see 5.9)	63
7.18	Toy scooters (see 4.15.5.2)	63
7.19	Rocking horses and similar toys (see 4.15.3 and A.21)	63
7.20	Magnetic/electrical experimental sets (see 4.23.3 and A.51)	63
7.21	Toys with electrical cables exceeding 300 mm in length (see 5.4 i))	64
7.22	Toys with cords or chains intended for children of 18 months and over but under 36 months (see 5.4 b), 5.4 c) and 5.4 g))	64
8	Test methods	64
8.1	General requirements for testing	64
8.2	Small parts cylinder (see 4.6, 4.11, 4.18, 4.23.2, 4.23.3, 4.25, 5.1, 5.2 and A.36)	64

8.3	Torque test (see 4.6, 4.11, 4.14.2, 4.17, 4.18, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12, 5.13 and Clause 6)	65
8.4	Tension test (see A.37)	65
8.4.1	Apparatus	65
8.4.2	Procedure	66
8.5	Drop test (see 4.5, 4.6, 4.10.2, 4.14.2, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12 and 5.13)	68
8.6	Tip over test (see 4.10.2, 4.22, 4.23.2, 5.1, 5.10, 5.12 and 5.13)	68
8.7	Impact test (see 4.5, 4.6, 4.10.2, 4.14.2, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12, 5.13 and A.38)	69
8.8	Compression test (see 4.6, 4.14.2, 4.22, 4.23.2, 4.25, 5.1, 5.10, 5.12, 5.13 and A.39)	69
8.9	Soaking test (see 4.11, 4.23.2, 5.1, 5.10 and 5.12)	69
8.10	Accessibility of a part or component (see 4.5, 4.7, 4.8, 4.10.2, 4.10.4, 4.15.1.3, 4.21, 5.2 and 5.7)	70
8.10.1	Principle	70
8.10.2	Apparatus	70
8.10.3	Procedure	70
8.11	Sharpness of edges (see 4.5, 4.7, 4.9, 4.10.2, 4.14.2, 4.15.1.3 and 5.1)	72
8.11.1	Principle	72
8.11.2	Apparatus	72
8.11.3	Procedure	73
8.12	Sharpness of points (see 4.5, 4.8, 4.9, 4.10.2, 4.14.2, 4.15.1.3, 5.1 and A.40)	74
8.12.1	Principle	74
8.12.2	Apparatus	74
8.12.3	Procedure	75
8.13	Flexibility of metallic wires (see 4.8 and A.41)	76
8.13.1	General	76
8.13.2	Metallic wires and other metallic components intended to be bent	76
8.13.3	Metallic wires likely to be bent	76
8.14	Expanding materials (see 4.6)	77
8.15	Leakage of liquid-filled toys (see 5.5 and A.42)	77
8.16	Geometric shape of certain toys (see 5.8, 5.11 and A.43)	77
8.17	Durability of mouth-actuated toys (see 4.11 and A.44)	78
8.17.1	Mouth-actuated projectile toys	78
8.17.2	Other mouth-actuated toys	78
8.18	Folding or sliding mechanisms (see 4.10.1 and A.45)	79
8.18.1	Loads	79
8.18.2	Toy pushchairs and perambulators	79
8.18.3	Other collapsible toys (see 4.10.1 c))	80
8.19	Electric resistivity of cords (see 4.13)	80
8.20	Cords cross-sectional dimension (see 5.4 a))	80
8.21	Static strength (see 4.15.1.3, 4.15.1.5, 4.15.3, 4.15.4 and A.46)	81
8.22	Dynamic strength (see 4.15.1.3)	82
8.22.1	Principle	82
8.22.2	Loads	82
8.22.3	Procedure	83
8.23	Stability	85
8.23.1	Toys intended to bear the mass of a child (see 4.15.1.4, 4.15.3 and 4.15.4)	85
8.23.2	Heavy immobile toys (see 4.16)	85
8.24	Determination of kinetic energy (see A.47)	85
8.24.1	Kinetic energy of projectiles (see 4.17.3)	85
8.24.2	Kinetic energy of bows and arrows (see 4.17.4)	86
8.25	Plastic sheeting	86
8.25.1	Thickness (see 4.3, 5.3 and Clause 6)	86
8.25.2	Adhesion (see 5.3)	86
8.26	Brake performance	86
8.26.1	Brake performance for certain ride-on toys (see 4.15.1.5)	86
8.26.2	Brake performance for toy bicycles (see 4.15.2.3)	87
8.26.3	Brake performance for toy scooters (see 4.15.5.5)	87
8.27	Strength of toy scooter steering tubes (see 4.15.5.3)	88
8.27.1	Resistance to downward forces	88
8.27.2	Resistance to upward forces	89
8.28	Determination of emission sound pressure levels (see 4.20)	89
8.28.1	General	89

8.28.2	Test procedures	93
8.29	Determination of maximum design speed of electrically-driven ride-on toys (see 4.15.1.2, 4.15.1.5, 4.15.1.8 and 5.6)	102
8.30	Measurement of temperature rises (see 4.21)	103
8.31	Toy chest lids (see 4.14.1 c))	103
8.31.1	General	103
8.31.2	Lid support	103
8.31.3	Durability test for vertically opening hinged lids	103
8.32	Small balls and suction cups test (see 4.17, 4.22, 4.25, 5.10 and 5.13)	103
8.32.1	Small balls and suction cups (see Clause 6)	103
8.32.2	Small balls attached to a toy by a cord	104
8.33	Test for play figures (see 5.11)	105
8.34	Tension test for magnets (see 4.23.2 and A.51)	105
8.34.1	General	105
8.34.2	Toys that contain more than one magnet or magnetic component	105
8.34.3	Toys that contain one magnet only	106
8.35	Magnetic flux index (see 4.23.2 and 4.23.3)	106
8.35.1	General	106
8.35.2	Apparatus	106
8.35.3	Procedure	106
8.35.4	Calculation of magnetic flux index	107
8.36	Perimeter of cords and chains (see 5.4 c) and 5.4 d))	107
8.36.1	Test equipment	107
8.36.2	Test procedures	109
8.37	Yo-yo balls measurements (see 4.24)	112
8.37.1	Measurement of initial length l_0	112
8.37.2	Measurement of elastic constant k	113
8.38	Breakaway feature separation test (see 5.4 b), 5.4 c) and 5.14)	114
8.39	Self-retracting cords (see 5.4 e))	115
8.40	Length of cords, chains and electrical cables (see 5.4 b), 5.4 c), 5.4 g), 5.4 h) and 5.4 i)) .	115
Annex A (informative) Background and rationale for this European Standard		116
A.1	General	116
A.2	Scope (see Clause 1)	116
A.3	Material cleanliness (see 4.1)	116
A.4	Assembly (see 4.2)	117
A.5	Flexible plastic sheeting (see 4.3)	117
A.6	Glass (see 4.5 and 5.7)	117
A.7	Expanding materials (see 4.6)	117
A.8	Edges (see 4.7)	117
A.9	Points and metallic wires (see 4.8)	118
A.10	Protruding parts (see 4.9)	118
A.11	Folding and sliding mechanisms (see 4.10.1)	119
A.12	Driving mechanisms (see 4.10.2)	119
A.13	Hinges (see 4.10.3)	119
A.14	Springs (see 4.10.4)	120
A.15	Mouth-actuated toys and other toys intended to be put in the mouth (see 4.11)	120
A.16	Balloons (see 4.3, 4.12 and 7.3)	120
A.17	Cords of toy kites (see 4.13)	121
A.18	Toys which a child can enter (see 4.14.1)	121
A.19	Masks and helmets (see 4.14.2 and 7.8)	121
A.20	Toys intended to bear the mass of a child (see 4.15 and 7.10)	121
A.21	Rocking horses and similar toys (see 4.15.3)	122
A.22	Projectiles (see 4.17)	123
A.23	Aquatic toys and inflatable toys (see 4.18 and 7.4)	123
A.24	Percussion caps specifically designed for use in toys and toys using percussion caps (see 4.19)	123
A.25	Acoustics (see 4.20)	124
A.26	General requirements for toys intended for children under 36 months (see 5.1)	127
A.27	Soft-filled toys and soft-filled parts of a toy (see 5.2)	128
A.28	Adhesion of plastic sheeting (see 5.3)	129

A.29	Cords and chains in toys (see 5.4)	129
A.30	Liquid-filled toys (see 5.5 and A.42)	131
A.31	Shape and size of certain toys (see 5.8 and A.43)	131
A.32	Toys comprising monofilament fibres (see 5.9)	132
A.33	Warnings, markings and instructions for use (see 7.1)	132
A.34	Warning for toys not intended for children under 36 months (see 7.2)	134
A.35	Warnings in connection with functional toys (see 7.5)	134
A.36	Small parts cylinder (see 8.2)	134
A.37	Tension test (see 8.4)	134
A.38	Impact test (see 8.7)	134
A.39	Compression test (see 8.8)	135
A.40	Sharpness of points (see 8.12)	135
A.41	Flexibility of metallic wires (see 8.13)	135
A.42	Leakage of liquid-filled teething toys (see 8.15 and A.30)	135
A.43	Geometric shape of certain toys (see 8.16 and A.31)	135
A.44	Durability of mouth-actuated toys (see 8.17)	135
A.45	Folding or sliding mechanisms (see 8.18)	135
A.46	Static strength (see 8.21)	136
A.47	Kinetic energy of projectiles, bows and arrows (see 8.24)	136
A.48	Small balls (see 4.22 and 5.10)	136
A.49	Toy scooters (see 4.15.5)	137
A.50	Hemispheric-shaped toys (see 5.12)	138
A.51	Magnets (see 4.23)	138
A.52	Yo-yo balls (see 4.24)	140
A.53	Straps intended to be worn fully or partially around the neck (see 5.14)	143
A.54	Suction cups (see 5.13)	143
A.55	Toys attached to food (see 4.25)	144
A.56	Packaging (see Clause 6)	144
Annex ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives		146
Bibliography		148