

DIN EN ISO 80079-37:2016-12 (E)

Explosive atmospheres - Part 3 7: Non-electrical equipment for explosive atmospheres - Non-electrical type of protection constructional safety "c", control of ignition sources "b", liquid immersion "k" (ISO 80079-37:2016)

Contents	Page
European foreword.....	5
FOREWORD.....	6
1 Scope.....	8
2 Normative references.....	8
3 Terms and definitions	9
4 Determination of suitability.....	10
5 Requirements for equipment with Type of Protection constructional safety "c"	10
5.1 General requirements.....	10
5.2 Ingress protection	11
5.2.1 General	11
5.2.2 Ingress protection in special cases	11
5.3 Seals for moving parts.....	11
5.3.1 Unlubricated gaskets, seals, sleeves, bellows and diaphragms	11
5.3.2 Stuffing box seals (packed glands)	12
5.3.3 Lubricated seals.....	12
5.4 Equipment lubricants, coolants and fluids	12
5.5 Vibration	12
5.6 Requirements for moving parts	12
5.6.1 General	12
5.6.2 Clearance	13
5.6.3 Lubrication.....	13
5.7 Requirements for bearings	13
5.7.1 General	13
5.7.2 Lubrication.....	14
5.7.3 Chemical compatibility	14
5.8 Requirements for power transmission systems.....	15
5.8.1 Gear drives.....	15
5.8.2 Belt drives	15
5.8.3 Chain drives.....	16
5.8.4 Other drives.....	16
5.8.5 Hydrostatic, hydrokinetic and pneumatic equipment.....	16
5.9 Requirements for clutches and variable speed couplings.....	17
5.9.1 General	17
5.9.2 Slipping	17
5.9.3 Friction	18
5.10 Flexible couplings	18
5.11 Requirements for brakes and braking systems	18
5.11.1 Brakes used only for stopping in emergency	18
5.11.2 Service brakes (including friction brakes and fluid based retarders).....	19
5.11.3 Parking brakes.....	19
5.12 Requirements for springs and absorbing elements	19
5.13 Requirements for conveyor belts	19

5.13.1	Electrostatic requirements	19
5.13.2	Materials	19
5.13.3	Belt tension	19
5.13.4	Alignment	20
5.13.5	Earthing and bonding	20
6	Requirements for equipment with Type of Protection control of ignition source “b”	20
6.1	General	20
6.2	Determination of the control parameters	20
6.2.1	General	20
6.2.2	Determination of the safety critical values	21
6.3	Ignition prevention system design and settings	21
6.3.1	Determining the performance requirements or operating characteristics	21
6.3.2	Instructions	21
6.3.3	System lockout	21
6.3.4	Operator intervention	22
6.4	Ignition protection of sensors and actuators	22
6.5	Ignition protection types	22
6.5.1	Ignition protection type b1	22
6.5.2	Ignition protection type b2	22
6.5.3	Application of ignition protection types	23
6.5.4	Requirements for ignition protection types	24
6.5.5	Programmable electronic devices	24
7	Requirements for equipment with Type of Protection liquid immersion “k”	24
7.1	Determination of the maximum / minimum criteria	24
7.2	Protective liquid	25
7.3	Equipment construction	25
7.3.1	General	25
7.3.2	Working angle	25
7.3.3	Measures to ensure effectiveness of liquid	25
7.3.4	Accidental loosening	26
7.3.5	Level monitoring	26
7.3.6	Loss of liquid	26
7.3.7	Open equipment	27
8	Type tests	27
8.1	Type tests for equipment with Type of Protection constructional safety “c”	27
8.2	Type tests for equipment with Type of Protection control of ignition source “b”	27
8.2.1	Determination of control parameters	27
8.2.2	Function and accuracy check of the ignition protection system	27
8.3	Type tests for equipment with Type of Protection liquid immersion “k”	27
8.3.1	General	27
8.3.2	Increased pressure test on enclosed equipment having a sealed enclosure that contains static, or flowing protective liquid	27
8.3.3	Overpressure test on enclosed equipment having a vented enclosure	27
9	Documentation	27
9.1	Documentation for equipment with Type of Protection constructional safety “c”	27
9.2	Documentation for equipment with Type of Protection control of ignition sources “b”	28
9.3	Documentation for equipment with Type of Protection liquid immersion “k”	28
10	Marking	29
10.1	General	29
10.2	Safety devices	29

Annex A (informative) Approach and application: equipment with Type of Protection “c”	30
A.1 General remarks regarding ignition hazard assessment.....	30
A.2 Stuffing box seal (see Table A.2).....	30
A.3 Slide ring seal	32
A.4 Radial seal.....	37
A.5 Belt drives.....	41
Annex B (normative) Test requirements.....	43
B.1 "Dry run" type test for lubricated sealing arrangements	43
B.2 Type test for determining the maximum engaging time of clutch assembly	43
B.2.1 Apparatus	43
B.2.2 Procedure.....	44
Annex C (informative) Methodology: equipment with Type of Protection “b”	45
Annex D (informative) Approach to assign the required ignition protection type used for equipment to achieve different EPL	46
D.1 For EPL Gc and Dc	46
D.2 For EPL Gb and Db.....	46
D.3 For EPL Mb.....	46
D.4 For EPL Ga and Da.....	47
Annex E (informative) Information on functional safety concept.....	48
E.1 ISO 13849-1	48
E.2 IEC 61508-1.....	48
E.3 IEC 62061.....	48
E.4 Reliability according to functional safety standards	48
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2014/34/EU	50
Annex ZB (informative) Significant changes between this European Standard and EN 13463-5:2011, EN 13463-6:2005 and EN 13463-8:2003.....	52
Bibliography	55
Figure C.1 – Flow diagram of the procedures described in this document.....	45
Table 1 – Minimum ignition protection types required when Ex “b” is selected to achieve the intended EPL for Group II and III equipment.....	23
Table 2 – Minimum ignition protection types required when Ex “b” is selected to achieve the intended EPL for Group I equipment	24
Table A.1 – List of examples for some of the thought processes and principles used	30
Table A.2 – Stuffing box seal	31
Table A.3 – Slide ring seal	33
Table A.4 – Radial seal.....	38
Table A.5 – Belt drives.....	42
Table E.1 – Application of ignition protection type.....	49