

DIN EN 1272:2017-08 (E)

Child care articles - Table mounted chairs - Safety requirements and test methods

| Contents | | Page |
|--|---|-------------|
| European foreword | | 5 |
| 1 | Scope | 6 |
| 2 | Normative references | 6 |
| 3 | Terms and definitions | 6 |
| 4 | Test equipment | 7 |
| 4.1 | Test probes for finger entrapment | 7 |
| Figure 1 -- Test probes with hemispherical end | | 7 |
| Figure 2 -- Test probe for mesh with hemispherical end | | 8 |
| 4.2 | Test masses | 8 |
| 4.2.1 | Test mass A | 8 |
| Figure 3 -- Test mass A | | 8 |
| 4.2.2 | Test mass B | 9 |
| Figure 4 -- Test mass B | | 9 |
| 4.2.3 | Test mass C | 9 |
| Figure 5 -- Test mass C | | 10 |
| 4.3 | Small torso probe | 10 |
| Figure 6 -- Small torso probe | | 10 |
| 4.4 | Test foam | 11 |
| 4.5 | Small parts cylinder | 11 |
| Figure 7 -- Small parts cylinder | | 11 |
| 4.6 | Feeler gauge | 11 |
| Figure 8 -- Feeler gauge | | 11 |
| 4.7 | Test surface | 12 |
| 4.8 | Loading pad | 12 |
| 4.9 | Bouncing test machine | 12 |
| 4.10 | Test bar | 12 |
| 5 | General | 12 |
| 5.1 | General requirements | 12 |
| 5.2 | Product conditioning | 12 |
| 5.3 | Test conditions | 12 |
| 5.4 | Application of forces | 13 |
| 5.5 | Tolerances | 13 |
| 5.6 | Order of test | 13 |
| 6 | Chemical hazards | 13 |
| 6.1 | General | 13 |
| 6.2 | Migration of certain elements (see A.2) | 13 |
| Table 1 -- Limits for heavy metals migration | | 13 |

| | | |
|--|---|----|
| 6.3 | Formaldehyde (see A.2) | 14 |
| 6.4 | Colorants and primary aromatic amines (see A.2) | 14 |
| Table 2 -- Colourants limits | | 15 |
| Table 3 -- Primary aromatic amines limits | | 15 |
| 7 | Thermal hazards (see A.3) | 15 |
| 7.1 | Requirement | 15 |
| 7.2 | Test method | 16 |
| 8 | Mechanical hazards (see A.4) | 16 |
| 8.1 | Hazards due to folding or dismantling of the product | 16 |
| 8.1.1 | General | 16 |
| 8.1.2 | Removable seat unit | 16 |
| 8.2 | Entrapment hazards (see A.4.1) | 16 |
| 8.2.1 | Entrapment of fingers | 16 |
| 8.2.2 | Entrapment of head | 17 |
| 8.3 | Hazards due to moving parts (see A.4.2) | 17 |
| 8.3.1 | Requirements for compression points | 17 |
| 8.3.2 | Requirements for shear points | 17 |
| 8.4 | Entanglement hazards (see A.4.3) | 18 |
| 8.4.1 | Requirements | 18 |
| Figure 9 -- Examples of measuring cords, ribbons or similar parts | | 18 |
| 8.4.2 | Test method | 18 |
| 8.5 | Choking and ingestion hazards (see A.4.4) | 19 |
| 8.5.1 | Requirements | 19 |
| 8.5.2 | Test methods | 19 |
| 8.6 | Suffocation hazards (see A.4.5) | 20 |
| 8.6.1 | Plastic packaging - Requirement | 20 |
| 8.6.2 | Plastic decals | 20 |
| 8.7 | Hazardous edges, corners and protruding parts (see A.4.6) | 20 |
| 8.8 | Hazards from inadequate structural integrity (see A.4.7) | 20 |
| 8.8.1 | Static strength | 20 |
| 8.8.2 | Dynamic strength | 21 |
| 8.8.3 | Slippage of anchoring supports | 21 |
| Figure 10 -- Test method for anchoring support | | 22 |
| 8.8.4 | Bouncing performance | 22 |
| 8.9 | Hazards due to falling | 23 |
| 8.9.1 | Footrests | 23 |
| 8.9.2 | Restraint system | 23 |
| 8.9.3 | Lateral protection and backrest height | 24 |
| Figure 11 -- Measurement of lateral protection and backrest height | | 24 |
| 9 | Product information | 25 |
| 9.1 | General | 25 |
| 9.2 | Marking of the product | 25 |
| 9.2.1 | Requirements | 25 |
| 9.2.2 | Durability of marking | 25 |
| 9.2.3 | Test method for durability of marking | 25 |
| 9.3 | Purchase information | 25 |
| Figure 12 -- Symbol for age and weight range | | 26 |
| 9.4 | Instructions for use | 26 |
| Annex A (informative) Rationales | | 28 |
| A.1 | Introduction | 28 |
| A.2 | Chemical hazards (see Clause 6) | 28 |

| | | |
|--|--|-----------|
| A.3 | Thermal hazards (see Clause 7) | 28 |
| A.4 | Mechanical hazards (see Clause 8) | 28 |
| A.4.1 | Entrapment hazards (8.2) | 28 |
| A.4.2 | Hazards due to moving parts (8.3) | 29 |
| A.4.3 | Entanglement hazards (8.4) | 29 |
| A.4.4 | Choking and ingestion hazards (8.5) | 29 |
| A.4.5 | Suffocation hazards (8.6) | 29 |
| A.4.6 | Hazardous edges, corners and protruding parts (8.7) | 29 |
| A.4.7 | Hazards from inadequate structural integrity (8.8) | 29 |
| A.4.8 | Hazards due to falling (8.9) | 29 |
| Annex B (normative) Warnings | | 30 |
| Table B.1 -- Translation of warning phrases | | 30 |
| Annex C (informative) A-deviations | | 35 |