

# ISO 14118:2017-12 (E)

## Safety of machinery - Prevention of unexpected start-up

---

| <b>Contents</b>              |   | <b>Page</b> |
|------------------------------|---|-------------|
| Foreword .....               |   | iv          |
| Introduction .....           |   | v           |
| <b>1</b>                     | <b>Scope .....</b>  | <b>1</b>    |
| <b>2</b>                     | <b>Normative references .....</b>   | <b>1</b>    |
| <b>3</b>                     | <b>Terms and definitions .....</b>  | <b>1</b>    |
| <b>4</b>                     | <b>General measures to prevent unexpected start-up .....</b>                              | <b>2</b>    |
| 4.1                          | General .....   | 2           |
| 4.2                          | Manual measures for isolation and energy dissipation .....                                | 3           |
| 4.3                          | Other means to prevent unexpected (unintended) start-up .....                             | 3           |
| 4.4                          | Signalling and warning (delayed start) .....  | 3           |
| <b>5</b>                     | <b>Isolation and energy dissipation .....</b>   | <b>3</b>    |
| 5.1                          | Prevention of unexpected start-up upon restoration of any power supplies .....            | 3           |
| 5.2                          | Devices for isolation from power supplies .....   | 3           |
| 5.3                          | Locking (securing) devices .....  | 4           |
| 5.4                          | Devices for stored-energy dissipation or restraint (containment) .....                    | 4           |
| 5.4.1                        | General .....   | 4           |
| 5.4.2                        | Mechanical elements .....   | 5           |
| 5.4.3                        | Locking or securing facilities for the restraint (containment) devices .....              | 5           |
| <b>6</b>                     | <b>Other measures to prevent unexpected start-up .....</b>                                | <b>5</b>    |
| 6.1                          | Design strategy .....   | 5           |
| 6.2                          | Measures to prevent unintended generation of start commands .....                         | 6           |
| 6.2.1                        | Measures to prevent unintended actuation of manual start controls .....                   | 6           |
| 6.2.2                        | Design of safety-related parts of the control system .....                                | 7           |
| 6.2.3                        | Selection and location of power control elements .....                                    | 7           |
| 6.3                          | Measures to maintain stop commands .....  | 7           |
| 6.3.1                        | Principle .....   | 7           |
| 6.3.2                        | Maintained stop command generated by a stop control device (level A) .....                | 7           |
| 6.3.3                        | Maintained stop command generated by machine control (level B/C) .....                    | 8           |
| 6.3.4                        | Mechanical disconnection (level D; see Figure 1) .....                                    | 8           |
| 6.3.5                        | Moving-part immobilization (level E; see Figure 1) .....                                  | 8           |
| 6.4                          | Automatic monitoring of the safe state (stopped condition) during a category 2 stop ..... | 8           |
| <b>7</b>                     | <b>Design requirements for verification .....</b>   | <b>8</b>    |
| 7.1                          | General .....   | 8           |
| 7.2                          | Provisions for verifying isolation .....  | 9           |
| 7.3                          | Provisions for verifying energy dissipation or restraint (containment) .....              | 9           |
| <b>Annex A (informative)</b> | <b>Examples of tasks which can require the presence of persons in danger zones .....</b>  | <b>10</b>   |
| <b>Bibliography .....</b>    |   | <b>11</b>   |