## ISO 21832:2018 (E)

# Workplace air — Metals and metalloids in airborne particles — Requirements for evaluation of measuring procedures

### Contents

Foreword

#### Introduction

- 1 Scope
- 2 Normative references
- 3 Terms and definitions
- 4 Principle

#### 5 Requirements

- 5.1 Method description
- 5.1.1 Application range
- 5.1.2 Method performance
- 5.1.3 Safety information
- 5.1.4 Samplers
- 5.1.5 Sampling pumps
- 5.1.6 Other requirements
- 5.2 Performance requirements
- 5.2.1 Limit of quantification (LOQ)
- 5.2.2 Analytical recovery
- 5.2.3 Expanded uncertainty

#### 6 Reagents and materials

- 6.1 Reagents
- 6.2 Standard solutions
- 6.3 Test materials
- 6.4 Reference air samples
- 7 Apparatus

#### 8 Test methods

- 8.1 LOD and LOQ
- 8.1.1 Instrumental detection limit (IDL)
- 8.1.2 Method LOD and LOQ
- 8.2 Analytical recovery
- 8.2.1 General
- 8.2.2 Measuring procedures for soluble compounds of metals and metalloids
- 8.2.2.1 Measuring procedures that incorporate a design-based sample dissolution method
- 8.2.2.2 Other measuring procedures
- 8.2.3 Measuring procedures for total metals and metalloids that involve sample dissolution
- 8.2.3.1 Determination of analytical recovery using pure compounds
- 8.2.3.2 Determination of analytical recovery using reference materials
- 8.2.3.3 Determination of analytical recovery using reference air samples
- 8.2.3.4 Comparison of results with the acceptance criteria
- 8.2.4 Measuring procedures that do not involve sample dissolution
- 8.2.4.1 Experimental determination of analytical recovery
- 8.2.4.1.1 Reference air samples
- 8.2.4.1.2 Workplace air samples
- 8.2.4.1.3 Comparison of results with the acceptance criteria
- 8.2.4.2 Theoretical estimation of analytical recovery

- 8.3 Measurement uncertainty
- 8.3.1 Identification of random and non-random uncertainty components
- 8.3.2 Estimation of individual uncertainty components
- 8.3.2.1 General
- 8.3.2.2 Uncertainty associated with sampled air volume
- 8.3.2.3 Uncertainty associated with sampling efficiency
- 8.3.2.4 Uncertainty associated with sample storage and transportation
- 8.3.2.5 Uncertainty associated with analytical recovery
- 8.3.2.6 Uncertainty associated with analytical variability
- 8.3.3 Calculation of expanded uncertainty
- 9 Test report

Annex A (informative) Guidance on determination of analytical recovery

- A.1 Procedures for soluble compounds of metals and metalloids
- A.2 Procedures that involve sample dissolution
- A.3 Procedures that do not involve sample dissolution
- Annex B (informative) Experiments for method validation
- Annex C (informative) Estimation of uncertainty of measurement
  - C.1 General
  - C.2 Uncertainty associated with sampled air volume
  - C.3 Uncertainty associated with sampling efficiency
  - C.3.1 General
  - C.3.2 Uncertainty for aerosol samplers tested in accordance with the EN 13205-2 method
  - C.3.2.1 Principle
  - C.3.2.2 Sources of uncertainty for sampling efficiency
  - C.3.2.3 Calibration of sampler test system
  - C.3.2.4 Estimation of sampled aerosol concentration
  - C.3.2.5 Bias relative to the sampling convention
  - C.3.2.6 Flow excursion from the nominal flow rate (for respirable samplers and thoracic samplers)
  - C.3.2.7 Individual sampler variability (for respirable samplers and thoracic samplers)
  - C.3.3 Uncertainty for aerosol samplers tested in accordance with the EN 13205-4 method
  - C.3.3.1 Principle
  - C.3.3.2 Sources of uncertainty for sampling efficiency
  - C.3.3.3 Test aerosol (reference) concentration, as determined using the validated reference sampler(s)
  - C.3.3.4 Reference sampler
  - C.3.3.5 Sampler bias
  - C.3.3.6 Individual sampler variability (for respirable samplers and thoracic samplers)
  - C.3.3.7 Flow excursion from the nominal flow rate (for respirable samplers and thoracic samplers)
  - C.3.4 Uncertainty for aerosol samplers
  - C.3.4.1 Inhalable samplers
  - C.3.4.1.1 Experimental data
  - C.3.4.1.2 Estimates for general use
  - C.3.4.2 Respirable samplers
  - C.3.4.2.1 Experimental data
  - C.3.4.2.2 Estimates for general use
  - C.3.5 Efficiency of collection substrate
  - C.3.5.1 Filter materials
  - C.3.5.2 Foams
  - C.4 Uncertainty associated with sample storage and transportation
  - C.4.1 Sample storage
  - C.4.2 Transportation
  - C.5 Uncertainty associated with analytical recovery
  - C.5.1 General
  - C.5.2 Analysis of certified reference materials and/or pure compounds
  - C.5.3 Interlaboratory comparisons
  - C.5.4 Analysis of spiked collection substrates
  - C.5.5 Acceptable bias range
  - C.5.6 Procedures that incorporate a design-based sample preparation method

- C.6 Uncertainty associated with analytical variability
- C.6.1 General
- C.6.2 Range of sample loadings at which the analytical variability has to be estimated
- C.6.3 Estimation using repeatability data
- C.6.3.1 Analytical precision
- C.6.3.1.1 Estimation from data obtained from the analysis of spiked collection substrates
- C.6.3.1.2 Estimation from data obtained by interpolation of standard deviation
- C.6.3.1.3 Estimation from theory
- C.6.3.2 Calibration standards
- C.6.3.2.1 Commercial stock standard solutions
- C.6.3.2.2 Custom-made stock standard solutions
- C.6.3.2.3 Reference air samples
- C.6.3.3 Calibration function
- C.6.3.4 Dilution of sample solutions (if applicable)
- C.6.3.5 Instrument response drift
- C.6.4 Estimation using laboratory reproducibility data
- C.6.4.1 Analytical precision
- C.6.4.2 Concentration of calibration standards
- C.6.4.3 Calibration function
- C.6.4.4 Dilution of the sample solutions (if applicable)
- C.6.4.5 Instrument response drift
- C.6.5 Blank subtraction
- C.6.5.1 General
- C.6.5.2 Recalculating of analytical precision to include the random uncertainty associated with blank subtraction
- C.6.5.3 Non-random uncertainty component associated with no blank subtraction
- C.7 Calculation of combined uncertainty
- C.7.1 Random and non-random components of sampling and analytical uncertainty
- C.7.2 Random and non-random uncertainty of the measuring procedure
- C.7.3 Combined standard uncertainty of the measuring procedure
- C.8 Calculation of expanded uncertainty
- Annex D (informative) Interpolation of standard deviation
- Annex E (informative) Example for estimation of expanded uncertainty

Page count: 37