

# ISO 13857:2019-10 (E)

## Safety of machinery - Safety distances to prevent hazard zones being reached by upper and lower limbs

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	<b>Scope .....</b>	<b>1</b>
2	<b>Normative references .....</b>	<b>1</b>
3	<b>Terms and definitions .....</b>	<b>1</b>
4	<b>Safety distances to prevent reach or access by upper and lower limbs .....</b>	<b>2</b>
4.1	<b>General .....</b>	<b>2</b>
4.1.1	<b>Assumptions .....</b>	<b>2</b>
4.1.2	<b>Risk assessment .....</b>	<b>2</b>
4.2	<b>Safety distances to prevent access by upper limbs .....</b>	<b>3</b>
4.2.1	<b>Reaching upwards .....</b>	<b>3</b>
4.2.2	<b>Reaching over protective structures .....</b>	<b>4</b>
4.2.3	<b>Reaching around .....</b>	<b>6</b>
4.2.4	<b>Reaching through openings .....</b>	<b>8</b>
4.2.5	<b>Effect of additional protective structures on safety distances .....</b>	<b>10</b>
4.3	<b>Safety distances to prevent access by lower limbs .....</b>	<b>11</b>
4.4	<b>Consideration of whole body access .....</b>	<b>13</b>
<b>Annex A (informative) Use of Tables 1 and 2 with intermediate values .....</b>		<b>14</b>
<b>Annex B (informative) Distances to impede free access by lower limbs .....</b>		<b>18</b>
<b>Bibliography .....</b>		<b>20</b>