DIN EN 17289-3:2021-02 (E)

Characterization of bulk materials - Determination of a size-weighted fine fraction and crystalline silica content - Part 3: Sedim entation method

Contents

Page

European foreword 4

Introduction 5

1 Scope 7

2 Normative references 7

3 Terms and definitions 7

4 Symbols and abbreviations 7

5 Assumptions 8

6 Determination of SWFF and SWFFCS by sedimentation 10
6.1 Determination of sedimentation time 10
6.2 Selection of sedimentation liquid 10
6.3 Sample preparation, sedimentation and SWFF determination 11
6.4 Use of a dispersant of deflocculant 13
6.5 Determination of the SWFF and SWFFCS of mixtures of phases with different particle densities 13
6.6 SWFF of mixtures 13
6.7 SWFFCS of mixtures of homogeneous particles 13
6.8 SWFFCS of mixtures of heterogeneous particles 14

Annex A (normative) Separation of the SWFF by sedimentation 16

A.1 Derivation for calculating the sedimentation parameters 16
A.2 Calculation of the SWFF after sedimentation 20

Annex B (normative) Determination and isolation of the size-weighted fine fraction (SWFF) of kaolins and kaolinitic clays by sedimentation 22

B.1 General 22
B.2 Use range 22
B.3 Equipment and consumables 22
B.4 Method 23
B.5 Figures 25

Annex C (normative) Other minerals which can be treated in a similar way to kaolins/kaolinitic clays for SWFF and SWFFCS determination 28

C.1 General 28
C.2 Andalusite 28
C.3 Mica 29
C.4 Vermiculite 30
C.5 Talc 30

Annex D (normative) Determination of the size-weighted fine fraction (SWFF and SWFFCS) of Diatomaceous Earth (DE) by sedimentation 32

D.1 General 32
D.2 Categories of diatomaceous earth 32
D.3 Equipment and consumables 32
D.4 Method 32
D.5 Determination of SWFF by sedimentation 33
D.6 Determination of SWFFCS 33
D.7 Example 33

Annex E (normative) Determination of the size-weighted fine fraction (SWFF) of feldspar products by sedimentation 35

E.1 General 35
E.2 Use range 35
E.3 Consumables 35
E.4 Method 35

Bibliography 40