

# DIN EN 1888-1:2022-09 (E)

## Child care articles - Wheeled child conveyances - Part 1: Pushchairs and prams (includes Amendment A1:2022)

---

Contents	Page
European foreword .....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions .....	6
4 General requirements and test conditions.....	9
4.1 Samples.....	9
4.2 Principle of the most onerous condition.....	9
4.3 Tolerances for test equipment.....	9
4.4 Test conditions .....	10
4.5 Determination of the protected volume.....	10
4.5.1 Protected volume of seat units.....	10
4.5.2 Protected volume of pram bodies having a length greater than 800 mm.....	12
4.5.3 Protected volume for pram bodies having a maximum internal length of 800 mm and car seats .....	13
4.6 Determination of the junction line .....	13
4.7 Determination of the occupant space.....	14
4.7.1 Determination of occupant space for seat unit and car seat.....	14
4.7.2 Determination of occupant space for pram body having a length less than 800 mm..	14
4.7.3 Determination of occupant space for pram body having a length greater than 800 mm .....	14
5 Test equipment.....	15
5.1 Test masses .....	15
5.1.1 General.....	15
5.1.2 Test mass <i>A</i> .....	15
5.1.3 Test mass <i>B</i> .....	16
5.1.4 Test mass <i>C</i> .....	16
5.1.5 Test mass <i>D</i> .....	17
5.1.6 Test mass <i>D</i> <sub>0</sub> .....	18
5.1.7 Test mass <i>F</i> .....	18
5.1.8 Test mass <i>G</i> .....	19
5.1.9 Test bar.....	20
5.2 Test probes.....	21
5.2.1 Finger probes .....	21
5.2.2 Hip probe .....	23
5.2.3 <b>A1</b> Small head probe .....	24
5.2.4 Large head probe .....	25
5.2.5 Conical probes.....	25
5.3 Angle measuring device.....	25
5.4 Test ball .....	27
5.5 Hinged board .....	27
5.6 Small parts cylinder .....	27
5.7 Bite tester .....	28
5.8 Test surface.....	29
5.9 Rectangular stops .....	29
5.10 Irregular surface test equipment.....	30

5.10.1	Obstacles.....	30
5.10.2	Articulating arms (see Annex B) .....	31
6	Chemical hazards (see A.2) .....	31
7	Thermal hazards (see A.3) .....	32
8	Mechanical hazards (see A.4).....	32
8.1	Protective function (see A.4.2) .....	32
8.1.1	Suitability of vehicle .....	32
8.1.2	Minimum internal height of pram body .....	35
8.1.3	Restraint system and fasteners .....	36
8.2	Entrapment hazards (see A.4.3).....	39
8.2.1	Holes and openings.....	39
8.2.2	Entrapment between the handle and the pram body.....	39
8.3	Hazards from moving parts (see A.4.4) .....	39
8.3.1	General .....	39
8.3.2	Shearing hazards (see A.4.4) .....	40
8.3.3	Crushing hazards, requirement (see A.4.4) .....	40
8.3.4	Wheels .....	41
8.3.5	Locking mechanism(s).....	41
8.4	Entanglement hazards (see A.5).....	44
8.4.1	Requirements.....	44
8.4.2	Test method.....	45
8.5	Choking and ingestion hazards (see A.6) .....	46
8.5.1	Requirements.....	46
8.5.2	Test methods.....	46
8.6	Suffocation hazards (see A.7).....	48
8.6.1	Internal lining of the pram body and seat unit.....	48
8.6.2	Plastic packaging .....	48
8.7	Hazardous edges and protrusions (see A.8) .....	48
8.8	Parking and braking devices (see A.9) .....	49
8.8.1	Requirements.....	49
8.8.2	Test methods.....	49
8.9	Stability (see A.10) .....	53
8.9.1	Stability of vehicle .....	53
8.9.2	Longitudinal stability of a pram body with carrying handles .....	57
8.10	Structural integrity (see A.11) .....	58
8.10.1	Carrying handles and handle anchorage points of pram bodies and detachable seat units.....	58
8.10.2	Strength and durability of attachment devices for pram bodies or seat units or car seats.....	58
8.10.3	Irregular surface test .....	59
8.10.4	Dynamic strength .....	60
8.10.5	Wheel strength .....	62
8.10.6	Handle strength.....	62
9	Durability of marking.....	66
10	Product information.....	66
10.1	General .....	66
10.2	Marking of product .....	66
10.3	Purchase information (A.12).....	67
10.4	Instructions for use.....	68

<b>Annex A (informative) Rationales</b> .....	<b>70</b>
<b>A.1 General</b> .....	<b>70</b>
<b>A.2 Chemical hazards (see Clause 6)</b> .....	<b>70</b>
<b>A.3 Thermal hazards (see Clause 7)</b> .....	<b>70</b>
<b>A.4 Mechanical hazards (see Clause 8)</b> .....	<b>70</b>
<b>A.4.1 General</b> .....	<b>70</b>
<b>A.4.2 Protective function (see 8.1)</b> .....	<b>70</b>
<b>A.4.3 Entrapment hazards (see 8.2)</b> .....	<b>70</b>
<b>A.4.4 Hazards from moving parts (see 8.3)</b> .....	<b>71</b>
<b>A.5 Entanglement hazards (see 8.4)</b> .....	<b>72</b>
<b>A.6 Choking and ingestion hazards (see 8.5)</b> .....	<b>73</b>
<b>A.7 Suffocation hazards (see 8.6)</b> .....	<b>73</b>
<b>A.8 Hazardous edges and protrusions (see 8.7)</b> .....	<b>73</b>
<b>A.9 Parking and braking devices (see 8.8)</b> .....	<b>73</b>
<b>A.10 Stability (see 8.9)</b> .....	<b>73</b>
<b>A.11 Structural integrity (see 8.10)</b> .....	<b>73</b>
<b>A.12 Purchase information (see 10.3)</b> .....	<b>74</b>
<b>Annex B (informative) Examples of articulated arms to maintain the vehicle on the rig for the irregular surface test</b> .....	<b>75</b>
<b>Annex C (informative) Guideline for the application of 8.3.5.1.1.3 “Unintentional release of locking mechanism(s)”</b> .....	<b>77</b>
<b>C.1 Relevant definitions</b> .....	<b>77</b>
<b>C.2 Guidelines for the application of 8.3.5.1.1.3 “Unintentional release of locking mechanism(s)”</b> .....	<b>77</b>
<b>C.2.1 General</b> .....	<b>77</b>
<b>C.2.2 Products fitted with one single <i>operating device</i> (products that may be fold using only one hand)</b> .....	<b>77</b>
<b>C.2.3 Products fitted with two operating devices</b> .....	<b>78</b>
<b>C.2.4 Products having three or more <i>operating devices</i></b> .....	<b>79</b>
<b>C.2.5 Products covered by different requirements</b> .....	<b>79</b>
<b>Annex D (informative) Examples of moving parts of the canopies inside 100 mm from the pivot point</b> .....	<b>81</b>
<b>D.1 Case A</b> .....	<b>81</b>
<b>D.2 Case B</b> .....	<b>82</b>
<b>D.3 Case C</b> .....	<b>83</b>
<b>Annex E (informative) Translation of Warnings in different European languages</b> .....	<b>84</b>
<b>Annex F (informative) A-deviations</b> .....	<b>110</b>
<b>Annex G (informative) Child restraint systems: arrangement of approval marks</b> .....	<b>111</b>
<b>Bibliography</b> .....	<b>112</b>