

DIN EN 16232:2023-12 (E)

Child use and care articles - Infant swings (includes Amendment :2023)

| Contents | | Page |
|-------------------------|--|-------------|
| European foreword | | 4 |
| 1 | Scope | 5 |
| 2 | Normative references | 5 |
| 3 | Terms and definitions | 5 |
| 4 | Test equipment | 6 |
| 4.1 | Articulated test mass | 6 |
| 4.2 | Test mass A | 7 |
| 4.3 | Test mass B | 8 |
| 4.4 | Small parts cylinder | 8 |
| 4.5 | Feeler gauge | 8 |
| 4.6 | !Test probes for finger entrapment | 9 |
| 4.7 | Test surface for static slippage | 11 |
| 4.8 | Test surface for stability | 11 |
| 4.9 | Test equipment for sound level measurement | 11 |
| 5 | General requirements and test conditions | 11 |
| 5.1 | Product conditioning | 11 |
| 5.2 | Test conditions | 11 |
| 5.3 | Application of forces | 12 |
| 5.4 | Tolerances | 12 |
| 5.5 | Order of tests | 12 |
| 6 | !Chemical hazards | 12 |
| 7 | !Thermal hazards (see A.3) | 14 |
| 8 | Mechanical hazards | 15 |
| 8.1 | General | 15 |
| 8.1.1 | Determination of the junction line | 15 |
| 8.1.2 | Determination of protected volume | 15 |
| 8.2 | Hazards due to sound level | 17 |
| 8.2.1 | Requirement | 17 |
| 8.2.2 | Test method | 17 |
| 8.3 | !Entrapment hazards | 18 |
| 8.3.1 | Requirement | 18 |
| 8.4 | Hazards due to falling of the child | 18 |
| 8.4.1 | Angles | 18 |
| 8.4.2 | Restraint system | 24 |
| 8.5 | Hazards due to moving parts | 25 |
| 8.5.1 | Requirements for compression points | 25 |
| 8.5.2 | Requirements for shear points | 25 |
| 8.6 | Hazards due to folding of the product | 25 |
| 8.6.1 | Requirements | 25 |
| 8.6.2 | Test methods | 26 |
| 8.7 | ! Entanglement hazards (see A.4.3) | 26 |
| 8.7.1 | Requirements | 26 |
| 8.7.2 | Test method | 27 |
| 8.8 | Choking and ingestion hazard | 27 |

| | | |
|---|--|----|
| 8.8.1 | Requirements | 27 |
| 8.8.2 | Test methods | 27 |
| 8.9 | Suffocation hazards from packaging materials | 28 |
| 8.10 | Hazards from edges, corners and protruding parts | 29 |
| 8.11 | Hazards from inadequate structural integrity | 29 |
| 8.11.1 | Static strength | 29 |
| 8.11.2 | Durability of powered swinging mechanisms | 29 |
| 8.11.3 | Reclining system | 29 |
| 8.12 | Hazards from inadequate stability | 30 |
| 8.12.1 | Requirements | 30 |
| 8.12.2 | Test method for static stability | 30 |
| 8.12.3 | Test method for dynamic stability | 30 |
| 8.13 | Hazards from possible movement of the infant swing on the floor | 31 |
| 8.13.1 | Requirement | 31 |
| 8.13.2 | Test method | 31 |
| 8.14 | Electrical hazards | 31 |
| 8.14.1 | General | 31 |
| 8.14.2 | Leakage prevention | 31 |
| 8.14.3 | Test methods | 31 |
| 9 | Product information | 32 |
| 9.1 | General | 32 |
| 9.2 | Marking of the product | 32 |
| 9.2.1 | General requirements | 32 |
| 9.2.2 | Requirements for infant swings with electrical components | 33 |
| 9.2.3 | Durability of marking | 34 |
| 9.2.4 | Test method for durability of marking | 34 |
| 9.3 | Purchase information | 34 |
| 9.4 | Instructions for use | 35 |
| 9.4.1 | General | 35 |
| 9.4.2 | Warnings | 35 |
| 9.4.3 | Additional information | 35 |
| 9.4.4 | Requirements for infant swings with electrical components | 36 |
| Annex A (informative) Rationales | | 37 |
| A.1 | General (see Clause 1) | 37 |
| A.2 | !Chemical hazards (see Clause 6) | 37 |
| A.3 | Protective volume and protective barriers (see 8.1.2 and 8.1.2.2) | 37 |
| A.4 | Hazards due to sound level (see 8.2) | 37 |
| A.5 | Hazards due to detachment of toy bars | 38 |
| A.6 | Hazards from possible movement of the infant swing on the floor (see 8.13) | 38 |
| A.7 | !Hazards due to falling of the child (see 8.4) | 38 |
| Annex B (informative) A-deviation | | 39 |
| Annex C (normative) Warnings | | 40 |
| Bibliography | | 66 |