

ISO/TS 24929-2:2025-08 (E)

Child care articles - General safety - Part 2: Mechanical hazards

| Contents | | Page |
|-----------------|--|-------------|
| Foreword | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 1 |
| 3 | Terms and definitions | 1 |
| 4 | General requirements and test conditions | 3 |
| 4.1 | Tolerances for test equipment | 3 |
| 4.2 | General test conditions | 3 |
| 5 | Mechanical hazards -- Safety philosophy | 3 |
| 6 | Accessibility of mechanical hazards | 4 |
| 6.1 | General | 4 |
| 6.2 | Accessibility areas | 4 |
| 6.3 | Product information | 4 |
| 7 | Entrapment hazards | 4 |
| 7.1 | General | 4 |
| 7.2 | Entrapment of head and neck | 6 |
| 7.2.1 | Rationale | 6 |
| 7.3 | Requirements | 8 |
| 7.4 | Test equipment | 8 |
| 7.4.1 | Probe philosophy | 8 |
| 7.4.2 | Selection and use of probes | 12 |
| 7.5 | Test methodology | 13 |
| 7.5.1 | Feet-first openings | 13 |
| 7.5.2 | Head-first openings | 13 |
| 7.5.3 | Partially bound, V-shaped and irregular-shaped openings | 13 |
| 7.6 | Entrapment of fingers | 15 |
| 7.6.1 | Rationale | 15 |
| 7.6.2 | Requirements | 16 |
| 7.6.3 | Test equipment | 16 |
| 7.6.4 | Test methodology | 18 |
| 7.7 | Rationale for entrapment of limbs, feet and hands | 18 |
| 8 | Hazards from moving parts | 18 |
| 8.1 | Rationale | 18 |
| 8.2 | General | 18 |
| 8.3 | Shearing hazards | 19 |
| 8.3.1 | Requirements | 19 |
| 8.3.2 | Test equipment | 19 |
| 8.3.3 | Test method | 19 |
| 8.4 | Requirements for crushing hazards | 19 |
| 9 | Hazards with products designed to fold for storage and transportation | 20 |
| 9.1 | Rationale | 20 |
| 9.2 | Requirements | 20 |
| 9.2.1 | General | 20 |
| 9.2.2 | Unintentional release of locking mechanisms | 20 |

| | | |
|--------|--|----|
| 9.3 | Test methodology | 20 |
| 9.3.1 | Endurance test | 20 |
| 9.3.2 | Strength test | 20 |
| 10 | Hazards related to attachment mechanisms and opening and closing systems | 20 |
| 10.1 | Rationale | 20 |
| 10.2 | Requirement | 21 |
| 10.3 | Test methodology | 21 |
| 11 | Entanglement hazards | 21 |
| 11.1 | Snagging hazards | 21 |
| 11.1.1 | Rationale | 21 |
| 11.1.2 | Requirements | 21 |
| 11.1.3 | Test equipment | 21 |
| 11.1.4 | Test methodology for loop and mass | 23 |
| 11.2 | Cords, ribbons and parts used as ties | 24 |
| 11.2.1 | Rationale | 24 |
| 11.2.2 | Requirements | 24 |
| 11.2.3 | Test methodology | 25 |
| 11.3 | Loops | 25 |
| 11.3.1 | Rationale | 25 |
| 11.3.2 | Requirements | 25 |
| 11.3.3 | Test methodology | 25 |
| 12 | Choking hazards | 26 |
| 12.1 | General | 26 |
| 12.2 | Hazard due to small components | 26 |
| 12.2.1 | Rationale | 26 |
| 12.2.2 | Requirements | 26 |
| 12.2.3 | Test equipment | 26 |
| 12.2.4 | Test methodology | 29 |
| 12.3 | Accessibility of filling materials | 30 |
| 12.3.1 | Rationale | 30 |
| 12.3.2 | Requirement | 30 |
| 12.3.3 | Test equipment | 31 |
| 12.3.4 | Test methodology | 32 |
| 12.4 | Airway obstruction | 32 |
| 12.4.1 | Rationale | 32 |
| 12.4.2 | Protective mechanisms of the airway | 33 |
| 12.4.3 | Requirements | 33 |
| 12.4.4 | Test equipment | 34 |
| 12.4.5 | Test methodology | 34 |
| 13 | Suffocation hazards | 34 |
| 13.1 | General | 34 |
| 13.2 | Plastic decals and sheeting | 35 |
| 13.2.1 | Rationale | 35 |
| 13.2.2 | Requirements | 35 |
| 13.2.3 | Determination of hazard | 35 |
| 13.2.4 | Test methodology | 35 |
| 13.3 | Non-air-permeable packaging | 36 |
| 13.3.1 | Rationale | 36 |
| 13.3.2 | Requirements -- Packaging | 36 |
| 13.3.3 | Test equipment | 37 |
| 13.3.4 | Test methodology | 37 |
| 13.4 | Ventilation | 37 |
| 14 | Sleeping environment hazards | 37 |
| 15 | Ingestion hazards | 37 |
| 15.1 | Rationale | 37 |

| | | |
|--------|--|----|
| 15.2 | Ingestion of small components | 38 |
| 15.2.1 | Requirements | 38 |
| 15.2.2 | Test methodology | 38 |
| 16 | Hazardous from edges and protrusions | 39 |
| 16.1 | General | 39 |
| 16.2 | Edges | 39 |
| 16.2.1 | Rationale | 39 |
| 16.2.2 | Requirements -- Edges on products and components | 39 |
| 16.2.3 | Test methodology | 39 |
| 16.3 | Rigid protruding parts | 39 |
| 16.3.1 | Rationale | 39 |
| 16.3.2 | Requirements | 39 |
| 16.3.3 | Test methodology | 39 |
| 16.4 | Points and wires | 40 |
| 16.4.1 | Rationale | 40 |
| 16.4.2 | Requirement | 40 |
| 16.5 | Monofilament threads | 40 |
| 17 | Structural integrity | 40 |
| 17.1 | General | 40 |
| 17.2 | Material suitability | 41 |
| 17.2.1 | Rationale | 41 |
| 17.2.2 | Requirements | 41 |
| 17.3 | Strength and durability of the product | 41 |
| 17.3.1 | Rationale | 41 |
| 17.3.2 | Requirements | 41 |
| 17.3.3 | Test methodology | 41 |
| 18 | Protective function | 42 |
| 18.1 | General | 42 |
| 18.2 | Barrier function | 42 |
| 18.2.1 | Rationale | 42 |
| 18.2.2 | Requirements | 42 |
| 18.2.3 | Test methodology | 43 |
| 18.3 | Restraint systems | 43 |
| 18.3.1 | Rationale | 43 |
| 18.3.2 | Requirements | 43 |
| 18.3.3 | Test equipment | 44 |
| 18.3.4 | Test methodology | 45 |
| 18.4 | Footholds | 46 |
| 18.4.1 | Rationale | 46 |
| 18.4.2 | Requirements | 46 |
| 18.4.3 | Test equipment | 46 |
| 18.4.4 | Determination of a foothold | 47 |
| 19 | Hazard associated with stability | 52 |
| 19.1 | Rationale | 52 |
| 19.2 | General requirement | 52 |
| | Bibliography | 53 |