

# ISO 15202-2:2001-07 (E)

## Workplace air - Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry - Part 2: Sample preparation

---

| <b>Contents</b>              |   | <b>Page</b> |
|------------------------------|---|-------------|
| Foreword .....               |   | iv          |
| Introduction .....           |   | v           |
| <b>1</b>                     | <b>Scope .....</b>  | <b>1</b>    |
| <b>2</b>                     | <b>Normative references .....</b>   | <b>2</b>    |
| <b>3</b>                     | <b>Terms and definitions .....</b>  | <b>2</b>    |
| <b>4</b>                     | <b>Principle .....</b>  | <b>3</b>    |
| <b>5</b>                     | <b>Requirements .....</b>   | <b>4</b>    |
| <b>6</b>                     | <b>Reactions .....</b>  | <b>4</b>    |
| <b>7</b>                     | <b>Reagents .....</b>   | <b>4</b>    |
| <b>8</b>                     | <b>Laboratory apparatus .....</b>   | <b>4</b>    |
| <b>9</b>                     | <b>Procedure .....</b>  | <b>5</b>    |
| <b>9.1</b>                   | <b>Soluble metal and metalloid compounds .....</b>  | <b>5</b>    |
| <b>9.2</b>                   | <b>Total metals and metalloids and their compounds .....</b>  | <b>5</b>    |
| <b>9.3</b>                   | <b>Mixed exposure .....</b>   | <b>5</b>    |
| <b>10</b>                    | <b>Special cases .....</b>  | <b>6</b>    |
| <b>10.1</b>                  | <b>Action to be taken if there is doubt about the effectiveness of the selected sample<br/>dissolution method .....</b> | <b>6</b>    |
| <b>10.2</b>                  | <b>Action to be taken when particles have become dislodged from the filter during<br/>transportation .....</b>          | <b>6</b>    |
| <b>11</b>                    | <b>Laboratory records .....</b>   | <b>6</b>    |
| <b>Annex A (informative)</b> | <b>Safety precautions to be observed when using hydrofluoric and perchloric<br/>acids .....</b>                         | <b>7</b>    |
| <b>Annex B (normative)</b>   | <b>Sample dissolution method for soluble metal and metalloid compounds .....</b>  | <b>8</b>    |
| <b>Annex C (normative)</b>   | <b>Sample dissolution using nitric acid and hydrochloric acid on a hotplate .....</b>                                   | <b>14</b>   |
| <b>Annex D (normative)</b>   | <b>Sample dissolution using hydrofluoric and nitric acids and ultrasonic<br/>agitation .....</b>                        | <b>17</b>   |
| <b>Annex E (normative)</b>   | <b>Sample dissolution based on the use of sulfuric acid and hydrogen peroxide<br/>on a hotplate .....</b>               | <b>20</b>   |
| <b>Annex F (normative)</b>   | <b>Sample dissolution based on the use of nitric acid and perchloric acid on a<br/>hotplate .....</b>                   | <b>24</b>   |

|   |           |
|---|-----------|
| <b>Annex G (normative) Sample dissolution in a closed vessel microwave digestion system .....</b>   | <b>28</b> |
| <b>Annex H (normative) Action to be taken when there is visible, undissolved, particulate material<br/>after sample dissolution .....</b> | <b>33</b> |
| <b>Bibliography .....</b>   | <b>37</b> |