DIN EN 14591-2:2007-07 (E)

Explosion prevention and protection in underground mines - Protective systems - Part 2: Passive water trough barriers

Contents

Page

Foreword 5

Introduction 6

1 Scope 7

2 Normative references 7

3 Terms and definitions 7

4 Construction requirements of water troughs 10
4.1 General 10
4.2 Dimensions, specifications 10

5 Testing of water troughs 11
5.1 General 11
5.2 Construction tests 11
5.2.1 Shape, capacity, dimensions 11
5.2.2 Strength, shape retention 11
5.2.3 Water level indicator 11
5.3 Testing of electrostatic properties 12
5.3.1 Test method 12
5.3.2 Assessment 12

6 Additional fittings for water troughs 12

7 Marking of water troughs 12

8 Construction of concentrated and distributed water trough barriers 12
8.1 General 12
8.2 Framework structures 12
8.3 Arrangement of troughs in the roadway cross-section 13
8.4 Configuration of water trough barriers in mine workings 13

9 Marking of water trough barriers 15

10 Information for use 16

Annex A (normative) Construction of quick-deploy passive water trough barriers 17

A.1 General 17
A.2 Trough frames 17
A.3 Ropes and chains 17
A.4 Attachment supports 17
A.5 Arrangement of the quick-deploy water trough barriers in the roadway 17
A.6 Volume of water to be contained by quick-deploy water trough barriers 18

Annex B (normative) Example of acceptable test procedure for water troughs 19

B.1 Testing of heat reaction properties 19
B.1.1 Test procedure 19

B.1.2 Test arrangement 19
B.1.3 Procedure 20
B.1.4 Assessment 20
B.2 Testing of explosion properties 20
B.2.1 Testing of water dispersion 20
B.2.2 Testing the extinguishing efficiency in full-scale tests 22
B.3 Testing of fire-resistance properties 22

Annex C (informative) Example of marking of water troughs 23

Annex D (informative) Examples for configuration of water troughs 24

Annex E (informative) Example for marking of water trough barriers 44

Annex F (normative) Instructions for water trough barriers 45

Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 94/9/EC 46

Bibliography 48

Figures Figure 1 -- Trough group, plan view 9

Figure 2 -- Water trough type A (side elevations) 10

Figure 3 -- Water trough type B (side elevations) 10

Figure 4 -- General rules for water trough barriers in mine workings 15

Figure A.1 -- Quick-deploy water trough barrier (example) 18

Figure B.1 -- Test arrangement for determining heat reaction properties 19

Figure B.2 -- Test arrangement for investigating water dispersion 21

Figure D.1 -- Location of water troughs, sectional view 24

Figure D.2 -- Arrangement of troughs in roadway cross-section - coverage 25

Figure D.3 -- Arrangement of troughs in roadway cross-section - horizontal distances 26

Figure D.4 -- Arrangement of troughs in the roadway cross-section - vertical distances 27

Figure D.5 -- Arrangement of troughs in the roadway cross-section - vertical distances 27

Figure D.6 -- Arrangement of troughs in the roadway cross-section - transverse and longitudinal position 28

Figure D.7 -- Arrangement of troughs in the roadway cross-section - Obscurement by supports or fixtures 29

Figure D.8 -- Arrangement of troughs in the roadway cross-section - Obscurement by supports or fixtures 30

Figure D.9 -- Arrangement of troughs in the roadway cross-section - Obscurement by troughs 30

Figure D.10 -- Arrangement of vertically-offset troughs in the roadway cross-section, distance < 1.2 m 31

Figure D.11 -- Barrier cordon for a roadway intersection 32

Figure D.12 -- Barrier cordon for shafts and insets 33

Figure D.13 -- Barrier cordon for closely spaced roadway intersections 34

Figure D.14 -- Barrier cordon for closely spaced junctions - Calculation examples for explosion-barrier setting distances 35

Figure D.15 -- Barrier cordon for closely spaced junctions - Calculation examples for explosion-barrier setting distances 36

Figure D.16 -- Setting distances for concentrated and distributed water trough barriers 37

Figure D.17 -- Roadway drivage with concentrated water trough barriers 38

Figure D.18 -- Roadway drivage with concentrated water trough barriers - Calculation examples a) and b) 39

Figure D.19 -- Roadway drivage with dispersed water trough barrier 40

Figure D.20 -- Roadway drivage with concentrated and dispersed water trough barrier 41

Figure D.21 -- Water trough barriers at the face/gate intersection 41

Figure D.22 -- Explosion barriers in advance gate-roads 42

Figure D.23 -- Arrangement of water trough barriers when retreating to the main seam road 43

Figure E.1 -- Example for marking of water trough barriers 44

Tables Table 1 -- Maximum container dimensions and water content for 40 litre water troughs 11

Table 2 -- Container dimensions and water content for 90 litre water troughs 11

Table ZA.1 -- Relationship between this European Standard and Directive 94/9/EC 46