

DIN EN 14591-2:2007-07 (E)

Explosion prevention and protection in underground mines - Protective systems - Part 2: Passive water trough barriers

Contents	Page
Foreword	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Construction requirements of water troughs	10
4.1 General	10
4.2 Dimensions, specifications	10
5 Testing of water troughs	11
5.1 General	11
5.2 Construction tests	11
5.2.1 Shape, capacity, dimensions	11
5.2.2 Strength, shape retention	11
5.2.3 Water level indicator	11
5.3 Testing of electrostatic properties	12
5.3.1 Test method	12
5.3.2 Assessment	12
6 Additional fittings for water troughs	12
7 Marking of water troughs	12
8 Construction of concentrated and distributed water trough barriers	12
8.1 General	12
8.2 Framework structures	12
8.3 Arrangement of troughs in the roadway cross-section	13
8.4 Configuration of water trough barriers in mine workings	13
9 Marking of water trough barriers	15
10 Information for use	16
Annex A (normative) Construction of quick-deploy passive water trough barriers	17
A.1 General	17
A.2 Trough frames	17
A.3 Ropes and chains	17
A.4 Attachment supports	17
A.5 Arrangement of the quick-deploy water trough barriers in the roadway	17
A.6 Volume of water to be contained by quick-deploy water trough barriers	18
Annex B (normative) Example of acceptable test procedure for water troughs	19
B.1 Testing of heat reaction properties	19
B.1.1 Test procedure	19

B.1.2	Test arrangement	19
B.1.3	Procedure	20
B.1.4	Assessment	20
B.2	Testing of explosion properties	20
B.2.1	Testing of water dispersion	20
B.2.2	Testing the extinguishing efficiency in full-scale tests	22
B.3	Testing of fire-resistance properties	22
Annex C (informative) Example of marking of water troughs		23
Annex D (informative) Examples for configuration of water troughs		24
Annex E (informative) Example for marking of water trough barriers		44
Annex F (normative) Instructions for water trough barriers		45
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 94/9/EC		46
Bibliography		48
Figures	Figure 1 -- Trough group, plan view	9
	Figure 2 -- Water trough type A (side elevations)	10
	Figure 3 -- Water trough type B (side elevations)	10
	Figure 4 -- General rules for water trough barriers in mine workings	15
	Figure A.1 -- Quick-deploy water trough barrier (example)	18
	Figure B.1 -- Test arrangement for determining heat reaction properties	19
	Figure B.2 -- Test arrangement for investigating water dispersion	21
	Figure D.1 -- Location of water troughs, sectional view	24
	Figure D.2 -- Arrangement of troughs in roadway cross-section - coverage	25
	Figure D.3 -- Arrangement of troughs in roadway cross-section - horizontal distances	26
	Figure D.4 -- Arrangement of troughs in the roadway cross-section - vertical distances	27
	Figure D.5 -- Arrangement of troughs in the roadway cross-section - vertical distances	27
	Figure D.6 -- Arrangement of troughs in the roadway cross-section - transverse and longitudinal position	28
	Figure D.7 -- Arrangement of troughs in the roadway cross-section - Obscurement by supports or fixtures	29
	Figure D.8 -- Arrangement of troughs in the roadway cross-section - Obscurement by supports or fixtures	30
	Figure D.9 -- Arrangement of troughs in the roadway cross-section - Obscurement by troughs	30
	Figure D.10 -- Arrangement of vertically-offset troughs in the roadway cross-section, distance < 1.2 m	31
	Figure D.11 -- Barrier cordon for a roadway intersection	32
	Figure D.12 -- Barrier cordon for shafts and insets	33

Figure D.13 -- Barrier cordon for closely spaced roadway intersections	34
Figure D.14 -- Barrier cordon for closely spaced junctions - Calculation examples for explosion-barrier setting distances	35
Figure D.15 -- Barrier cordon for closely spaced junctions - Calculation examples for explosion-barrier setting distances	36
Figure D.16 -- Setting distances for concentrated and distributed water trough barriers	37
Figure D.17 -- Roadway drivage with concentrated water trough barriers	38
Figure D.18 -- Roadway drivage with concentrated water trough barriers - Calculation examples a) and b)	39
Figure D.19 -- Roadway drivage with dispersed water trough barrier	40
Figure D.20 -- Roadway drivage with concentrated and dispersed water trough barrier	41
Figure D.21 -- Water trough barriers at the face/gate intersection	41
Figure D.22 -- Explosion barriers in advance gate-roads	42
Figure D.23 -- Arrangement of water trough barriers when retreating to the main seam road	43
Figure E.1 -- Example for marking of water trough barriers	44
Tables Table 1 -- Maximum container dimensions and water content for 40 litre water troughs	11
Table 2 -- Container dimensions and water content for 90 litre water troughs	11
Table ZA.1 -- Relationship between this European Standard and Directive 94/9/EC	46