

DIN EN 14491:2007-08 (E)

Dust explosion venting protective systems

| Contents | | Page |
|------------------------|--|-------------|
| Foreword | | 4 |
| 1 | Scope | 5 |
| 2 | Normative references | 5 |
| 3 | Terms and definitions | 5 |
| 4 | Venting of enclosures | 7 |
| 5 | Sizing of vent areas | 8 |
| 5.1 | General | 8 |
| 5.2 | Venting of isolated enclosures | 8 |
| 5.3 | Special dust cloud conditions | 10 |
| 5.4 | Protection of pipelines and interconnected enclosures | 10 |
| 5.5 | Protection of buildings | 11 |
| 5.5.1 | General | 11 |
| 5.5.2 | Calculating the vent area | 12 |
| 5.5.3 | Calculation of internal surface area | 12 |
| 5.6 | Influences of vent ducts | 13 |
| 5.7 | Hybrid mixtures | 15 |
| 6 | Positioning of vents | 15 |
| 7 | Supplementary design considerations | 15 |
| 7.1 | General | 15 |
| 7.2 | Explosion effects external to the vent | 16 |
| 7.2.1 | General | 16 |
| 7.2.2 | Flame effects | 16 |
| 7.2.3 | Pressure effects | 17 |
| 7.2.4 | Deflectors | 18 |
| 7.2.5 | Effects of flameless explosion venting devices | 19 |
| 7.3 | Deformation of the vented enclosure | 19 |
| 7.3.1 | Recoil forces | 19 |
| 7.3.2 | Vacuum breakers | 20 |
| 8 | Information for use | 21 |
| 8.1 | Marking | 21 |
| 8.2 | Accompanying documents | 21 |
| Annex A (informative) | Estimating the L/D ratio when calculating vent areas for elongated enclosures | 22 |
| Annex ZA (informative) | Relationship between this European Standard and the Essential Requirements of EU Directive 94/9/EC | 27 |
| Bibliography | | 29 |
| Figures | Figure 1 -- Vent duct design to which Equations (10) to (11) apply | 14 |
| | Figure 2 -- Vent duct designs to which Equations (10) to (11) do not apply | 14 |

| | |
|--|-----------|
| Figure 3 -- Design of a blast deflector plate | 19 |
| Figure A.1 -- Cylindrical enclosure with a vent in the roof | 23 |
| Figure A.2 -- Cylindrical enclosure with a vent in the side | 23 |
| Figure A.3 -- Cylindrical enclosure with a hopper and vented in the roof | 24 |
| Figure A.4 -- Cylindrical enclosure with a hopper and vented at the side | 24 |
| Figure A.5 -- Rectangular enclosure with a hopper and vented at the side | 25 |
| Figure A.6 -- Rectangular enclosure with a hopper and vented at the side, close to the hopper | 25 |
| Figure A.7 -- Calculation of a volume of a rectangular hopper | 26 |
| Tables Table ZA.1 -- Correspondence between this European Standard and Directive 94/9/EC | 27 |