

DIN EN ISO 6185-1:2019-06 (E)

Inflatable boats - Part 1: Boats with a maximum motor power rating of 4,5 kW (ISO 6185-1:2001)

Contents		Page
European foreword.....		5
Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of Directive 2013/53/EU aimed to be covered		6
Foreword		8
Introduction		9
1	Scope.....	11
2	Normative references.....	11
3	Terms and definitions	12
4	Materials.....	13
4.1	General.....	13
4.2	Reinforced materials (excluding glass-fibre-reinforced plastics components) and/or unsupported materials making up the hull	13
4.2.1	Requirements	13
4.2.2	Test methods	14
4.3	Wood.....	14
4.3.1	General.....	14
4.3.2	Plywood	15
4.3.3	Constructional timbers	15
4.4	Metal and synthetic material parts.....	15
4.5	Glass-fibre-reinforced plastics	15
5	Functional components.....	15
5.1	Conditioning.....	15
5.2	Hull fittings.....	15
5.2.1	Requirement.....	15
5.2.2	Test method	15
5.3	Manual lifting and carrying devices	15
5.3.1	Requirement.....	15
5.3.2	Test method	16
5.4	Valves.....	16
5.4.1	Inflation	16
5.4.2	Deflation	16
5.5	Rowlocks and oars	16
5.5.1	Requirements	16
5.5.2	Abrasion damage.....	17
5.5.3	Prevention from loosening	17
5.5.4	Strength of rowlocks	17
5.5.5	Use of the rowlocks and oars	17
5.6	Transom (where applicable)	17
5.6.1	Requirement.....	17
5.6.2	Test method	17
5.7	Hull drainage	17
5.8	Rudder steering system (where offered as standard or optional equipment)	18
5.8.1	Strength of the assembly	18
5.8.2	Rudder-blade.....	18

5.9	Remote steering system (Type II only where offered as standard or optional equipment)	18
5.10	Motor-securing line attachment (Type II only)	18
5.11	Towing device (all types)	18
5.12	Seating and attachment systems (where offered as standard or optional equipment)	18
6	Safety requirements of the completed boat	18
6.1	Maximum permissible number of persons	18
6.2	Maximum motor power	19
6.3	Static stability of the boat	19
6.3.1	Requirement	19
6.3.2	Test methods	19
6.4	Maximum load capacity	20
6.4.1	Requirement	20
6.4.2	Test method	21
6.5	Design working pressures	21
6.6	Strength of the hull	21
6.6.1	Requirement	21
6.6.2	Test method	21
6.7	Safety ropes and grab handles	23
6.7.1	Requirement	23
6.7.2	Test method	23
6.8	Residual buoyancy	24
6.8.1	Requirement	24
6.8.2	Test method	24
6.9	Manoeuvrability	24
6.9.1	Requirement	24
6.9.2	Test method	24
6.10	Compartmentation	24
6.11	Field of vision from the helm position	24
7	Performance requirements and test methods	24
7.1	General	24
7.2	In-water performance (Type II only)	25
7.2.1	Requirement	25
7.2.2	Test methods	25
7.3	Strength of the towing device (all types)	27
7.3.1	Requirement	27
7.3.2	Test method	27
7.4	Rowing test (where applicable, see 5.5)	27
7.5	Watertightness test (not applicable to open floor, self-bailing craft)	27
7.5.1	Requirement	27
7.5.2	Test method	27
8	Builder's plate(s)	28
9	Operator's instructions and warning notes	29
10	Standard equipment	29
Annex A	(normative) Inflatable canoes and kayaks (Type III)	30
A.1	Applicable requirements	30
A.2	Maximum permissible number of persons	30
A.2.1	Kayaks	30
A.2.2	Canoes	31
A.3	Load capacity, stowage volume	31

A.4	Backrest and footrest for kayaks	31
A.5	Safety ropes	31
A.6	Performance test for kayaks and canoes.....	32
Annex B (normative)	Inflatable craft propelled by sail (Type IV).....	33
B.2	Boards	33
B.2.1	Construction.....	33
B.2.2	Strength and function of boards	33
B.2.3	Test method	33
B.3	Standing and running rigging	34
B.4	Sailing performance	35
B.4.1	Requirement.....	35
B.4.2	Test method	35
Annex C (informative)	General arrangement of typical Type I boat.....	36
Annex D (informative)	General arrangement of typical Type II boat	37
Annex E (informative)	General arrangement of a typical Type III boat.....	38
Bibliography.....		39