DIN EN 15194:2024-03 (E)

Cycles - Electrically power assisted cycles - EPAC Bicycles (includes Amendment :2023)

Contents

Page

European foreword 6

Introduction 7

1 Scope 8

2 Normative references 8

3 Terms and definitions 10

4 Safety requirements and/or protective measures 17
4.1 General 17
4.2 Electrical requirements 17
4.2.1 Electric circuit 17
4.2.2 Controls and symbols 17
4.2.3 Batteries 18
4.2.4 Battery charger 18
4.2.5 Electric cables and connections 18
4.2.6 Wiring 19
4.2.7 Power cables and conduits 19
4.2.8 External and internal electrical connections 19
4.2.9 Moisture resistance 20
4.2.10 Mechanical strength test 20
4.2.11 Maximum speed for which the electric motor gives assistance 20
4.2.12 Start-up assistance mode 21
4.2.13 Power management 22
4.2.14 Maximum power measurement -- Measurement at the engine shaft 23
4.2.15 Electro Magnetic Compatibility 24
4.2.16 Failure mode 24
4.2.17 Anti-tampering measure 24
4.3 Mechanical requirements 25
4.3.1 General 25
4.3.2 Sharp edges 26
4.3.3 Security and strength of safety-related fasteners 26
4.3.4 Protrusions 27
4.3.5 Brakes 27
4.3.6 Steering 40
4.3.7 Frames 51
4.3.8 Front fork 60
4.3.9 Wheels and wheel/tyre assembly 68
4.3.10 Rims, tyres and tubes 72
4.3.11 Front mudguard 74
4.3.12 Pedals and pedal/crank drive system 76
4.3.13 Drive-chain and drive belt 83
4.3.14 Chain-wheel and belt-drive protective device 84
4.3.15 Saddles and seat-posts 88
4.3.16 Spoke protector 94
4.3.17 Luggage carriers 94
4.3.18 Road-test of a fully-assembled EPAC 94
4.3.19 Lighting systems and reflectors 95
4.3.20 Warning device 96

4.3.21 Thermal hazards 96
4.3.22 Performance levels (PLrs) for control system of EPACs 96
4.4 List of significant hazards 96

5 Marking, labelling 97
5.1 Requirement 97
5.2 Durability test 98
5.2.1 Requirement 98
5.2.2 Test method 98

6 Instruction for use 98

Annex A (informative) Example of relation between speed, torque and current 101

Annex B (normative) Electromagnetic compatibility of EPAC and ESA 104

B.1 Conditions applying to EPAC and to electrical/electronic sub-assemblies (ESA) 104
B.1.1 Marking 104
B.1.2 Requirements 104
B.1.2.1 General requirements 104
B.1.2.2 Broad-band radiation from EPAC 106
B.1.2.3 Requirements relating to narrow-band radiation emissions from EPAC 107
B.1.2.4 Requirements regarding EPAC immunity to electromagnetic radiation 107
B.1.2.5 Requirements concerning broad-band ESA radiation 107
B.1.2.6 Requirements concerning narrow-band ESA radiation emission 108
B.1.2.7 Requirements concerning ESA immunity to electromagnetic radiation 108
B.2 Method of measuring broad-band electromagnetic radiation from EPA 108
B.2.1 Measuring equipment 108
B.2.2 Test method 109
B.2.2.1 General 109
B.2.2.2 Test conditions 109
B.2.2.3 State of the EPAC during the test 109
B.2.2.4 Antenna type, position and orientation 109
B.2.3 Measurement 109
B.3 Method of measuring narrow band electromagnetic radiation from EPAC 109
B.3.1 General 109
B.3.1.1 Measuring equipment 109
B.3.1.2 Test method 109
B.3.1.3 Test conditions 109
B.3.1.4 State of the EPAC during the tests 109
B.3.2 Antenna type, position and orientation 109
B.4 Methods of testing EPAC immunity to electromagnetic radiation 110
B.4.1 General 110
B.4.2 Expression of results 110
B.4.3 Test conditions 110
B.4.4 State of the EPAC during the tests 110
B.4.5 Type, position and orientation of the field generator 111
B.4.5.1 Type of field generator 111
B.4.5.2 Measurement height and distance 111
B.4.5.3 Position of the antenna in relation to the EPAC 111
B.4.5.4 Position of the EPAC 112
B.4.6 Requisite test and condition 112
B.4.6.1 Range of frequencies, duration of the tests, polarization 112
B.4.6.2 Tests to check deterioration in direct control 112
B.4.7 Generation of the requisite field strength 112
B.4.7.1 Test method 112
B.4.7.2 Field strength contour 113
B.4.7.3 Characteristics of the test signal to be generated 113
B.4.8 Inspection and monitoring equipment 114
B.5 Method of measuring broad-band electromagnetic radiation from separate technical units (ESA) 114
B.5.1 General 114

B.5.1.1 Measuring equipment 114
B.5.1.2 Test method - Test conditions 114
B.5.2 State of the ESA during the test 114
B.5.3 Antenna type, position and orientation 114
B.6 Method of measuring narrow-band electromagnetic radiation from separate technical units (ESAs) 114
B.6.1 General 114
B.6.1.1 Measuring equipment 114
B.6.1.2 Test method 114
B.6.2 Test conditions 114
B.6.3 State of the ESA during the tests 114
B.6.4 Antenna type, position and orientation 114
B.7 Methods of testing the ESA immunity to electromagnetic radiation 115
B.7.1 General 115
B.7.2 Expression of results 115
B.7.3 Test conditions 115
B.7.4 State of the ESA during the tests 115
B.7.5 Requisite test and condition 115
B.7.5.1 Test methods 115
B.7.5.2 Range of frequencies, duration of the tests, polarization 115
B.7.5.3 Tests to check deterioration in direct control 115
B.7.6 Generation of the requisite field strength 116
B.7.6.1 Test method 116
B.7.6.2 Characteristics of the test signal to be generated 116
B.7.7 Inspection and monitoring equipment 116
B.8 ESD test 117

Annex C (informative) Steering geometry 118

Annex D (normative) Dummy fork characteristics 119

Annex E (informative) Explanation of the method of least squares for obtaining line of best fit and ± 20 % limit lines for braking performance linearity 121

Annex F (normative) Fork mounting fixture 124

Annex G (informative) Wheel/tyre assembly - Fatigue test 125

G.1 Requirements 125
G.2 Test method 125

Annex H (normative) Light, warning device, on/off symbols 127

Annex I (informative) Walk assist mode symbols 128

Annex ZA (informative) Relationship between this European Standard and the essential requirements of EU Directive 2006/42/EC aimed to be covered 129

Bibliography 133