ISO 24613-4:2021 (E)

Language resource management — Lexical markup framework (LMF) — Part 4: TEI serialization

Contents

Foreword

1 Scope

2 Normative references

3 Terms and definitions

4 General principles

5 Serialization of the LMF core model (ISO 24613-1)

- 5.1 Implementing the LexicalResource class
- 5.2 Implementing the GlobalInformation class
- 5.3 Implementing the Lexicon class
- 5.4 Implementing the LexiconInformation class
- 5.5 Implementing the LexicalEntry class
- 5.6 Implementing the Form and Lemma classes
- 5.6.1 Form class
- 5.6.2 Lemma class
- 5.7 Implementing the GrammaticalInformation class
- 5.8 Implementing the Sense class
- 5.9 Implementing the Definition class
- 5.10 Implementing the OrthographicRepresentation class
- 5.11 Implementing the CrossREF class
- 5.12 Data category selection

6 Serialization of the MRD model (ISO 24613-2)

- 6.1 Implementing the form representations for the Form class
- 6.2 Implementing classes derived from the Form class
- 6.2.1 General principles
- 6.2.2 Implementing the WordForm class
- 6.2.3 Implementing the Stem class
- 6.2.4 Implementing the WordPart class
- 6.2.5 Implementing the RelatedForm class
- 6.3 Implementing the Bibliography class
- 6.4 Implementing the CrossREF mechanism to refer to external media files
- 6.5 Implementing the Example class
- 6.6 Implementing the Translation class
- 6.7 Implementing the TextRepresentation class
- 6.8 Implementing the SubjectField class
- 6.9 Implementing the CrossREF mechanism to represent related entries

7 Implementing the classes from the etymological extension (ISO 24613-3)

- 7.1 Implementing the Etymology class
- 7.2 Implementing the Etymon class
- 7.2.1 Referencing forms in an etymon
- 7.2.2 Representing the meaning of an etymon
- 7.2.3 Representing the language of an etymon
- 7.2.4 Associating grammatical information to an etymon
- 7.2.5 Dating an etymon
- 7.2.6 Providing sources associated with an etymon
- 7.2.7 Further prose component in an etymological description
- 7.3 Implementing the EtyLink class

7.4 Implementing the CognateSet class
7.5 Implementing the Cognate class
7.6 Implementing the Gloss class

8 Additional mechanisms

8.1 Overview
8.2 Representing punctuation marks with <pc>
8.3 Representing various labels with <lbl>
8.4 Encoding simple separating characters with <metamark>
8.5 Providing rendition information with the @rend attribute
8.6 Usage example of the additional features introduced in Clause 8

Page count: 20