

DIN EN 16643:2016-11 (E)

Rubber and plastics hoses and hose assemblies - Non-bonded fluoroplast ic lined (e.g. PTFE) hoses and hose assemblies for liquid and gaseous chemicals - Specification

Contents

	Page
European foreword	5
Introduction	6
1 Scope	7
2 Normative References	7
3 Terms and definitions	8
4 Classification	8
5 Hose assembly designs	9
6 Materials and construction	9
6.1 General	9
6.2 Lining	9
6.3 Helix wire (optional)	9
6.4 Electrical bonding wires (optional)	9
6.5 Braid reinforcement	9
6.6 Cover (optional)	9
7 Dimensions and tolerances	10
7.1 Diameters, thickness, bend radii, resistance to vacuum and lowest permitted maximum working pressure requirements	10
7.2 Concentricity	18
7.3 Length of hose assemblies	18
7.3.1 General	18
7.3.2 Type SE and Type SC hose assemblies	18
7.3.3 Type C hose assemblies	18
8 Physical properties of materials used for hoses and hose assemblies	18
8.1 General	18
8.2 Materials used for the lining	19
8.3 Materials used for the helix wire	19
8.4 Materials used for the electrical bonding wires	19
8.5 Materials used for the over-braid reinforcement	19
8.6 Materials used for the cover	20
8.7 Materials used for end fittings and couplings	20
9 Performance requirements of hoses and hose assemblies	20
10 Electrical properties	22
10.1 General	22
10.2 Electrical bonding	22
10.3 Static-dissipative lining and/or static-dissipative cover	22
11 Frequency of testing	22

12	Type tests	23
13	Test report	23
14	Marking	23
14.1	Hoses	23
14.2	Hose assemblies	23
15	Storage and admissible storage time	24
Annex A (normative) Test frequency for type tests and routine tests		25
Annex B (informative) Production acceptance tests		27
Annex C (normative) Proof pressure test for fluoroplastic lining		28
Annex D (informative) Couplings and fittings		29
D.1	General	29
D.2	Fluoroplastic lined end fittings	29
Annex E (normative) Yield orientation index		30
Annex F (normative) Weep test		31
F.1	General	31
F.2	Test pieces	31
F.3	Apparatus	31
F.4	Test method	31
Annex G (informative) Resistance to chemicals conveyed		32
Annex H (informative) Permeability to gas		33
H.1	General	33
H.2	Test pieces	33
H.3	Apparatus	33
H.4	Test method	33
Annex I (normative) Flame resistance test		36
I.1	Test pieces	36
I.2	Apparatus	36
I.3	Test method	36
Annex J (normative) Hose flexibility - Rolling U test		38
J.1	General	38
J.2	Test pieces	38
J.3	Apparatus	38
J.4	Test method	38
Annex K (informative) Environmental checklist		41
Bibliography		43
Tables Table 1 -- Dimension requirements, Type SE lining hoses without and with cover		11
Table 2 -- Maximum working pressure requirements, Type SE lining hoses without and with cover for two typical braid reinforcements		12
Table 3 -- Dimension requirements, Type SC lining hoses without and with cover		13

Table 4 -- Maximum working pressure requirements, Type SC lining hoses without and with cover for three typical braid reinforcements	14
Table 5 -- Dimension requirements for manufacturing method 1, Type C lining hoses without and with cover	15
Table 6 -- Dimension requirements for manufacturing method 2, Type C lining hoses without and with cover	16
Table 7 -- Maximum working pressure requirements, Type C lining hoses without and with cover for three typical braid reinforcements	17
Table 8 -- Physical properties of fluoroplastic lining	19
Table 9 -- Performance requirements of hoses and hose assemblies	21
Table A.1 -- Test frequency for type tests and routine tests	25
Table B.1 -- Production acceptance tests	27
Table H.1 -- Helium test pressures and average helium permeation rates for Type SC hose linings ..	34
Table J.1 -- Rolling U test movement	38
Table K.1 -- Environmental checklist	42
Figures Figure H.1 -- Arrangement for helium permeation test	35
Figure I.1 -- Arrangement for flammability test	37
Figure J.1 -- Rolling U test piece	39
Figure J.2 -- Typical arrangement of Rolling U test equipment	40