

# ISO 9493:2010-11 (E)

## Geometrical product specifications (GPS) - Dimensional measuring equipment: Dial test indicators (lever type) - Design and metrological characteristics

---

<b>Contents</b>		<b>Page</b>
Foreword .....		iv
Introduction .....		v
1	Scope .....	1
2	Normative references .....	1
3	Terms and definitions .....	1
4	Design characteristics .....	2
4.1	General design features .....	2
4.2	Type .....	2
4.3	Nomenclature .....	4
4.4	Dovetail mounting .....	4
4.5	Dial and pointer .....	5
4.6	Stylus .....	6
4.7	Zero adjustment .....	7
4.8	Design characteristics (manufacturer's specification) .....	7
5	Metrological characteristics .....	7
5.1	Maximum permissible error (MPE) and maximum permissible limit (MPL) for a number of metrological characteristics .....	7
5.2	Stylus .....	8
5.3	Measuring forces .....	8
6	Proving of conformance with specification .....	8
6.1	General .....	8
6.2	Measurement standards for calibration of metrological characteristics .....	8
7	Marking .....	8
Annex A (informative) Examples of a diagram of errors of indication .....		9
Annex B (informative) Example of data sheet for dial test indicators .....		11
Annex C (informative) Calibration of metrological characteristics .....		13
Annex D (informative) Notes on use .....		15
Annex E (informative) Relation to the GPS matrix model .....		17
Bibliography .....		19