ISO/TR 11583:2012-04 (E)

Measurement of wet gas flow by means of pressure differential devices inserted in circular cross-section conduits

Contents

Page

Foreword iv

Introduction v

1 Scope 1

2 Normative references 1

3 Terms and definitions 2

4 Symbols and subscripts 2

5 Principle of the method of measurement and computation 2
5.1 Principle of the method of measurement 2
5.2 Computation 4

6 Venturi tubes 5
6.1 General 5
6.2 Design requirements 5
6.3 Pressure tappings 5
6.4 Computation of gas flowrate 6
6.5 Uncertainties 8

7 Orifice plates 9
7.1 General 9
7.2 Design requirements 9
7.3 Use of orifice plates with drain holes 9
7.4 Pressure tappings 9
7.5 Computation of gas flowrate 10
7.6 Uncertainties 12

8 Tracer techniques 12
8.1 General 12
8.2 Technique 13
8.3 Measuring the gas flowrate using tracer techniques 13

9 Comparison method 14

10 Total mass flowrate known 14

11 Using a throttling calorimeter 15

12 Installation 15
12.1 Flow conditioners 15
12.2 Insulation 15
12.3 Pressure tappings and impulse lines 15
12.4 Gas composition 16
12.5 Densitometers 16

13 Sampling 17
13.1 General 17

13.2 Sampling points at the wet-gas meter 17
13.3 Sampling points at test separators 17

Annex A (informative) Calculations 18

Bibliography 25