

ISO 4180:2009-02 (E)

Packaging - Complete, filled transport packages - General rules for the compilation of performance test schedules

Contents		Page
Foreword		iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Distribution systems	2
5	Hazards	2
6	Tests	2
6.1	General	2
6.2	Appropriate application of tests	2
6.3	Levels of intensity	3
7	Determination of criteria for acceptance	3
8	Selection of package attitude	3
9	Compilation of test schedules	4
9.1	Case 1: distribution system well defined and intensity of hazards determined	4
9.2	Case 2: distribution system undefined and intensity of hazards unknown	4
10	Case 1	4
10.1	Preferred test sequence	4
10.2	Preferred test parameters	4
10.3	Atmospheric conditioning (performed in accordance with ISO 2233)	5
10.4	Low pressure tests (performed in accordance with ISO 2873)	5
10.5	Horizontal impact (performed in accordance with ISO 2244)	5
10.6	Vertical impact (performed in accordance with ISO 2248)	7
10.7	Random vibration tests (performed in accordance with ISO 13355)	9
10.7.1	Mounting of package on the test vibration table	9
10.7.2	Test power spectral densities (PSD)	9
10.8	Stacking	11
10.8.1	Stacking (performed in accordance with ISO 2234)	11
10.8.2	Stacking test using a compression tester (performed in accordance with ISO 12048)	11
10.9	Test simulating different hazards	12
11	Case 2	12
12	Documentation	15
12.1	Test specification	15
12.2	Test report	16
Annex A (informative) Methods of quantifying damage to a package and/or its contents		17
Bibliography		18