

ISO/TR 20736:2021 (E)

Sludge recovery, recycling, treatment and disposal — Guidance on thermal treatment of sludge

Contents

| | |
|-------|--|
| | Foreword |
| | Introduction |
| 1 | Scope |
| 2 | Normative references |
| 3 | Terms and definitions |
| 4 | Abbreviated terms |
| 5 | Sludge properties |
| 5.1 | General |
| 5.2 | Physico-chemical characteristics |
| 5.2.1 | General |
| 5.2.2 | Dry matter |
| 5.2.3 | Loss on ignition |
| 5.2.4 | Calorific value |
| 5.2.5 | Grease, scum and screening |
| 5.2.6 | Physical consistency and others |
| 5.3 | Chemical and microbiological characteristics |
| 5.3.1 | General |
| 5.3.2 | Sulfur |
| 5.3.3 | Phosphorus |
| 5.3.4 | Nitrogen |
| 5.3.5 | Chlorine and other halogens |
| 5.3.6 | Organic micro pollutants |
| 5.3.7 | Trace elements |
| 5.3.8 | Pathogens |
| 6 | Thermal processes fundamentals |
| 6.1 | General |
| 6.2 | Drying |
| 6.3 | Hydrolysis |
| 6.4 | Incineration |
| 6.5 | Pyrolysis |
| 6.6 | Gasification |
| 6.7 | Thermolysis |
| 6.8 | Carbonization |
| 6.9 | Wet oxidation |
| 6.10 | Melting |
| 6.11 | Pasteurization |
| 7 | Technologies |
| 7.1 | General |
| 7.2 | Drying |
| 7.2.1 | Direct dryers |
| 7.2.2 | Indirect dryers |
| 7.2.3 | Solar dryers |
| 7.3 | Hydrolysis |
| 7.4 | Incineration |
| 7.4.1 | Fluidized bed furnace |

- 7.4.2 Multiple hearth furnace (MHF)
 - 7.4.3 Hybrid furnace
 - 7.4.4 Others
 - 7.5 Pyrolysis
 - 7.6 Gasification
 - 7.7 Thermolysis
 - 7.8 Carbonization
 - 7.9 Wet oxidation
 - 7.10 Melting
 - 7.11 Pasteurization
 - 7.12 Emerging technologies
 - 7.12.1 General
 - 7.12.2 Oxidation technologies
 - 7.12.2.1 Supercritical water
 - 7.12.2.2 Wet peroxide oxidation
 - 7.12.3 Enzymatic sludge hydrolysis
 - 7.12.4 Plasma gasification
 - 7.12.5 Ultrasound pretreatment
 - 7.12.6 Microwave irradiation
 - 7.12.7 Infrared radiation
 - 7.13 Design aspects
 - 7.14 Auxiliary equipment
 - 7.14.1 General
 - 7.14.2 Transport, receiving area, storage and feeding systems
 - 7.14.3 Heat supply and recovery
 - 7.14.3.1 General
 - 7.14.3.2 Heat exchangers
 - 7.14.3.3 Boiler
 - 7.14.4 Gas cleaning
 - 7.14.5 Ash and other residues handling
 - 7.14.6 Wastewater treatment
 - 7.14.7 Process monitoring
 - 7.14.8 Safety systems
- 8 **Operational aspects**
- 8.1 General
 - 8.2 Drying
 - 8.3 Hydrolysis
 - 8.4 Incineration
 - 8.4.1 General
 - 8.4.2 Fluidized bed furnace
 - 8.4.3 Multiple hearth furnace
 - 8.5 Pyrolysis
 - 8.6 Gasification
 - 8.7 Thermolysis
 - 8.8 Carbonization
 - 8.9 Wet oxidation
 - 8.10 Melting
 - 8.11 Pasteurization
 - 8.12 Hazards
- 9 **Management of energy and secondary resources**
- 9.1 General
 - 9.2 Drying
 - 9.3 Hydrolysis
 - 9.4 Incineration
 - 9.5 Pyrolysis
 - 9.6 Gasification
 - 9.7 Thermolysis
 - 9.8 Carbonization
 - 9.9 Wet oxidation
 - 9.10 Melting
 - 9.11 Pasteurization
 - 9.12 Thermal treatments and circular economy

- 10 Management of residues**
 - 10.1 General**
 - 10.2 Flue gas**
 - 10.2.1 Characteristics and parameters**
 - 10.2.2 Equipment**
 - 10.3 Ashes**
 - 10.3.1 Composition/parameters**
 - 10.3.2 Processes and equipment**
 - 10.4 Wastewater**
- 11 Decommissioning of installations**
 - 11.1 General**
 - 11.2 Specific considerations**
- 12 Co-management with other organic wastes**
 - 12.1 General**
 - 12.2 Specific considerations**
 - 12.3 Additional storage and transport aspects**
 - 12.3.1 General**
 - 12.3.2 Storage**
 - 12.3.3 Transport**
- 13 Assessment of sustainability**
 - 13.1 General**
 - 13.2 Environmental aspects**
 - 13.3 Economical aspects**
 - 13.4 Social aspects**
- Annex A (informative) Calorific values calculations**
- Annex B (informative) Various systems to input sludge into a household waste incineration plant**
 - B.1 General**
 - B.2 Sludge whose DM content < 35 %**
 - B.3 Sludge whose dryness is > 65 %**
 - B.4 Sludge whose DM content is between 35 % and 65 %**
 - B.5 Drying the sludge in the household waste incineration plant**
- Annex C (informative) Case studies**
 - C.1 Incineration**
 - C.1.1 Pressurized fluidized bed incineration system**
 - C.1.1.1 Background and results**
 - C.1.1.2 Description**
 - C.1.2 Sewage Sludge Fluid Bed Incineration with co-Generation**
 - C.1.2.1 Background and results**
 - C.1.2.2 Description**
 - C.1.3 Multiple layer burning incineration system**
 - C.1.3.1 Background and results**
 - C.1.3.2 Description**
 - C.1.4 Advanced two-stage incinerator (circulating fluidized bed)**
 - C.1.4.1 Background and results**
 - C.1.4.2 Description**
 - C.1.5 Sewage sludge FBF plus binary power generation system**
 - C.1.5.1 Background and results**
 - C.1.5.2 Description**
 - C.1.6 Step grate furnace with steam power generation**
 - C.1.6.1 Background and results**
 - C.1.6.2 Description**
 - C.1.7 Steam power generation system combining advanced dehydrator and the grate furnace**
 - C.1.7.1 Background and results**
 - C.1.7.2 Description**
 - C.2 Gasification (sewage sludge gasification power-generation system)**
 - C.2.1 Background and results**
 - C.2.2 Description**

- C.3 Carbonization**
- C.3.1 Sludge carbonization (sludge to bio charcoal fuel)**
- C.3.1.1 Background and results**
- C.3.1.2 Description**
- C.3.2 Sewage sludge fluidized bed carbonization system**
- C.3.2.1 Background and results**
- C.3.2.2 Description**
- C.4 Drying**
- C.4.1 Low energy sludge drying system**
- C.4.1.1 Background and results**
- C.4.1.2 Description**
- C.4.2 Solar drying**
- C.4.2.1 Background and results**
- C.4.2.2 Description**

Annex D (informative) Regulatory aspects

Page count: 90