

# ISO/TR 20736:2021 (E)

## Sludge recovery, recycling, treatment and disposal — Guidance on thermal treatment of sludge

---

### Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms and definitions
4	Abbreviated terms
5	Sludge properties
5.1	General
5.2	Physico-chemical characteristics
5.2.1	General
5.2.2	Dry matter
5.2.3	Loss on ignition
5.2.4	Calorific value
5.2.5	Grease, scum and screening
5.2.6	Physical consistency and others
5.3	Chemical and microbiological characteristics
5.3.1	General
5.3.2	Sulfur
5.3.3	Phosphorus
5.3.4	Nitrogen
5.3.5	Chlorine and other halogens
5.3.6	Organic micro pollutants
5.3.7	Trace elements
5.3.8	Pathogens
6	Thermal processes fundamentals
6.1	General
6.2	Drying
6.3	Hydrolysis
6.4	Incineration
6.5	Pyrolysis
6.6	Gasification
6.7	Thermolysis
6.8	Carbonization
6.9	Wet oxidation
6.10	Melting
6.11	Pasteurization
7	Technologies
7.1	General
7.2	Drying
7.2.1	Direct dryers
7.2.2	Indirect dryers
7.2.3	Solar dryers
7.3	Hydrolysis
7.4	Incineration
7.4.1	Fluidized bed furnace

- 7.4.2 Multiple hearth furnace (MHF)
  - 7.4.3 Hybrid furnace
  - 7.4.4 Others
  - 7.5 Pyrolysis
  - 7.6 Gasification
  - 7.7 Thermolysis
  - 7.8 Carbonization
  - 7.9 Wet oxidation
  - 7.10 Melting
  - 7.11 Pasteurization
  - 7.12 Emerging technologies
    - 7.12.1 General
    - 7.12.2 Oxidation technologies
      - 7.12.2.1 Supercritical water
      - 7.12.2.2 Wet peroxide oxidation
    - 7.12.3 Enzymatic sludge hydrolysis
    - 7.12.4 Plasma gasification
    - 7.12.5 Ultrasound pretreatment
    - 7.12.6 Microwave irradiation
    - 7.12.7 Infrared radiation
  - 7.13 Design aspects
  - 7.14 Auxiliary equipment
    - 7.14.1 General
    - 7.14.2 Transport, receiving area, storage and feeding systems
    - 7.14.3 Heat supply and recovery
      - 7.14.3.1 General
      - 7.14.3.2 Heat exchangers
      - 7.14.3.3 Boiler
    - 7.14.4 Gas cleaning
    - 7.14.5 Ash and other residues handling
    - 7.14.6 Wastewater treatment
    - 7.14.7 Process monitoring
    - 7.14.8 Safety systems
- 8            **Operational aspects**
- 8.1            General
  - 8.2            Drying
  - 8.3            Hydrolysis
  - 8.4            Incineration
    - 8.4.1            General
    - 8.4.2            Fluidized bed furnace
    - 8.4.3            Multiple hearth furnace
  - 8.5            Pyrolysis
  - 8.6            Gasification
  - 8.7            Thermolysis
  - 8.8            Carbonization
  - 8.9            Wet oxidation
  - 8.10           Melting
  - 8.11           Pasteurization
  - 8.12           Hazards
- 9            **Management of energy and secondary resources**
- 9.1            General
  - 9.2            Drying
  - 9.3            Hydrolysis
  - 9.4            Incineration
  - 9.5            Pyrolysis
  - 9.6            Gasification
  - 9.7            Thermolysis
  - 9.8            Carbonization
  - 9.9            Wet oxidation
  - 9.10           Melting
  - 9.11           Pasteurization
  - 9.12           Thermal treatments and circular economy

- 10 Management of residues**
  - 10.1 General**
  - 10.2 Flue gas**
    - 10.2.1 Characteristics and parameters**
    - 10.2.2 Equipment**
  - 10.3 Ashes**
    - 10.3.1 Composition/parameters**
    - 10.3.2 Processes and equipment**
  - 10.4 Wastewater**
- 11 Decommissioning of installations**
  - 11.1 General**
  - 11.2 Specific considerations**
- 12 Co-management with other organic wastes**
  - 12.1 General**
  - 12.2 Specific considerations**
  - 12.3 Additional storage and transport aspects**
    - 12.3.1 General**
    - 12.3.2 Storage**
    - 12.3.3 Transport**
- 13 Assessment of sustainability**
  - 13.1 General**
  - 13.2 Environmental aspects**
  - 13.3 Economical aspects**
  - 13.4 Social aspects**
- Annex A (informative) Calorific values calculations**
- Annex B (informative) Various systems to input sludge into a household waste incineration plant**
  - B.1 General**
  - B.2 Sludge whose DM content < 35 %**
  - B.3 Sludge whose dryness is > 65 %**
  - B.4 Sludge whose DM content is between 35 % and 65 %**
  - B.5 Drying the sludge in the household waste incineration plant**
- Annex C (informative) Case studies**
  - C.1 Incineration**
    - C.1.1 Pressurized fluidized bed incineration system**
      - C.1.1.1 Background and results**
      - C.1.1.2 Description**
    - C.1.2 Sewage Sludge Fluid Bed Incineration with co-Generation**
      - C.1.2.1 Background and results**
      - C.1.2.2 Description**
    - C.1.3 Multiple layer burning incineration system**
      - C.1.3.1 Background and results**
      - C.1.3.2 Description**
    - C.1.4 Advanced two-stage incinerator (circulating fluidized bed)**
      - C.1.4.1 Background and results**
      - C.1.4.2 Description**
    - C.1.5 Sewage sludge FBF plus binary power generation system**
      - C.1.5.1 Background and results**
      - C.1.5.2 Description**
    - C.1.6 Step grate furnace with steam power generation**
      - C.1.6.1 Background and results**
      - C.1.6.2 Description**
    - C.1.7 Steam power generation system combining advanced dehydrator and the grate furnace**
      - C.1.7.1 Background and results**
      - C.1.7.2 Description**
  - C.2 Gasification (sewage sludge gasification power-generation system)**
    - C.2.1 Background and results**
    - C.2.2 Description**

- C.3 Carbonization**
- C.3.1 Sludge carbonization (sludge to bio charcoal fuel)**
- C.3.1.1 Background and results**
- C.3.1.2 Description**
- C.3.2 Sewage sludge fluidized bed carbonization system**
- C.3.2.1 Background and results**
- C.3.2.2 Description**
- C.4 Drying**
- C.4.1 Low energy sludge drying system**
- C.4.1.1 Background and results**
- C.4.1.2 Description**
- C.4.2 Solar drying**
- C.4.2.1 Background and results**
- C.4.2.2 Description**

**Annex D (informative) Regulatory aspects**

**Page count: 90**