ISO 748:2007-10 (E)

Hydrometry - Measurement of liquid flow in open channels using current-meters or floats

Contents

Page

Foreword v

1 Scope 1

2 Normative references 1

3 Terms and definitions 1

4 Principle of the methods of measurements 1

5 Selection and demarcation of site 2
5.1 Selection of site 2
5.2 Demarcation of site 3

6 Measurement of cross-sectional area 3
6.1 General 3
6.2 Measurement of width 3
6.3 Measurement of depth 4

7 Measurement of velocity 5
7.1 Measurement of velocity using current-meters 5
7.1.1 Rotating-element current-meters 5
7.1.2 Electromagnetic current-meters 5
7.1.3 Measurement procedure 5
7.1.4 Oblique flow 6
7.1.5 Determination of the mean velocity in a vertical 7
7.1.6 Errors and limitations 10
7.2 Measurement of velocity using floats 11
7.2.1 General 11
7.2.2 Selection of site 11
7.2.3 Measuring procedure 11
7.2.4 Types of float 11
7.2.5 Determination of velocity 12
7.2.6 Main sources of error 13

8 Computation of discharge 13
8.1 General 13
8.2 Graphical method 13
8.2.1 Depth-velocity-integration 13
8.2.2 Velocity-area integration method (velocity-contour method) 14
8.3 Arithmetic methods 16
8.3.1 Mean-section method 16
8.3.2 Mid-section method 16
8.4 Independent vertical method 17
8.5 Mean-section method -- Horizontal planes 20
8.6 Determination of discharge from surface-float velocity measurements 20
8.7 Determination of discharge for variations of water level 22
8.7.1 General 22
8.7.2 Computation of discharge 22
8.7.3 Computation of mean water level 22

9 Uncertainties in flow measurement 23
9.1 General 23
9.2 Definition of uncertainty 23
9.3 Method of calculating the uncertainty in discharge by measurement of velocity by current-meter 24
9.3.1 General 24
9.3.2 Contributory uncertainties 24
9.3.3 Example 26
9.3.4 Combined uncertainty 26
9.4 Method of calculating the uncertainty in discharge by measurement of velocity using floats 27
9.4.1 General 27
9.4.2 Contributory uncertainties 27
9.4.3 Combined uncertainty in discharge 28
9.4.4 Example 28

Annex A (informative) Correction for sag, pull, slope and temperature in measurement of cross-section width by tape or wire 30

Annex B (informative) Distance measurement across the cross-section 33

Annex C (informative) Corrections for wetted length of wire when measuring depths with wire not normal to surface 36

Annex D (informative) Correction for drift 39

Annex E (informative) Uncertainties in the velocity-area measurement 40

Annex F (informative) Determination of mean velocity from float measurements 44

Bibliography 46