

# DIN EN 14636-2:2010-04 (E)

## Plastics piping systems for non-pressure drainage and sewerage - Polyester resin concrete (PR C) - Part 2: Manholes and inspection chambers

---

<b>Contents</b>		<b>Page</b>
Foreword .....		5
<b>1</b>	<b>Scope .....</b>	<b>6</b>
<b>2</b>	<b>Normative references .....</b>	<b>6</b>
<b>3</b>	<b>Terms, definitions, symbols and abbreviations .....</b>	<b>7</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>7</b>
<b>3.2</b>	<b>Symbols and abbreviations .....</b>	<b>10</b>
<b>4</b>	<b>General requirements .....</b>	<b>12</b>
<b>4.1</b>	<b>Materials .....</b>	<b>12</b>
<b>4.1.1</b>	<b>General .....</b>	<b>12</b>
<b>4.1.2</b>	<b>Resin .....</b>	<b>12</b>
<b>4.1.3</b>	<b>Aggregates and fillers .....</b>	<b>13</b>
<b>4.1.4</b>	<b>Elastomers .....</b>	<b>13</b>
<b>4.1.5</b>	<b>Metals .....</b>	<b>13</b>
<b>4.1.6</b>	<b>Minimum resin content .....</b>	<b>13</b>
<b>4.2</b>	<b>Appearance .....</b>	<b>13</b>
<b>4.3</b>	<b>Reference conditions for testing .....</b>	<b>13</b>
<b>4.3.1</b>	<b>Temperature .....</b>	<b>13</b>
<b>4.3.2</b>	<b>Properties of water for testing .....</b>	<b>13</b>
<b>4.3.3</b>	<b>Loading conditions .....</b>	<b>13</b>
<b>4.3.4</b>	<b>Measurement of dimensions .....</b>	<b>13</b>
<b>4.4</b>	<b>Joints .....</b>	<b>14</b>
<b>4.4.1</b>	<b>General .....</b>	<b>14</b>
<b>4.4.2</b>	<b>Maximum angular deflection and/or maximum draw of flexible joints .....</b>	<b>14</b>
<b>4.4.3</b>	<b>Joint seals .....</b>	<b>14</b>
<b>4.4.4</b>	<b>Adhesives .....</b>	<b>14</b>
<b>5</b>	<b>Manholes and inspection chamber units .....</b>	<b>14</b>
<b>5.1</b>	<b>Classification .....</b>	<b>14</b>
<b>5.1.1</b>	<b>General .....</b>	<b>14</b>
<b>5.1.2</b>	<b>Intended use of structure .....</b>	<b>14</b>
<b>5.1.3</b>	<b>Type of unit .....</b>	<b>14</b>
<b>5.2</b>	<b>Designation .....</b>	<b>15</b>
<b>5.3</b>	<b>Geometrical characteristics .....</b>	<b>15</b>
<b>5.3.1</b>	<b>Chamber rings and shaft rings .....</b>	<b>15</b>
<b>5.3.2</b>	<b>Slabs and Tapers .....</b>	<b>17</b>
<b>5.3.3</b>	<b>Positioning of installed steps .....</b>	<b>18</b>
<b>5.3.4</b>	<b>Size of openings in manholes .....</b>	<b>19</b>
<b>5.3.5</b>	<b>Base units containing pipe connections .....</b>	<b>19</b>
<b>5.4</b>	<b>Mechanical characteristics .....</b>	<b>19</b>
<b>5.4.1</b>	<b>Crushing strength of chamber rings or shaft rings .....</b>	<b>19</b>
<b>5.4.2</b>	<b>Vertical crushing strength of slabs and tapers .....</b>	<b>21</b>
<b>5.4.3</b>	<b>Compressive strength of polyester resin concrete (PRC) .....</b>	<b>21</b>
<b>5.4.4</b>	<b>Leak-tightness of manholes and inspection chambers and their joints .....</b>	<b>21</b>
<b>5.4.5</b>	<b>Long-term crushing strength of chamber rings or shaft rings under media attack .....</b>	<b>22</b>
<b>5.4.6</b>	<b>Load bearing capacity of installed steps .....</b>	<b>22</b>
<b>5.5</b>	<b>Marking of manhole and inspection chamber units .....</b>	<b>22</b>

6	Dangerous substances .....	23
7	Manufacturer's installation recommendations .....	23
8	Evaluation of conformity .....	23
8.1	General .....	23
8.2	Initial type testing .....	23
8.2.1	General .....	23
8.2.2	Characteristics .....	24
8.2.3	Use of historical data .....	24
8.2.4	"Deemed to satisfy" provisions and use of reference tabulated data .....	24
8.2.5	Treatment of calculated values and design .....	24
8.2.6	Sampling, testing and conformity criteria .....	25
8.3	Factory production control (FPC) .....	26
8.3.1	General .....	26
8.3.2	FPC requirements for all manufacturers .....	26
8.3.3	Manufacturer-specific FPC system requirements .....	27
8.4	One-off products, pre-production products (e.g. prototypes) and products produced in very low quantities .....	29
8.4.1	General .....	29
8.4.2	For initial type assessment .....	29
Annex A (normative) Determination of a chamber ring's or shaft ring's crushing strength and ring bending tensile strength using a ring test piece .....		30
A.1	Scope .....	30
A.2	Principle .....	30
A.3	Apparatus .....	30
A.4	Test pieces .....	32
A.5	Procedure .....	32
A.6	Calculations .....	32
A.7	Test report .....	35
Annex B (normative) Test method for the determination of a chamber ring's or shaft ring's crushing strength or the ring bending tensile strength using test pieces sawn from a ring .....		36
B.1	Scope .....	36
B.2	Principle .....	36
B.3	Apparatus .....	36
B.4	Test piece .....	37
B.5	Test procedure .....	38
B.6	Calculations .....	39
B.7	Test report .....	40
Annex C (normative) Test method for the determination of the vertical crushing strength of slabs or tapers .....		42
C.1	Scope .....	42
C.2	Principle .....	42
C.3	Apparatus .....	42
C.4	Preparation .....	42
C.5	Procedure .....	45
C.6	Test report .....	45
Annex D (normative) Test method for the determination of the compressive strength of polyester resin concrete (PRC) using test pieces which are cut from a unit .....		46
D.1	Scope .....	46
D.2	Principle .....	46
D.3	Apparatus .....	46
D.4	Test pieces .....	48

D.5	Procedure .....	49
D.6	Calculations .....	49
D.7	Test report .....	49
<b>Annex E (normative) Test method for the determination of the resistance of installed steps to vertical and horizontal loading .....</b>		<b>50</b>
E.1	Scope .....	50
E.2	Principle .....	50
E.3	Apparatus .....	50
E.4	Preparation .....	50
E.5	Procedure .....	51
E.6	Test report .....	51
<b>Annex F (normative) Method for the assessment of the leak-tightness of a manhole or inspection chamber and its joints under short term exposure to internal water pressure and negative pressure .....</b>		<b>53</b>
F.1	Scope .....	53
F.2	Principle .....	53
F.3	Apparatus .....	53
F.4	Test pieces .....	54
F.5	Procedure .....	54
F.6	Test report .....	54
<b>Annex G (normative) Test method for the determination of the long-term crushing strength (50 years evaluation point) of a chamber ring or a shaft ring, including the effects of media attack . .....</b>		<b>56</b>
G.1	Scope .....	56
G.2	Principle .....	56
G.3	Apparatus .....	56
G.4	Test pieces .....	57
G.5	Test solutions .....	58
G.6	Procedure .....	58
G.7	Evaluation .....	59
G.8	Test report .....	59
<b>Bibliography .....</b>		<b>60</b>