DIN EN 14636-2:2010-04 (E)

Plastics piping systems for non-pressure drainage and sewerage - Polyester resin concrete (PR C) - Part 2: Manholes and inspection chambers

Contents

Page

Foreword 5

1 Scope 6

2 Normative references 6

3 Terms, definitions, symbols and abbreviations 7
3.1 Terms and definitions 7
3.2 Symbols and abbreviations 10

4 General requirements 12
4.1 Materials 12
4.1.1 General 12
4.1.2 Resin 12
4.1.3 Aggregates and fillers 13
4.1.4 Elastomers 13
4.1.5 Metals 13
4.1.6 Minimum resin content 13
4.2 Appearance 13
4.3 Reference conditions for testing 13
4.3.1 Temperature 13
4.3.2 Properties of water for testing 13
4.3.3 Loading conditions 13
4.3.4 Measurement of dimensions 13
4.4 Joints 14
4.4.1 General 14
4.4.2 Maximum angular deflection and/or maximum draw of flexible joints 14
4.4.3 Joint seals 14
4.4.4 Adhesives 14

5 Manholes and inspection chamber units 14
5.1 Classification 14
5.1.1 General 14
5.1.2 Intended use of structure 14
5.1.3 Type of unit 14
5.2 Designation 15
5.3 Geometrical characteristics 15
5.3.1 Chamber rings and shaft rings 15
5.3.2 Slabs and Tapers 17
5.3.3 Positioning of installed steps 18
5.3.4 Size of openings in manholes 19
5.3.5 Base units containing pipe connections 19
5.4 Mechanical characteristics 19
5.4.1 Crushing strength of chamber rings or shaft rings 19
5.4.2 Vertical crushing strength of slabs and tapers 21
5.4.3 Compressive strength of polyester resin concrete (PRC) 21
5.4.4 Leak-tightness of manholes and inspection chambers and their joints 21
5.4.5 Long-term crushing strength of chamber rings or shaft rings under media attack 22
5.4.6 Load bearing capacity of installed steps 22
5.5 Marking of manhole and inspection chamber units 22

6 Dangerous substances ... 23

7 Manufacturer's installation recommendations ... 23

8 Evaluation of conformity ... 23
8.1 General ... 23
8.2 Initial type testing ... 23
8.2.1 General ... 23
8.2.2 Characteristics ... 24
8.2.3 Use of historical data ... 24
8.2.4 "Deemed to satisfy" provisions and use of reference tabulated data ... 24
8.2.5 Treatment of calculated values and design ... 24
8.2.6 Sampling, testing and conformity criteria ... 25
8.3 Factory production control (FPC) ... 26
8.3.1 General ... 26
8.3.2 FPC requirements for all manufacturers ... 26
8.3.3 Manufacturer-specific FPC system requirements ... 27
8.4 One-off products, pre-production products (e.g. prototypes) and products produced in very low quantities ... 29
8.4.1 General ... 29
8.4.2 For initial type assessment ... 29

Annex A (normative) Determination of a chamber ring's or shaft ring's crushing strength and ring bending tensile strength using a ring test piece ... 30

A.1 Scope ... 30
A.2 Principle ... 30
A.3 Apparatus ... 30
A.4 Test pieces ... 32
A.5 Procedure ... 32
A.6 Calculations ... 32
A.7 Test report ... 35

Annex B (normative) Test method for the determination of a chamber ring's or shaft ring's crushing strength or the ring bending tensile strength using test pieces sawn from a ring ... 36

B.1 Scope ... 36
B.2 Principle ... 36
B.3 Apparatus ... 36
B.4 Test piece ... 37
B.5 Test procedure ... 38
B.6 Calculations ... 39
B.7 Test report ... 40

Annex C (normative) Test method for the determination of the vertical crushing strength of slabs or tapers ... 42

C.1 Scope ... 42
C.2 Principle ... 42
C.3 Apparatus ... 42
C.4 Preparation ... 42
C.5 Procedure ... 45
C.6 Test report ... 45

Annex D (normative) Test method for the determination of the compressive strength of polyester resin concrete (PRC) using test pieces which are cut from a unit ... 46

D.1 Scope ... 46
D.2 Principle ... 46
D.3 Apparatus ... 46
D.4 Test pieces ... 48

D.5 Procedure 49
D.6 Calculations 49
D.7 Test report 49

Annex E (normative) Test method for the determination of the resistance of installed steps to vertical and horizontal loading 50

E.1 Scope 50
E.2 Principle 50
E.3 Apparatus 50
E.4 Preparation 50
E.5 Procedure 51
E.6 Test report 51

Annex F (normative) Method for the assessment of the leak-tightness of a manhole or inspection chamber and its joints under short term exposure to internal water pressure and negative pressure 53

F.1 Scope 53
F.2 Principle 53
F.3 Apparatus 53
F.4 Test pieces 54
F.5 Procedure 54
F.6 Test report 54

Annex G (normative) Test method for the determination of the long-term crushing strength (50 years evaluation point) of a chamber ring or a shaft ring, including the effects of media attack 56

G.1 Scope 56
G.2 Principle 56
G.3 Apparatus 56
G.4 Test pieces 57
G.5 Test solutions 58
G.6 Procedure 58
G.7 Evaluation 59
G.8 Test report 59

Bibliography 60