

DIN EN 16421:2015-05 (E)

Influence of materials on water for human consumption - Enhancement of microbial growth (EMG)

Contents		Page
Foreword		6
Introduction		7
1	Scope	9
2	Normative references	9
3	Terms and definitions	10
4	Influence of materials on water for human consumption - Enhancement of microbial growth (EMG) - Method 1: Measured by Biomass Production Potential (BPP) measured by ATP	11
4.1	General	11
4.2	Principle	12
4.3	Apparatus	12
4.3.1	Requirements	12
4.3.2	Vessels, containers, stoppers and connectors and general laboratory apparatus	12
4.3.3	Cleaning	12
4.3.4	Gloves	12
4.3.5	Plates	12
4.3.6	Test containers	13
4.3.7	Test tubes	13
4.3.8	Incubator (or hot room)	13
4.3.9	Sterilisation ovens	13
4.3.10	Membrane filters	13
4.3.11	Autoclave	13
4.4	Reagents	13
4.4.1	Test water	13
4.4.2	Dilution water	14
4.4.3	Potassium dihydrogen orthophosphate solution	14
4.4.4	Potassium-nitrate solution	14
4.4.5	Sodium acetate solution	15
4.4.6	Inoculum	15
4.4.7	Specifications for controls	15
4.5	Test samples and controls	16
4.5.1	Sampling, transport and storage of test samples	16
4.5.2	Test piece preparation	16
4.6	Pre-treatment of test pieces	17
4.6.1	General	17
4.6.2	Flushing	17
4.6.3	Stagnation	17
4.6.4	Prewashing	17
4.7	Test procedure	17
4.7.1	Overview	17
4.7.2	ATP contamination	18
4.7.3	Preparation of the test container	18
4.7.4	Test pieces	18
4.7.5	Incubation	18
4.7.6	Positive and negative controls	18
4.7.7	Changing of test water	19

4.7.8	Measurement of ATP concentrations	19
4.8	Calculation of test results	19
4.8.1	Biomass Production (BP)	19
4.9	Reproducibility and repeatability	22
4.10	Test report	22
4.10.1	General	22
4.10.2	Material/Product information	22
4.10.3	Information on the test procedure	23
4.10.4	Test results	23
5	Influence of materials on water for human consumption - Enhancement of microbial growth (EMG) - Method 2: Measured by biofilm volume	23
5.1	General	23
5.2	Principle	24
5.3	Basic requirements	24
5.4	Apparatus and reagents	24
5.4.1	Disinfectant	24
5.4.2	Test water	24
5.4.3	Specifications for controls	25
5.4.4	Test container and test module for pipes and hoses	25
5.4.5	Scraper	25
5.4.6	Centrifuge	25
5.4.7	Glassware for centrifugation	25
5.4.8	Flowmeter	25
5.5	Test samples and test pieces	25
5.5.1	Sampling, transport and storage	25
5.5.2	Preparation of test pieces	26
5.6	Test procedure	27
5.6.1	General	27
5.6.2	Test procedure in test container	27
5.6.3	Test procedure in test module for pipes and hoses	27
5.6.4	Preparation of the test container or test module for pipes and hoses	28
5.6.5	Pre-treatment of test pieces	28
5.6.6	Removal of test pieces	28
5.6.7	Examination of test pieces	28
5.6.8	Re-exposure after harvesting	28
5.6.9	Centrifugation and determination of biofilm	28
5.6.10	Examination of biofilm	29
5.6.11	Test periods	29
5.7	Calculation of test results	30
5.8	Evaluation of satisfactory test performance	31
5.9	Test report	32
5.9.1	General	32
5.9.2	Material/Product information	32
5.9.3	Information on the test procedure	33
5.9.4	Test results	33
6	Influence of materials on water for human consumption - Enhancement of microbial growth (EMG) - Method 3: Measured by mean dissolved oxygen depletion	34
6.1	General	34
6.2	Principle	34
6.3	Test premises	34
6.3.1	General	34
6.3.2	Safety	34
6.4	Apparatus and reagents	34
6.4.1	General	34
6.4.2	Inoculum water	34
6.4.3	Test water	35
6.4.4	Test containers	36
6.4.5	Dissolved oxygen meter	37
6.4.6	30 °C Incubator/chamber	37
6.4.7	Polyethylene bags	37

6.4.8	Glass plates	37
6.4.9	Brass couplings	37
6.4.10	Special glass plates	37
6.5	Preparation of test pieces	37
6.5.1	General	37
6.5.2	Nature of test pieces	37
6.6	Test piece and test container size	37
6.6.1	General	37
6.6.2	Test sample storage	38
6.6.3	Special requirements	38
6.6.4	Specifications for controls	42
6.6.5	Test water control	42
6.7	Test procedures	42
6.7.1	Preparation of the test container	42
6.7.2	Incubation	43
6.7.3	Changing the test water	43
6.7.4	Measurement of dissolved oxygen	43
6.8	Calculation of results	44
6.8.1	Calculation of the mean dissolved oxygen difference (MDOD)	44
6.8.2	Validation of results	44
6.8.3	Repeatability and reproducibility	45
6.9	Test report	45
6.9.1	General	45
6.9.2	Material/Product information	45
6.9.3	Information on the test procedure	47
6.9.4	Results	47
Annex A (normative) Method 1: Measured by Biomass Production Potential (BPP) measured by ATP - Assessment of the suitability of test water for its use in the BPP test (biological stability and the need for addition of trace elements)		48
Annex B (normative) Method 1: Measured by Biomass Production Potential (BPP) measured by ATP - Protocol of ATP analysis		50
B.1	Introduction	50
B.2	Apparatus and glassware	50
B.3	Reagents and auxiliary substances	50
B.3.1	General	50
B.3.2	Sterile water	50
B.3.3	ATP solutions for standard dilutions and calibration curves	50
B.3.4	Luciferin/luciferase (enzyme) solution	51
B.3.5	ATP extraction reagent	52
B.4	Sampling	52
B.5	Procedure	52
B.5.1	General	52
B.5.2	Blank water	52
B.5.3	Control dilutions	52
B.5.4	Samples	52
B.6	Expression of results	52
B.6.1	Water samples	52
B.6.2	Material samples	53
B.7	Test record	53
B.8	Quality control of calibration curves	53
Annex C (informative) Method 1: Measured by Biomass Production Potential (BPP) measured by ATP - ATP and its measurement		55
Annex D (informative) Method 1: Measured by Biomass Production Potential (BPP) measured by ATP - Evaluating procedures for removal of attached biomass		56
D.1	Introduction	56
D.2	Procedures for removal of Attached Biomass	56

D.2.1	General	56
D.2.2	Swabbing	56
D.2.3	Low energy sonication (LES)	56
D.2.4	High energy sonication (HES)	56
D.3	Effectiveness of removal procedure	57
Annex E (informative)	Method 1: Measured by Biomass Production Potential (BPP) measured by ATP	58
Annex F (informative)	Method 2: Measured by biofilm volume	59
Annex G (informative)	Method 2: Measured by biofilm volume	60
Annex H (informative)	Method 3: Measured by mean dissolved oxygen depletion	63
Bibliography		65