

# DIN EN ISO 5667-16:2019-03 (E)

## Water quality - Sampling - Part 16: Guidance on biotesting of samples (ISO 5667-16:2017)

---

<b>Contents</b>		<b>Page</b>
European foreword .....		4
Foreword .....		5
Introduction .....		6
<b>1</b>	<b>Scope .....</b>	<b>8</b>
<b>2</b>	<b>Normative references .....</b>	<b>8</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>8</b>
<b>4</b>	<b>General guidance regarding test design .....</b>	<b>12</b>
4.1	General .....	12
4.2	Replicates .....	12
4.2.1	General .....	12
4.2.2	Lowest ineffective dilution (LID) .....	12
4.2.3	Hypothesis testing -- two-sample comparisons .....	13
4.2.4	Concentration and dilution response relationship .....	13
<b>5</b>	<b>Evaluation .....</b>	<b>14</b>
5.1	General .....	14
5.2	Statistical analysis .....	14
<b>6</b>	<b>Sampling and transportation .....</b>	<b>14</b>
6.1	General .....	14
6.2	Sampling equipment .....	15
6.2.1	General .....	15
6.2.2	Sample container .....	15
6.3	Filling status of sample containers .....	16
6.4	Sample identification and records .....	16
6.5	Sub-sampling .....	16
6.6	Transportation .....	17
6.7	Contamination during sampling .....	17
6.8	Sampling quality control techniques .....	17
<b>7</b>	<b>Pre-treatment .....</b>	<b>18</b>
7.1	General .....	18
7.2	Preservation and storage .....	18
7.3	Thawing .....	19
7.4	Homogenization .....	19
7.5	Separation of soluble and particulate matter .....	19
7.6	Preconcentration .....	20
7.6.1	General .....	20
7.6.2	Extraction methods .....	21
7.7	pH adjustment .....	21
<b>8</b>	<b>Apparatus and equipment .....</b>	<b>21</b>
8.1	Selection of apparatus .....	21
8.2	Cleaning of apparatus and equipment .....	22

<b>9</b>	<b>Impairment of test performance .....</b>	<b>22</b>
<b>9.1</b>	<b>Problems and preventive measures for samples containing removable ingredients .....</b>	<b>22</b>
<b>9.1.1</b>	<b>General .....</b>	<b>22</b>
<b>9.1.2</b>	<b>Volatilization .....</b>	<b>23</b>
<b>9.1.3</b>	<b>Foaming .....</b>	<b>23</b>
<b>9.1.4</b>	<b>Adsorption .....</b>	<b>23</b>
<b>9.1.5</b>	<b>Precipitation/flocculation .....</b>	<b>23</b>
<b>9.1.6</b>	<b>Degradation .....</b>	<b>23</b>
<b>9.2</b>	<b>Problems and preventive measures concerning coloured and/or turbid samples .....</b>	<b>24</b>
<b>10</b>	<b>Preparation of stock solutions and test batches .....</b>	<b>24</b>
<b>10.1</b>	<b>Water-soluble substances .....</b>	<b>24</b>
<b>10.2</b>	<b>Poorly soluble substances .....</b>	<b>24</b>
<b>10.2.1</b>	<b>General .....</b>	<b>24</b>
<b>10.2.2</b>	<b>Testing in the water solubility range .....</b>	<b>24</b>
<b>10.2.3</b>	<b>Dispersions and emulsions .....</b>	<b>25</b>
<b>10.2.4</b>	<b>Special problems with mixtures of substances or technical products .....</b>	<b>25</b>
<b>10.2.5</b>	<b>Limit test .....</b>	<b>26</b>
<b>11</b>	<b>Quality assurance for biotesting .....</b>	<b>26</b>
<b>11.1</b>	<b>General .....</b>	<b>26</b>
<b>11.2</b>	<b>Quality assurance in the context of the investigation of environmental samples .....</b>	<b>26</b>
<b>12</b>	<b>Reporting .....</b>	<b>27</b>
	<b>Bibliography .....</b>	<b>30</b>