

# ISO 11731:2017-05 (E)

## Water quality - Enumeration of Legionella

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vi
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions .....</b>	<b>1</b>
<b>4</b>	<b>Principle .....</b>	<b>2</b>
<b>4.1</b>	<b>General .....</b>	<b>2</b>
<b>4.2</b>	<b>Examination .....</b>	<b>2</b>
<b>4.3</b>	<b>Confirmation .....</b>	<b>2</b>
<b>5</b>	<b>Apparatus and glassware .....</b>	<b>2</b>
<b>6</b>	<b>Culture media and reagents .....</b>	<b>3</b>
<b>7</b>	<b>Sampling .....</b>	<b>4</b>
<b>8</b>	<b>Procedure .....</b>	<b>4</b>
<b>8.1</b>	<b>Samples .....</b>	<b>4</b>
<b>8.2</b>	<b>Concentration of water samples .....</b>	<b>5</b>
<b>8.2.1</b>	<b>General .....</b>	<b>5</b>
<b>8.2.2</b>	<b>Membrane filtration and direct placing of the membrane filter on culture media 5 8.2.3</b>	
	<b>Membrane filtration followed by a washing procedure .....</b>	<b>5</b>
<b>8.3</b>	<b>Sample pre-treatment .....</b>	<b>6</b>
<b>8.3.1</b>	<b>Heat treatment .....</b>	<b>6</b>
<b>8.3.2</b>	<b>Acid treatment .....</b>	<b>6</b>
<b>8.4</b>	<b>Culture .....</b>	<b>6</b>
<b>8.4.1</b>	<b>General .....</b>	<b>6</b>
<b>8.4.2</b>	<b>Samples with a high concentration of Legionella species and a low concentration of interfering microorganisms .....</b>	<b>6</b>
<b>8.4.3</b>	<b>Samples with a low concentration of Legionella species and a low concentration of interfering microorganisms .....</b>	<b>6</b>
<b>8.4.4</b>	<b>Samples with a high concentration of interfering microorganisms .....</b>	<b>7</b>
<b>8.4.5</b>	<b>Samples with an extremely high concentration of interfering microorganisms .....</b>	<b>7</b>
<b>8.4.6</b>	<b>Incubation .....</b>	<b>7</b>
<b>8.4.7</b>	<b>Examination of the plates .....</b>	<b>7</b>
<b>8.5</b>	<b>Confirmation of presumptive Legionella colonies on culture media: BCYE agar and BCYE-cys agar .....</b>	<b>8</b>
<b>9</b>	<b>Expression of results .....</b>	<b>8</b>
<b>10</b>	<b>Test report .....</b>	<b>9</b>
<b>11</b>	<b>Quality assurance .....</b>	<b>10</b>
<b>11.1</b>	<b>General .....</b>	<b>10</b>
<b>11.2</b>	<b>Performance testing of Legionella culture media .....</b>	<b>10</b>
<b>11.3</b>	<b>Preparing working culture and test suspension for performance testing .....</b>	<b>10</b>

<b>Annex A (informative) Legionella species .....</b>	<b>12</b>
<b>Annex B (normative) Culture media .....</b>	<b>14</b>
<b>Annex C (normative) Diluents .....</b>	<b>20</b>
<b>Annex D (normative) Acid solution .....</b>	<b>21</b>
<b>Annex E (informative) Scraping or rubbing the bacteria from membrane filters .....</b>	<b>22</b>
<b>Annex F (informative) Centrifugation technique .....</b>	<b>23</b>
<b>Annex G (informative) Indirect immunofluorescent antibody assay for the identification of Legionella species .....</b>	<b>24</b>
<b>Annex H (informative) Performance data .....</b>	<b>27</b>
<b>Annex I (informative) Pre-treatment of water related matrices .....</b>	<b>31</b>
<b>Annex J (normative) Decision matrix .....</b>	<b>32</b>
<b>Bibliography .....</b>	<b>38</b>