

# DIN EN ISO 8199:2021-12 (E)

## Water quality - General requirements and guidance for microbiological examinations by culture (ISO 8199:2018)

---

Contents	Page
European foreword .....	4
Foreword .....	5
Introduction .....	7
1 Scope .....	8
2 Normative references .....	8
3 Terms and definitions .....	8
4 Principle .....	11
5 General measurement requirements .....	11
5.1 Uniformity of temperatures .....	11
5.2 Incubation times .....	11
5.3 Volumes and masses .....	11
6 Diluents and culture media .....	12
6.1 General .....	12
6.2 Quality requirements of ingredients .....	12
6.3 Diluents .....	12
7 Sterilization and decontamination .....	12
7.1 Sterilization of apparatus and glassware .....	12
7.2 Sterilization of consumables .....	13
7.3 Decontamination of glassware and materials after use .....	13
7.4 Waste management .....	13
8 Samples and sample handling .....	13
8.1 Sampling .....	13
8.2 Sample preparation .....	14
8.2.1 Waters and other aqueous matrices .....	14
8.2.2 Swabs .....	14
9 Enumeration (quantitative) methods .....	15
9.1 Inoculation of test portions in (or on) solid media .....	15
9.1.1 General .....	15
9.1.2 Pour plate technique .....	15
9.1.3 Spread plate technique .....	16
9.1.4 Membrane filtration technique .....	17
9.1.5 Incubation .....	19
9.1.6 Counting and confirmation from solid media .....	19
9.1.7 General guidance for calculation of results .....	20
9.1.8 Expression of results .....	21
9.2 Enumeration using a liquid medium .....	31
9.2.1 General .....	31
9.2.2 Procedure .....	32
9.2.3 Choice of inoculation system .....	32
9.2.4 Incubation .....	33

<b>9.2.5</b>	<b>Interpretation of results .....</b>	<b>33</b>
<b>9.2.6</b>	<b>Uncertainty of test results .....</b>	<b>34</b>
<b>9.2.7</b>	<b>Determination of MPN values .....</b>	<b>34</b>
<b>10</b>	<b>Detection (qualitative) methods .....</b>	<b>37</b>
<b>10.1</b>	<b>General .....</b>	<b>37</b>
<b>10.2</b>	<b>Procedure .....</b>	<b>38</b>
<b>10.3</b>	<b>Uncertainty of test results .....</b>	<b>38</b>
<b>11</b>	<b>Performance characteristics of methods .....</b>	<b>38</b>
<b>12</b>	<b>Analytical quality control .....</b>	<b>39</b>
<b>12.1</b>	<b>General .....</b>	<b>39</b>
<b>12.2</b>	<b>Internal quality control .....</b>	<b>39</b>
<b>12.2.1</b>	<b>General .....</b>	<b>39</b>
<b>12.2.2</b>	<b>Process controls .....</b>	<b>39</b>
<b>12.3</b>	<b>External quality assessment .....</b>	<b>40</b>
<b>Annex A (informative)</b>	<b>Criteria for the choice of technique .....</b>	<b>42</b>
<b>Annex B (informative)</b>	<b>Confidence intervals for colony count technique and choice of method of calculation in special cases .....</b>	<b>47</b>
<b>Annex C (normative)</b>	<b>Counting and calculations with two Petri dishes per dilution .....</b>	<b>51</b>
<b>Annex D (normative)</b>	<b>Composition, preparation and performance testing of diluents .....</b>	<b>58</b>
<b>Bibliography .....</b>		<b>62</b>