

ISO 13169:2018 (E)

Water quality — Uranium — Test method using alpha liquid scintillation counting

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms, definitions, symbols and units
4	Principle
5	Reagents and equipment
5.1	Reagents
5.2	Equipment
6	Sampling
7	Instrument set up and calibration
7.1	Preparation of extractant scintillation cocktail
7.2	Preparation of alpha emitter calibration source
7.3	Preparation of beta emitter calibration source
7.4	Optimization of counting conditions
7.5	Detection efficiency
7.6	Blank sample preparation and measurement
8	Procedure
8.1	Without pre-concentration
8.2	Pre-concentration by evaporation
8.3	Sample preparation
8.4	Sample measurement
9	Expression of results
9.1	Calculation of activity per unit of mass
9.2	Standard uncertainty
9.3	Decision threshold
9.4	Detection limit
9.5	Confidence limits
9.6	Calculations using the concentration activity
10	Interference control
11	Quality control
12	Test report
Annex A	(informative) Set-up parameters and validation data
A.1	General
A.2	Instrument set up and calibration
A.3	Expression of results
A.4	Validation data
A.4.1	Linearity
A.4.2	Precision under intermediate repeatability conditions

- A.4.3 Accuracy (trueness)
- A.4.4 Detection limit
- A.4.5 Uncertainty

Page count: 14