ISO 30500:2018 (E)

Non-sewered sanitation systems — Prefabricated integrated treatment units — General safety and performance requirements for design and testing

Contents

Foreword

Introduction

- 1 Scope
- 2 Normative references
- 3 Terms, definitions and abbreviated terms
 - 3.1 Terms and definitions
 - 3.1.1 System structure
 - 3.1.2 System inputs and outputs
 - 3.1.3 System safety and integrity
 - 3.1.4 System use and impact
 - 3.2 Abbreviated terms

4 General requirements

- 4.1 User requirements
- 4.2 Metric system
- 4.3 Design capacity
- 4.3.1 Treatable input
- 4.3.2 Treatment capacity
- 4.3.3 Menstrual hygiene products
- 4.3.4 Overload protection
- 4.3.5 Operability following non-usage
- 4.3.6 Operability following short-term shut down
- 4.3.7 Operability following long-term shut down
- 4.3.8 Continuous use
- 4.3.9 Safe state
- 4.4 Performance requirements
- 4.4.1 General
- 4.4.2 Solid output and effluent requirements
- 4.4.3 Odour emissions requirements
- 4.4.4 Noise requirements
- 4.4.5 Air emissions requirements
- 4.5 Expected design lifetime
- 4.6 Aspirational and ergonomic design
- 4.7 Secure design
- 4.8 Operating conditions
- 4.8.1 Ambient temperature range
- 4.8.2 Ambient air humidity
- 4.8.3 Atmospheric pressure
- 4.9 Requirements for sanitation system components
- 4.9.1 General
- 4.9.2 Hygienic design
- 4.9.3 Tightness
- 4.9.4 Cleanability of surfaces
- 4.9.5 Chemical and biological additives
- 4.10 Material requirements
- 4.10.1 Durability of materials
- 4.10.2 Fire resistance of materials
- 4.11 Connections and joining elements
- 4.12 General safety design requirements

- 4.12.1 Safety of edges, angles, and surfaces
- 4.12.2 Fire and explosion protection
- 4.12.3 Structural integrity
- 4.12.4 Prevention of contact with unsafe effluent and reuse
- 4.12.5 Underground systems
- 4.12.6 External impacts
- 4.13 Information and marking
- 4.13.1 Information and warnings
- 4.13.2 Marking and labelling
- 4.14 Maintenance
- 4.14.1 Reasonable configuration, adjustment, and maintenance activities
- 4.14.2 Location and access of configuration, adjustment, and maintenance points
- 4.14.3 Discharge and cleaning
- 4.14.4 Tools and devices
- 4.14.5 User manual
- 4.14.6 Handling and transport of the sanitation system
- Technical requirements
- 5.1 Safety assessment
- 5.2 Operational requirements
- 5.2.1 General

5

6

- 5.2.2 Intentional starting of sanitation system operation
- 5.2.3 Intentional stopping of sanitation system operation
- 5.2.4 Emergency stop
- 5.3 Reliability and safety requirements for energy supply
- 5.3.1 Security of energy supply
- 5.3.2 Safety requirements for electrical energy supply
- 5.3.2.1 Separation and isolation
- 5.3.2.2 Energy discharge
- 5.3.3 Safety requirements for non-electrical primary energy supply
- 5.4 Mechanical requirements
- 5.4.1 Pressurized or vacuum equipment
- 5.4.2 Pipes, hoses and tanks
- 5.4.3 Moving and rotating parts
- 5.4.4 Backflow prevention
- 5.5 Requirements for radiation
- 5.5.1 High temperatures of parts and surfaces
- 5.5.2 Low temperatures of parts and surfaces
- 5.5.3 Other radiation emissions
- 5.6 Electrical and electronic equipment
- 5.6.1 Safety and reliability of electrical and electronic equipment
- 5.6.2 Control system
- 5.6.3 Safety-related function of the control system
- 5.7 Reliability of conveyance devices
- 5.8 Transitions from the backend
- Additional requirements for the frontend
 - 6.1 General
 - 6.2 Use and operation
 - 6.2.1 General usability requirements
 - 6.2.2 Requirements for ease of cleaning
 - 6.2.3 Requirements for ease of operation
 - 6.2.4 Cultural requirements
 - 6.3 Visibility of faeces
 - 6.4 Evacuation performance
 - 6.5 Integrity against external impacts
 - 6.6 Slipping, tripping or falling
 - 6.7 Water seal

7 Performance testing

- 7.1 General testing requirements
- 7.2 Controlled laboratory testing
- 7.2.1 General
- 7.2.2 Assembly, installation, operation, and maintenance

- 7.2.3 Documentation of input
- 7.2.4 Generated output
- 7.2.5 Test observations
- 7.2.6 Laboratory conditions
- 7.2.7 Testing sequence and duration
- 7.2.8 Loading pattern
- 7.2.8.1 Normal loading pattern
- 7.2.8.2 Stress loading pattern
- 7.2.9 Performance requirements during laboratory testing
- 7.2.9.1 Testing input and output
- 7.2.9.2 Solid output and effluent
- 7.2.9.3 Solid output requirements
- 7.2.9.4 Effluent requirements
- 7.2.9.5 Odour emissions requirements
- 7.2.9.6 Noise requirements
- 7.2.9.7 Air emissions requirements
- 7.3 Field verification of performance
- 7.3.1 General
- 7.3.2 Class 1 sanitation systems
- 7.3.3 Class 2 and Class 3 sanitation systems
- Sustainability

8

- 8.1 General
- 8.2 Recovery of nutrients
- 8.3 Water consumption and reuse of effluent
- 8.3.1 Calculations
- 8.3.2 Water consumption
- 8.3.3 Reuse of effluent
- 8.4 Energy consumption and energy recovery
- 8.4.1 Calculations
- 8.4.2 Energy consumption
- 8.4.3 Direct and indirect energy recovery
- 8.5 Life cycle assessment
- 8.6 Recurring operational requirements

Annex A (normative) Test methods and additional testing requirements

- A.1 General
- A.2 Type tests
- A.2.1 Tests to be conducted
- A.2.2 Testing documentation
- A.3 Test methods
- A.3.1 Tightness
- A.3.1.1 Water tightness
- A.3.1.1.1 General
- A.3.1.1.2 Water supply system test
- A.3.1.1.3 Container tests
- A.3.1.1.3.1 Container water test
- A.3.1.1.3.2 Container air test Vacuum
- A.3.1.1.3.3 Container air test Pressure
- A.3.1.2 Technical tightness
- A.3.2 Control system
- A.3.2.1 General requirements
- A.3.2.2 Test plan and protocol
- A.3.2.3 General test cases
- A.3.2.4 Additional requirements for safety-related functions
- A.3.3 Evacuation mechanism
- A.3.3.1 General
- A.3.3.2 Test object
- A.3.3.3 Flushing volume
- A.3.3.4 Generalized test methods and functional requirements for seat pan
- A.3.3.4.1 Wash of bowl
- A.3.3.4.2 Evacuation of toilet paper
- A.3.3.4.3 Evacuation of excreta
- A.3.3.4.4 Over-splashing

- A.3.3.5 Functional requirements and generalized test methods for squatting pan
- A.3.3.5.1 Wash of bowl
- A.3.3.5.2 Evacuation of toilet paper
- A.3.3.5.3 Smudge test
- A.3.3.5.4 Splash test
- A.3.3.6 Holding capacity test
- A.3.4 Solid output and effluent test method
- A.3.4.1 General
- A.3.4.2 Sampling
- A.3.4.2.1 Sampling point
- A.3.4.2.2 Sampling type and frequency
- A.3.4.3 Test methods
- A.3.4.4 Input spiking and output sampling for human health parameter testing (for laboratory testing)
- A.3.4.4.1 General
- A.3.4.4.2 Definition of time scales for different types of systems
- A.3.4.4.3 Spiking and sampling for systems in which solid and liquid streams do not significantly interact
- A.3.4.4.3.1 General
- A.3.4.4.3.2 Alternative spiking and sampling frequency
- A.3.4.4.4 Spiking and sampling for systems in which solid and liquid streams interact
- A.3.4.4.1 General
- A.3.4.4.2 Alternative protocols
- A.3.4.4.3 Alternative spiking and sampling durations
- A.3.4.4.5 Other
- A.3.5 Odour test method
- A.3.5.1 General
- A.3.5.2 Test site
- A.3.5.3 Panel composition
- A.3.5.4 Selection of panelists
- A.3.5.5 Screening of panelists
- A.3.5.6 Odour emissions assessment procedures
- A.3.5.6.1 General
- A.3.5.6.2 Validity of assessments
- A.3.5.6.3 Normal odour day test
- A.3.5.6.4 Simulant odour day test
- A.3.5.6.4.1 General
- A.3.5.6.4.2 Preparation of simulant faeces for odour testing
- A.3.5.6.4.3 Simulant odour day test procedures
- A.3.5.7 Odour emissions assessment procedures within the sanitation system superstructure
- A.3.5.7.1 Assessment frequency and timing
- A.3.5.7.2 Assessment procedures
- A.3.5.7.3 Validity of assessments
- A.3.5.8 Odour emissions assessment procedures in the vicinity of the sanitation system
- A.3.5.8.1 Assessment frequency and timing
- A.3.5.8.2 Assessment procedures
- A.3.5.8.3 Validity of assessments
- A.3.6 Air emissions test method
- A.3.6.1 Equipment
- A.3.6.1.1 Specification
- A.3.6.1.2 Calibration
- A.3.6.2 Air emission measurement procedures
- A.3.6.2.1 Measuring event
- A.3.6.2.2 Test methods
- A.3.6.2.2.1 General
- A.3.6.2.2.2 Indoor air emissions
- A.3.6.2.2.3 Outdoor exhaust or vent air emissions
- A.3.6.3 Sampling points
- A.3.6.3.1 Indoor air emissions
- A.3.6.3.2 Outdoor exhaust or vent air emissions
- A.3.6.4 Number of samples and sampling duration
- A.3.6.4.1 Indoor air emissions
- A.3.6.4.2 Outdoor exhaust or vent air emissions
- A.3.6.4.3 Shorter sampling time

- A.3.6.5 Air emission measurement calculation procedures
- A.3.6.5.1 Normalizing ambient measurements
- A.3.6.5.2 Calculations
- A.3.6.5.2.1 Indoor air emissions
- A.3.6.5.2.2 Outdoor exhaust or vent air emissions
- A.3.6.6 Specification of superstructure for laboratory testing
- A.3.7 Noise test method
- A.3.7.1 Test site and superstructure
- A.3.7.2 Instrumentation
- A.3.7.2.1 General
- A.3.7.2.2 Calibration
- A.3.7.3 Operation of non-sewered sanitation system during test
- A.3.7.4 Noise measurement procedures
- A.3.7.4.1 Measurement points
- A.3.7.4.1.1 Within superstructure
- A.3.7.4.1.2 External
- A.3.7.4.2 Sound level meter setting
- A.3.7.4.3 Microphone orientation
- A.3.7.4.4 Measuring event and data to be collected
- A.3.7.5 Sound measurement calculation procedures
- A.3.7.5.1 Correction for background noise and reflecting surfaces in test environment
- A.3.7.5.2 Uncertain measurements due to background noise
- A.3.7.5.3 Uncertain measurements due to test environment
- A.3.7.5.4 Representative A-weighted sound pressure level
- A.3.8 Laboratory testing procedures
- A.3.8.1 Intentional stopping, starting, and activation of emergency stop
- A.3.8.2 Operability following non-usage of sanitation system
- A.3.8.3 Operability following short-term shut down of sanitation system
- A.3.8.4 Reliability and safety for energy supply
- A.3.8.4.1 Electrical energy supply
- A.3.8.4.2 Non-electrical energy supply
- A.3.8.5 Operability following long-term shut down
- A.3.8.6 Overloading
- A.3.8.7 Visibility of faeces
- A.3.8.8 Discharge and cleaning
- A.3.8.9 Usability requirements
- A.3.8.10 Diarrhoea test day
- A.3.8.10.1 General
- A.3.8.10.2 Diarrhoea test procedure
- A.3.8.11 Water seal test

Annex B (normative) Risk assessment and list of significant hazards

- B.1 Risk assessment requirements
- B.1.1 General
- B.1.2 Risk assessment process within design process
- B.1.3 Limits of the system
- B.1.4 Relevant life cycle
- B.1.5 Risk mitigation principles
- B.1.6 Documentation requirements
- B.2 List of significant hazards
- B.3 Product safety life cycle (PSLC)
- Annex C (normative) User manuals
 - C.1 Language requirements
 - C.2 Provision of manual
 - C.3 Number of documents
 - C.4 Information to be provided

Annex D (informative) Sustainability measures

- D.1 General
- D.2 Estimated cost of use calculations
- D.2.1 General
- D.2.2 CAPEX
- D.2.3 OPEX

- D.3 Reasonable configuration, adjustment and maintenance activities
- D.3.1 General
- D.3.2 Frequency of configuration, adjustment, and maintenance activities
- D.3.3 Complexity of configuration, adjustment, and maintenance activities
- D.4 Cultural considerations

Annex E (informative) Design considerations

- E.1 General
- E.2 Resources for user-oriented aspects
- E.2.1 General
- E.2.2 Standards
- E.2.3 Organizations and conferences
- E.2.4 Articles
- E.3 Resources for engineering aspects
- E.3.1 General
- E.3.2 Graphical symbols standards
- E.3.3 Renewable energy
- E.3.3.1 IEC Committees
- E.3.3.2 Determination of limits of machinery
- E.3.3.3 Materials Suitability
- E.4 Resources for menstrual hygiene
- E.4.1 General
- E.4.2 Organizations
- E.4.3 Articles

Annex F (informative) Health and environment parameters — Notes and references

- F.1 Liquid transit time in a system (T95L)
- F.2 Solid transit time in a system (T95S)
- F.3 Relevant resources for test input spiking (health parameter testing)

Page count: 89