

ISO 30500:2018 (E)

Non-sewered sanitation systems — Prefabricated integrated treatment units — General safety and performance requirements for design and testing

Contents

	Foreword
	Introduction
1	Scope
2	Normative references
3	Terms, definitions and abbreviated terms
3.1	Terms and definitions
3.1.1	System structure
3.1.2	System inputs and outputs
3.1.3	System safety and integrity
3.1.4	System use and impact
3.2	Abbreviated terms
4	General requirements
4.1	User requirements
4.2	Metric system
4.3	Design capacity
4.3.1	Treatable input
4.3.2	Treatment capacity
4.3.3	Menstrual hygiene products
4.3.4	Overload protection
4.3.5	Operability following non-usage
4.3.6	Operability following short-term shut down
4.3.7	Operability following long-term shut down
4.3.8	Continuous use
4.3.9	Safe state
4.4	Performance requirements
4.4.1	General
4.4.2	Solid output and effluent requirements
4.4.3	Odour emissions requirements
4.4.4	Noise requirements
4.4.5	Air emissions requirements
4.5	Expected design lifetime
4.6	Aspirational and ergonomic design
4.7	Secure design
4.8	Operating conditions
4.8.1	Ambient temperature range
4.8.2	Ambient air humidity
4.8.3	Atmospheric pressure
4.9	Requirements for sanitation system components
4.9.1	General
4.9.2	Hygienic design
4.9.3	Tightness
4.9.4	Cleanability of surfaces
4.9.5	Chemical and biological additives
4.10	Material requirements
4.10.1	Durability of materials
4.10.2	Fire resistance of materials
4.11	Connections and joining elements
4.12	General safety design requirements

- 4.12.1 Safety of edges, angles, and surfaces
- 4.12.2 Fire and explosion protection
- 4.12.3 Structural integrity
- 4.12.4 Prevention of contact with unsafe effluent and reuse
- 4.12.5 Underground systems
- 4.12.6 External impacts
- 4.13 Information and marking
 - 4.13.1 Information and warnings
 - 4.13.2 Marking and labelling
- 4.14 Maintenance
 - 4.14.1 Reasonable configuration, adjustment, and maintenance activities
 - 4.14.2 Location and access of configuration, adjustment, and maintenance points
 - 4.14.3 Discharge and cleaning
 - 4.14.4 Tools and devices
 - 4.14.5 User manual
 - 4.14.6 Handling and transport of the sanitation system
- 5 Technical requirements
 - 5.1 Safety assessment
 - 5.2 Operational requirements
 - 5.2.1 General
 - 5.2.2 Intentional starting of sanitation system operation
 - 5.2.3 Intentional stopping of sanitation system operation
 - 5.2.4 Emergency stop
 - 5.3 Reliability and safety requirements for energy supply
 - 5.3.1 Security of energy supply
 - 5.3.2 Safety requirements for electrical energy supply
 - 5.3.2.1 Separation and isolation
 - 5.3.2.2 Energy discharge
 - 5.3.3 Safety requirements for non-electrical primary energy supply
 - 5.4 Mechanical requirements
 - 5.4.1 Pressurized or vacuum equipment
 - 5.4.2 Pipes, hoses and tanks
 - 5.4.3 Moving and rotating parts
 - 5.4.4 Backflow prevention
 - 5.5 Requirements for radiation
 - 5.5.1 High temperatures of parts and surfaces
 - 5.5.2 Low temperatures of parts and surfaces
 - 5.5.3 Other radiation emissions
 - 5.6 Electrical and electronic equipment
 - 5.6.1 Safety and reliability of electrical and electronic equipment
 - 5.6.2 Control system
 - 5.6.3 Safety-related function of the control system
 - 5.7 Reliability of conveyance devices
 - 5.8 Transitions from the backend
- 6 Additional requirements for the frontend
 - 6.1 General
 - 6.2 Use and operation
 - 6.2.1 General usability requirements
 - 6.2.2 Requirements for ease of cleaning
 - 6.2.3 Requirements for ease of operation
 - 6.2.4 Cultural requirements
 - 6.3 Visibility of faeces
 - 6.4 Evacuation performance
 - 6.5 Integrity against external impacts
 - 6.6 Slipping, tripping or falling
 - 6.7 Water seal
- 7 Performance testing
 - 7.1 General testing requirements
 - 7.2 Controlled laboratory testing
 - 7.2.1 General
 - 7.2.2 Assembly, installation, operation, and maintenance

- 7.2.3 Documentation of input
- 7.2.4 Generated output
- 7.2.5 Test observations
- 7.2.6 Laboratory conditions
- 7.2.7 Testing sequence and duration
- 7.2.8 Loading pattern
 - 7.2.8.1 Normal loading pattern
 - 7.2.8.2 Stress loading pattern
- 7.2.9 Performance requirements during laboratory testing
 - 7.2.9.1 Testing input and output
 - 7.2.9.2 Solid output and effluent
 - 7.2.9.3 Solid output requirements
 - 7.2.9.4 Effluent requirements
 - 7.2.9.5 Odour emissions requirements
 - 7.2.9.6 Noise requirements
 - 7.2.9.7 Air emissions requirements
- 7.3 Field verification of performance
 - 7.3.1 General
 - 7.3.2 Class 1 sanitation systems
 - 7.3.3 Class 2 and Class 3 sanitation systems

8 Sustainability

- 8.1 General
- 8.2 Recovery of nutrients
- 8.3 Water consumption and reuse of effluent
 - 8.3.1 Calculations
 - 8.3.2 Water consumption
 - 8.3.3 Reuse of effluent
- 8.4 Energy consumption and energy recovery
 - 8.4.1 Calculations
 - 8.4.2 Energy consumption
 - 8.4.3 Direct and indirect energy recovery
- 8.5 Life cycle assessment
- 8.6 Recurring operational requirements

Annex A (normative) Test methods and additional testing requirements

- A.1 General
- A.2 Type tests
 - A.2.1 Tests to be conducted
 - A.2.2 Testing documentation
- A.3 Test methods
 - A.3.1 Tightness
 - A.3.1.1 Water tightness
 - A.3.1.1.1 General
 - A.3.1.1.2 Water supply system test
 - A.3.1.1.3 Container tests
 - A.3.1.1.3.1 Container water test
 - A.3.1.1.3.2 Container air test — Vacuum
 - A.3.1.1.3.3 Container air test — Pressure
 - A.3.1.2 Technical tightness
 - A.3.2 Control system
 - A.3.2.1 General requirements
 - A.3.2.2 Test plan and protocol
 - A.3.2.3 General test cases
 - A.3.2.4 Additional requirements for safety-related functions
 - A.3.3 Evacuation mechanism
 - A.3.3.1 General
 - A.3.3.2 Test object
 - A.3.3.3 Flushing volume
 - A.3.3.4 Generalized test methods and functional requirements for seat pan
 - A.3.3.4.1 Wash of bowl
 - A.3.3.4.2 Evacuation of toilet paper
 - A.3.3.4.3 Evacuation of excreta
 - A.3.3.4.4 Over-splashing

- A.3.3.5 Functional requirements and generalized test methods for squatting pan
 - A.3.3.5.1 Wash of bowl
 - A.3.3.5.2 Evacuation of toilet paper
 - A.3.3.5.3 Smudge test
 - A.3.3.5.4 Splash test
 - A.3.3.6 Holding capacity test
 - A.3.4 Solid output and effluent test method
 - A.3.4.1 General
 - A.3.4.2 Sampling
 - A.3.4.2.1 Sampling point
 - A.3.4.2.2 Sampling type and frequency
 - A.3.4.3 Test methods
 - A.3.4.4 Input spiking and output sampling for human health parameter testing (for laboratory testing)
 - A.3.4.4.1 General
 - A.3.4.4.2 Definition of time scales for different types of systems
 - A.3.4.4.3 Spiking and sampling for systems in which solid and liquid streams do not significantly interact
 - A.3.4.4.3.1 General
 - A.3.4.4.3.2 Alternative spiking and sampling frequency
 - A.3.4.4.4 Spiking and sampling for systems in which solid and liquid streams interact
 - A.3.4.4.4.1 General
 - A.3.4.4.4.2 Alternative protocols
 - A.3.4.4.4.3 Alternative spiking and sampling durations
 - A.3.4.4.4.5 Other
- A.3.5 Odour test method
 - A.3.5.1 General
 - A.3.5.2 Test site
 - A.3.5.3 Panel composition
 - A.3.5.4 Selection of panelists
 - A.3.5.5 Screening of panelists
 - A.3.5.6 Odour emissions assessment procedures
 - A.3.5.6.1 General
 - A.3.5.6.2 Validity of assessments
 - A.3.5.6.3 Normal odour day test
 - A.3.5.6.4 Simulant odour day test
 - A.3.5.6.4.1 General
 - A.3.5.6.4.2 Preparation of simulant faeces for odour testing
 - A.3.5.6.4.3 Simulant odour day test procedures
- A.3.5.7 Odour emissions assessment procedures within the sanitation system superstructure
 - A.3.5.7.1 Assessment frequency and timing
 - A.3.5.7.2 Assessment procedures
 - A.3.5.7.3 Validity of assessments
- A.3.5.8 Odour emissions assessment procedures in the vicinity of the sanitation system
 - A.3.5.8.1 Assessment frequency and timing
 - A.3.5.8.2 Assessment procedures
 - A.3.5.8.3 Validity of assessments
- A.3.6 Air emissions test method
 - A.3.6.1 Equipment
 - A.3.6.1.1 Specification
 - A.3.6.1.2 Calibration
 - A.3.6.2 Air emission measurement procedures
 - A.3.6.2.1 Measuring event
 - A.3.6.2.2 Test methods
 - A.3.6.2.2.1 General
 - A.3.6.2.2.2 Indoor air emissions
 - A.3.6.2.2.3 Outdoor exhaust or vent air emissions
 - A.3.6.3 Sampling points
 - A.3.6.3.1 Indoor air emissions
 - A.3.6.3.2 Outdoor exhaust or vent air emissions
 - A.3.6.4 Number of samples and sampling duration
 - A.3.6.4.1 Indoor air emissions
 - A.3.6.4.2 Outdoor exhaust or vent air emissions
 - A.3.6.4.3 Shorter sampling time

- A.3.6.5 Air emission measurement calculation procedures
 - A.3.6.5.1 Normalizing ambient measurements
 - A.3.6.5.2 Calculations
 - A.3.6.5.2.1 Indoor air emissions
 - A.3.6.5.2.2 Outdoor exhaust or vent air emissions
- A.3.6.6 Specification of superstructure for laboratory testing
- A.3.7 Noise test method
 - A.3.7.1 Test site and superstructure
 - A.3.7.2 Instrumentation
 - A.3.7.2.1 General
 - A.3.7.2.2 Calibration
 - A.3.7.3 Operation of non-sewered sanitation system during test
 - A.3.7.4 Noise measurement procedures
 - A.3.7.4.1 Measurement points
 - A.3.7.4.1.1 Within superstructure
 - A.3.7.4.1.2 External
 - A.3.7.4.2 Sound level meter setting
 - A.3.7.4.3 Microphone orientation
 - A.3.7.4.4 Measuring event and data to be collected
 - A.3.7.5 Sound measurement calculation procedures
 - A.3.7.5.1 Correction for background noise and reflecting surfaces in test environment
 - A.3.7.5.2 Uncertain measurements due to background noise
 - A.3.7.5.3 Uncertain measurements due to test environment
 - A.3.7.5.4 Representative A-weighted sound pressure level
- A.3.8 Laboratory testing procedures
 - A.3.8.1 Intentional stopping, starting, and activation of emergency stop
 - A.3.8.2 Operability following non-usage of sanitation system
 - A.3.8.3 Operability following short-term shut down of sanitation system
 - A.3.8.4 Reliability and safety for energy supply
 - A.3.8.4.1 Electrical energy supply
 - A.3.8.4.2 Non-electrical energy supply
 - A.3.8.5 Operability following long-term shut down
 - A.3.8.6 Overloading
 - A.3.8.7 Visibility of faeces
 - A.3.8.8 Discharge and cleaning
 - A.3.8.9 Usability requirements
 - A.3.8.10 Diarrhoea test day
 - A.3.8.10.1 General
 - A.3.8.10.2 Diarrhoea test procedure
 - A.3.8.11 Water seal test

Annex B (normative) Risk assessment and list of significant hazards

- B.1 Risk assessment requirements
 - B.1.1 General
 - B.1.2 Risk assessment process within design process
 - B.1.3 Limits of the system
 - B.1.4 Relevant life cycle
 - B.1.5 Risk mitigation principles
 - B.1.6 Documentation requirements
- B.2 List of significant hazards
- B.3 Product safety life cycle (PSLC)

Annex C (normative) User manuals

- C.1 Language requirements
- C.2 Provision of manual
- C.3 Number of documents
- C.4 Information to be provided

Annex D (informative) Sustainability measures

- D.1 General
- D.2 Estimated cost of use calculations
 - D.2.1 General
 - D.2.2 CAPEX
 - D.2.3 OPEX

- D.3 Reasonable configuration, adjustment and maintenance activities
- D.3.1 General
- D.3.2 Frequency of configuration, adjustment, and maintenance activities
- D.3.3 Complexity of configuration, adjustment, and maintenance activities
- D.4 Cultural considerations

Annex E (informative) Design considerations

- E.1 General
- E.2 Resources for user-oriented aspects
 - E.2.1 General
 - E.2.2 Standards
 - E.2.3 Organizations and conferences
 - E.2.4 Articles
- E.3 Resources for engineering aspects
 - E.3.1 General
 - E.3.2 Graphical symbols standards
 - E.3.3 Renewable energy
 - E.3.3.1 IEC Committees
 - E.3.3.2 Determination of limits of machinery
 - E.3.3.3 Materials Suitability
- E.4 Resources for menstrual hygiene
 - E.4.1 General
 - E.4.2 Organizations
 - E.4.3 Articles

Annex F (informative) Health and environment parameters — Notes and references

- F.1 Liquid transit time in a system (T95L)
- F.2 Solid transit time in a system (T95S)
- F.3 Relevant resources for test input spiking (health parameter testing)

Page count: 89