

# DIN EN ISO 10704:2020-12 (E)

## Water quality - Gross alpha and gross beta activity - Test method using thin source deposit (ISO 10704 :2019)

---

| <b>Contents</b>          |   | <b>Page</b> |
|--------------------------|---|-------------|
| <b>European foreword</b> |   | <b>4</b>    |
| <b>Foreword</b>          |   | <b>5</b>    |
| <b>Introduction</b>      |   | <b>6</b>    |
| <b>1</b>                 | <b>Scope</b>  | <b>8</b>    |
| <b>2</b>                 | <b>Normative references</b>   | <b>8</b>    |
| <b>3</b>                 | <b>Terms, definitions and symbols</b>                               | <b>9</b>    |
| <b>4</b>                 | <b>Principle</b>  | <b>10</b>   |
| <b>5</b>                 | <b>Chemical reagents and equipment</b>                              | <b>10</b>   |
| 5.1                      | Reagents  | 10          |
| 5.1.1                    | General   | 10          |
| 5.1.2                    | Standard solutions  | 10          |
| 5.1.3                    | Wetting or surfactant agents  | 11          |
| 5.1.4                    | Volatile organic solvents   | 11          |
| 5.1.5                    | Water   | 11          |
| 5.1.6                    | Specific reagents for alpha-emitting radionuclides co-precipitation | 11          |
| 5.2                      | Equipment   | 11          |
| 5.2.1                    | Laboratory equipment for direct evaporation                         | 11          |
| 5.2.2                    | General equipment   | 11          |
| 5.2.3                    | Special equipment for alpha-emitting radionuclide co-precipitation  | 12          |
| 5.2.4                    | Measurement equipment   | 12          |
| <b>6</b>                 | <b>Sampling</b>   | <b>12</b>   |
| <b>7</b>                 | <b>Procedure</b>  | <b>12</b>   |
| 7.1                      | Preliminary   | 12          |
| 7.2                      | Source preparation  | 12          |
| 7.2.1                    | Preparation of planchet   | 12          |
| 7.2.2                    | Evaporation   | 13          |
| 7.2.3                    | Co-precipitation  | 13          |
| 7.3                      | Counting stage  | 14          |
| 7.4                      | Background and blank determination                                  | 14          |
| 7.5                      | Preparation of counting standard for calibration                    | 14          |
| 7.6                      | Preparation of calibration source for self-absorption determination | 15          |
| 7.6.1                    | General   | 15          |
| 7.6.2                    | Spiking one of two test portions                                    | 15          |
| 7.6.3                    | Self-absorption curve   | 15          |
| <b>8</b>                 | <b>Expression of results</b>  | <b>16</b>   |
| 8.1                      | General   | 16          |
| 8.2                      | Alpha activity concentration  | 16          |
| 8.3                      | Beta activity concentration   | 16          |
| 8.4                      | Standard uncertainty of the alpha activity concentration            | 17          |
| 8.5                      | Standard uncertainty of the beta activity concentration             | 17          |
| 8.6                      | Decision threshold  | 19          |
| 8.6.1                    | Decision threshold of the alpha activity concentration              | 19          |
| 8.6.2                    | Decision threshold of the beta activity concentration               | 19          |

|           |   |           |
|-----------|---|-----------|
| 8.7       | Detection limit.....                                      | 19        |
| 8.7.1     | Detection limit of the alpha activity concentration ..... | 19        |
| 8.7.2     | Detection limit of the beta activity concentration .....  | 20        |
| 8.8       | Confidence limits.....                                    | 20        |
| <b>9</b>  | <b>Control of interferences.....</b>                      | <b>20</b> |
| 9.1       | General.....  | 20        |
| 9.2       | Relative humidity.....                                    | 21        |
| 9.3       | Geometry of the deposit.....                              | 21        |
| 9.4       | Crosstalk.....  | 21        |
| 9.5       | Gamma emitters.....                                       | 22        |
| 9.6       | Low beta energy.....                                      | 22        |
| 9.7       | Chlorides .....   | 22        |
| 9.8       | Organic matter .....                                      | 22        |
| 9.9       | Contamination.....  | 22        |
| 9.10      | Losses of activity .....                                  | 22        |
| 9.11      | Contribution of the natural radionuclides .....           | 22        |
| 9.12      | Losses of activity .....                                  | 23        |
| <b>10</b> | <b>Test report.....</b>                                   | <b>23</b> |
|           | <b>Annex A (informative) Numerical applications.....</b>  | <b>25</b> |
|           | <b>Bibliography .....</b>                                 | <b>26</b> |