

# ISO 21115:2019-04 (E)

## Water quality - Determination of acute toxicity of water samples and chemicals to a fish gill cell line (RTgill-W1)

---

### Contents

Page

Foreword .....	iv
Introduction .....	v
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms and definitions .....</b>	<b>1</b>
<b>4 Principle .....</b>	<b>2</b>
4.1 Cell viability assay .....	2
4.2 Key differences in water sample and chemical testing procedure .....	3
<b>5 Interferences .....</b>	<b>3</b>
5.1 Matrix effects by effluent samples .....	3
5.2 Interferences of water constituents or chemicals with fluorescent dye assays .....	4
<b>6 Reagents .....</b>	<b>4</b>
6.1 General .....	4
6.2 Ready-for-use purchased reagents .....	4
6.3 Freshly prepared solutions .....	6
<b>7 Apparatus and material .....</b>	<b>8</b>
7.1 General equipment .....	8
7.2 Whole-water sample/ex preparation .....	9
7.3 Cell seeding and plate dosing .....	9
7.4 Preparation/dosing of stock solutions .....	9
7.5 Sampling for chemical analysis .....	10
7.6 Detection of cytotoxicity .....	10
<b>8 Procedure .....</b>	<b>10</b>
8.1 Cell line used .....	10
8.2 Seeding cells into 24-well plates .....	10
8.2.1 General .....	10
8.2.2 Preparation of working materials and solutions for cell seeding .....	10
8.2.3 Seeding cells: step-by-step performance .....	11
8.3 Cell exposure .....	12
8.3.1 General .....	12
8.3.2 Exposure of cells to water samples .....	13
8.3.3 Exposure of cells to chemicals .....	18
8.4 Determination of cytotoxicity .....	21
8.4.1 General .....	21
8.4.2 Visual control of cell damage .....	22
8.4.3 Preparation of working materials and solutions for cytotoxicity measurement .....	23
8.4.4 Measuring cytotoxicity — Step-by-step performance .....	23
8.4.5 Parameters for the fluorescence measurement .....	24
8.4.6 Chemical analyses of the test samples .....	24
<b>9 Preparation and expression of results .....</b>	<b>24</b>
<b>10 Validity criteria of the test .....</b>	<b>25</b>
10.1 No cells-control wells .....	25
10.2 Positive control in L-15/ex .....	25
10.3 Positive control in w-ws/ex .....	26
10.4 Solvent control .....	26

<b>Annex A (informative) Routine cell culture of RTgill-W1</b> .....	<b>27</b>
<b>Annex B (informative) Performance of the RTgill-W1 cell line assay</b> .....	<b>32</b>
<b>Bibliography</b> .....	<b>38</b>