

ISO 23646:2022-01 (E)

Soil quality - Determination of organochlorine pesticides by gas chromatography with mass selective detection (GC-MS) and gas chromatography with electron-capture detection (GC-ECD)

| Contents | | Page |
|--------------------|---|-------------|
| Foreword | | v |
| Introduction | | vi |
| 1 | Scope | 1 |
| 2 | Normative references | 2 |
| 3 | Terms and definitions | 2 |
| 4 | Principle | 3 |
| 5 | Interferences | 4 |
| 5.1 | Interference with sampling and extraction | 4 |
| 5.2 | Interference with GC | 4 |
| 6 | Safety remarks | 4 |
| 7 | Reagents | 4 |
| 7.1 | General | 4 |
| 7.2 | Reagents for extraction | 4 |
| 7.3 | Reagents for clean-up | 5 |
| 7.3.1 | Clean-up A using aluminium oxide | 5 |
| 7.3.2 | Clean-up B using silica gel 60 for column chromatography | 5 |
| 7.3.3 | Clean-up C using gel permeation chromatography (GPC) | 5 |
| 7.3.4 | Clean-up D using Florisil® | 6 |
| 7.4 | Reagents for gas chromatographic analysis | 6 |
| 7.5 | Standards | 6 |
| 7.5.1 | General | 6 |
| 7.5.2 | Calibration standards | 6 |
| 7.5.3 | Internal, extraction and injection standards | 7 |
| 7.6 | Preparation of standard solutions | 9 |
| 7.6.1 | Preparation of calibration standard solutions of OCPs | 9 |
| 7.6.2 | Preparation of internal standard solution | 9 |
| 7.6.3 | Preparation of injection standard solution | 10 |
| 7.6.4 | Preparation of solution for liner checking | 10 |
| 8 | Apparatus | 10 |
| 8.1 | Extraction and clean-up procedure | 10 |
| 8.2 | Gas chromatograph | 11 |
| 8.2.1 | General | 11 |
| 8.2.2 | Capillary columns | 11 |
| 9 | Sample storage and pre-treatment | 11 |
| 9.1 | Sample storage | 11 |
| 9.2 | Sample pretreatment | 11 |
| 10 | Procedure | 12 |
| 10.1 | Blank test | 12 |

| | | |
|-----------------------|---|----|
| 10.2 | Extraction | 12 |
| 10.2.1 | General | 12 |
| 10.2.2 | Extraction procedure 1 -- Agitation or sonication | 13 |
| 10.2.3 | Extraction procedure 2 -- Pressurized liquid extraction (PLE) | 13 |
| 10.2.4 | Extraction procedure 3 -- Soxhlet | 14 |
| 10.3 | Concentration | 14 |
| 10.4 | Clean-up of the extract | 14 |
| 10.4.1 | General | 14 |
| 10.4.2 | Clean-up A -- Aluminium oxide | 15 |
| 10.4.3 | Clean-up B -- Silica gel | 15 |
| 10.4.4 | Clean-up C -- Gel permeation chromatography | 15 |
| 10.4.5 | Clean-up D -- Florisil®2) | 16 |
| ISO 23646:2022(E) | ISO 23646:2022(E) 10.5 Addition of the injection standard | 16 |
| 10.6 | Gas chromatographic analysis (GC) | 16 |
| 10.6.1 | General | 16 |
| 10.6.2 | Setting the gas chromatograph | 16 |
| 10.7 | Mass spectrometry (MS) | 16 |
| 10.7.1 | Mass spectrometric conditions | 16 |
| 10.7.2 | Calibration of the method using an internal standard | 17 |
| 10.7.3 | Measurement | 19 |
| 10.7.4 | Identification | 19 |
| 10.7.5 | Check on method performance | 19 |
| 10.7.6 | Calculation | 20 |
| 10.8 | Electron capture detection (ECD) | 21 |
| 10.8.1 | General | 21 |
| 10.8.2 | ECD conditions | 21 |
| 10.8.3 | Calibration of the method using an internal standard | 21 |
| 10.8.4 | Measurement | 21 |
| 10.8.5 | Identification | 21 |
| 10.8.6 | Check on ECD method performance | 21 |
| 10.8.7 | Calculation | 22 |
| 11 | Performance characteristics | 22 |
| 12 | Precision | 22 |
| 13 | Test reports | 23 |
| Annex A (informative) | Repeatability and reproducibility data | 24 |
| Annex B (informative) | Calibration strategy | 27 |
| Annex C (informative) | Example of GC-MS/MS measurement conditions for OCPs | 28 |
| Bibliography | | 30 |