

# DIN 19643-4:2023-06 (E)

## Treatment of water of swimming pools and baths - Part 4: Combinations of process with ultrafiltration

---

| <b>Contents</b>    |  | <b>Page</b> |
|--------------------|--|-------------|
| Foreword .....     |  | 4           |
| 1                  | Scope .....  | 6           |
| 2                  | Normative references .....   | 6           |
| 3                  | Terms and definitions .....  | 7           |
| 4                  | Principles of the process combination .....                                    | 8           |
| 5                  | Process steps .....  | 9           |
| 5.1                | Adjusting the acid neutralizing capacity .....                                 | 9           |
| 5.1.1              | General .....  | 9           |
| 5.1.2              | Reagents for adjusting acid neutralizing capacity .....                        | 9           |
| 5.1.3              | Values of acid neutralizing capacity in raw water or inlet to the filter ..... | 9           |
| 5.1.4              | Checking acid neutralizing capacity .....                                      | 9           |
| 5.2                | pH value adjustment .....  | 9           |
| 5.3                | Flocculation .....   | 10          |
| 5.3.1              | General .....  | 10          |
| 5.3.2              | Flocculants .....  | 13          |
| 5.3.3              | Minimum quantity of flocculant to be added .....                               | 14          |
| 5.3.4              | Checking the flocculation .....  | 14          |
| 5.3.5              | Checking the functioning of the flocculation filtration .....                  | 14          |
| 5.4                | Eliminating disinfection by-products .....                                     | 14          |
| 5.4.1              | Adsorption by powdered activated carbon .....                                  | 14          |
| 5.4.2              | Sorption filtration .....  | 15          |
| 5.4.3              | UV radiation .....   | 15          |
| 5.5                | Designing UF plants .....  | 16          |
| 5.5.1              | Plant structure .....  | 16          |
| 5.5.2              | Plant design .....   | 17          |
| 5.5.3              | Plant operation .....  | 18          |
| 5.6                | Operating UF plants .....  | 18          |
| 5.6.1              | General .....  | 18          |
| 5.6.2              | Filtration .....   | 18          |
| 5.6.3              | Interruptions in operation .....   | 18          |
| 5.6.4              | Rinsing membranes .....  | 18          |
| 5.6.5              | Monitoring and documentation .....   | 21          |
| 5.6.6              | Maintenance .....  | 21          |
| 5.6.7              | Residue disposal .....   | 21          |
| 5.6.8              | Checking the filtration .....  | 21          |
| 5.6.9              | Chlorination .....   | 22          |
| 6                  | Load capacity factor k .....   | 23          |
| 7                  | Quality requirements for membrane modules .....                                | 23          |
| Bibliography ..... |  | 24          |

## Figures

|  |    |
|--|----|
| Figure 1 — Dependence of pipe internal diameter and flow rate.....   | 13 |
| Figure 2 — Schematic diagram of 2-stage ultrafiltration.....   | 17 |
| Figure 3 — Correlation between transmembrane pressure (source: DIN 19645) and operation<br>time at a constant flow rate..... | 19 |

## Tables

|   |    |
|---|----|
| Table 1 — Particle size distribution of powdered activated carbon.....  | 15 |
| Table 2 — Filtration requirements (samples taken downstream of the last treatment stage but<br>before chlorination) ..... | 21 |