

# ISO 4722-1:2023-10 (E)

## Water quality - Thorium 232 - Part 1: Test method using alpha spectrometry

---

<b>Contents</b>		<b>Page</b>
Foreword		iv
Introduction		v
<b>1</b>	<b>Scope</b>	<b>1</b>
<b>2</b>	<b>Normative references</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions and symbols</b>	<b>1</b>
	3.1 Terms and definitions	1
	3.2 Symbols	2
<b>4</b>	<b>Principle</b>	<b>3</b>
<b>5</b>	<b>Chemical reagents and equipment</b>	<b>3</b>
	5.1 General	3
	5.2 Chemical reagents	4
	5.3 Equipment	4
<b>6</b>	<b>Sampling, handling and storage</b>	<b>4</b>
	6.1 Sampling	4
	6.2 Sample storage	5
<b>7</b>	<b>Separation and measurement</b>	<b>5</b>
	7.1 Chemical steps	5
	7.2 Measurement	5
	7.2.1 Quality control	5
	7.2.2 Chemical recovery	5
	7.2.3 Background	5
<b>8</b>	<b>Expression of results</b>	<b>6</b>
	8.1 Spectrum analysis	6
	8.2 Calculation of activity concentration	6
	8.3 Standard uncertainty	6
	8.4 Decision threshold	7
	8.5 Detection limit	7
<b>9</b>	<b>Limits of coverage intervals</b>	<b>7</b>
	9.1 Limits of the probabilistically symmetric coverage interval	7
	9.2 Limits of the shortest coverage interval	8
<b>10</b>	<b>Test report</b>	<b>8</b>
<b>Annex A</b> (informative)	<b>Chemical separation of thorium</b>	<b>10</b>
<b>Annex B</b> (informative)	<b>Preparation of the source by electrodeposition</b>	<b>13</b>
<b>Annex C</b> (informative)	<b>Preparation of the source by coprecipitation</b>	<b>16</b>
<b>Bibliography</b>		<b>18</b>