# ISO 4722-2:2024-12 (E)

## Water quality - Thorium 232 - Part 2: Test method using ICP-MS

## Contents

Page


**Foreword** ... **iv**

**Introduction** ... **v**

**1 Scope** ... **1**

**2 Normative references** ... **1**

**3 Terms and definitions** ... **2**

**4 Symbols** ... **2**

**5 Principle** ... **3**

**6 Sampling and sample storage** ... **5**

**7 Chemical reagents and apparatus** ... **5**
7.1 General ... 5
7.2 Chemical reagents ... 5
7.3 Apparatus ... 5

**8 Separation** ... **6**

**9 Quality control** ... **6**
9.1 General ... 6
9.2 Variables that can influence the measurement ... 6
9.3 Instrument verification ... 6
9.4 Method verification ... 7

**10 Expression of results** ... **7**
10.1 Data analysis ... 7
10.2 Background ... 8
10.3 Internal standard ... 8
10.4 Expression of results using $^{229}$Th or $^{230}$Th as a recovery tracer by ICP-MS ... 8
10.4.1 Calculation of activity of tracer and mass of analyte ... 8
10.4.2 Measurement bias ... 9
10.4.3 Sample mass concentration ... 9
10.5 Expression of results using $^{229}$Th or $^{230}$Th as a recovery tracer ... 9
10.5.1 Calculation of activity of tracer and mass of analyte ... 9
10.5.2 Chemical recovery ... 10
10.5.3 Measurement bias ... 10
10.5.4 Sample mass concentration of the analyte ... 11
10.6 Limit of detection ... 11
10.7 Limit of quantification ... 11
10.8 Correcting for $^{232}$Th contamination in the tracer ... 11
10.9 Conversion of mass concentration to mass activity ... 12
10.10 Conversion from mass to volume units ... 12

**11 Test report** ... **12**

**Annex A** (informative) **Chemical separation of thorium** ... **14**

**Bibliography** ... **17**