

# ISO 15875-2:2025-10 (E)

## Plastics piping systems for hot and cold water installations - Crosslinked polyethylene (PE-X) - Part 2: Pipes

---

<b>Contents</b>		<b>Page</b>
Foreword .....		v
Introduction .....		vii
<b>1</b>	<b>Scope .....</b>	<b>1</b>
<b>2</b>	<b>Normative references .....</b>	<b>1</b>
<b>3</b>	<b>Terms, definitions and symbols .....</b>	<b>2</b>
<b>3.1</b>	<b>Terms and definitions .....</b>	<b>2</b>
<b>3.2</b>	<b>Symbols .....</b>	<b>4</b>
<b>4</b>	<b>Generic requirements, instructions and explanations .....</b>	<b>5</b>
<b>4.1</b>	<b>Designation PE-X .....</b>	<b>5</b>
<b>4.2</b>	<b>Application classes, design pressures and pipe dimension classes restrictions .....</b>	<b>5</b>
<b>4.3</b>	<b>Application classes -- Responsibility of the purchaser or specifier .....</b>	<b>5</b>
<b>4.4</b>	<b>Use of the parts of the ISO 15875 series .....</b>	<b>5</b>
<b>4.5</b>	<b>PE-X pipes provided with a thin barrier layer .....</b>	<b>5</b>
<b>4.6</b>	<b>Completeness of tests .....</b>	<b>5</b>
<b>4.7</b>	<b>Test result interchangeability restriction .....</b>	<b>5</b>
<b>5</b>	<b>Material .....</b>	<b>6</b>
<b>5.1</b>	<b>Pipe material .....</b>	<b>6</b>
<b>5.2</b>	<b>Evaluation of LPL-curves .....</b>	<b>6</b>
<b>5.3</b>	<b>Reference lines .....</b>	<b>7</b>
<b>5.4</b>	<b>Influence on water intended for human consumption .....</b>	<b>9</b>
<b>5.5</b>	<b>Barrier layer material .....</b>	<b>9</b>
<b>5.5.1</b>	<b>General .....</b>	<b>9</b>
<b>5.5.2</b>	<b>Thermal stability of the barrier layer material .....</b>	<b>9</b>
<b>5.5.3</b>	<b>Thermal stability of the adhesive layer material .....</b>	<b>9</b>
<b>5.5.4</b>	<b>Thermal stability of the outer layer material .....</b>	<b>9</b>
<b>6</b>	<b>General characteristics .....</b>	<b>10</b>
<b>6.1</b>	<b>Pipe construction .....</b>	<b>10</b>
<b>6.2</b>	<b>Appearance .....</b>	<b>10</b>
<b>6.3</b>	<b>Opacity .....</b>	<b>10</b>
<b>6.4</b>	<b>Oxygen permeability .....</b>	<b>10</b>
<b>7</b>	<b>Geometrical characteristics .....</b>	<b>10</b>
<b>7.1</b>	<b>Pipes without barrier layer(s) - General .....</b>	<b>10</b>
<b>7.2</b>	<b>Pipes without barrier layer - Dimensions of pipes .....</b>	<b>11</b>
<b>7.2.1</b>	<b>Outside diameters .....</b>	<b>11</b>
<b>7.2.2</b>	<b>Wall thicknesses and their tolerances .....</b>	<b>11</b>
<b>7.3</b>	<b>Pipes with barrier layer -- Dimensions of pipes .....</b>	<b>14</b>
<b>7.3.1</b>	<b>General .....</b>	<b>14</b>
<b>7.3.2</b>	<b>Option I - Dimensional integration of the barrier layer .....</b>	<b>14</b>
<b>7.3.3</b>	<b>Option II - Barrier layer on top .....</b>	<b>14</b>
<b>8</b>	<b>Mechanical characteristics .....</b>	<b>15</b>
<b>9</b>	<b>Physical and chemical characteristics .....</b>	<b>16</b>

<b>10</b>	<b>Performance requirements .....</b>	<b>17</b>
<b>11</b>	<b>Marking .....</b>	<b>17</b>
<b>11.1</b>	<b>General requirements .....</b>	<b>17</b>
<b>11.2</b>	<b>Minimum required marking .....</b>	<b>17</b>
<b>Annex A (normative)</b>	<b>Pipe construction .....</b>	<b>18</b>
<b>Annex B (normative)</b>	<b>Derivation of <math>S_{calc,max}</math> values .....</b>	<b>21</b>
<b>Annex C (normative)</b>	<b>Proof of the thermal stability of the barrier layer material resp. adhesive layer material resp. outer layer material--Test procedure .....</b>	<b>23</b>
<b>Bibliography .....</b>		<b>26</b>