

# DIN EN 1420:2026-06 (E)

## Influence of organic materials on water intended for human consumption - Determination of odour, flavour, colour and turbidity of water in piping and storage systems

---

<b>Contents</b>		<b>Page</b>
European foreword .....		4
Introduction .....		5
1	Scope .....	6
2	Normative references .....	6
3	Terms and definitions .....	7
4	Principle .....	9
5	Reagents .....	9
6	Apparatus .....	10
7	Sampling, transport, storage, and preparation of test pieces .....	11
7.1	General .....	11
7.2	Site-applied products .....	11
7.3	Surface-area-to-volume ratio (S/V) .....	11
7.3.1	General .....	11
7.3.2	Pipes .....	12
7.3.3	Fittings, ancillaries and membranes .....	13
7.3.4	Site-applied products .....	13
8	Preparation of reagents and apparatus .....	13
8.1	Test water .....	13
8.2	Test water with chlorine content .....	13
8.3	Cleaning of glassware .....	13
9	Pre-treatment of test pieces .....	14
9.1	General .....	14
9.2	Test pieces to be tested at (23 ± 2) °C (cold water test) .....	14
9.2.1	Flushing .....	14
9.2.2	Stagnation with test water .....	14
9.3	Test pieces to be tested at (60 ± 2) °C (warm water test) or at (85 ± 2) °C (hot water test) ...	14
9.3.1	Flushing .....	14
9.3.2	Stagnation with test water at elevated temperature .....	14
9.4	Prewashing .....	14
10	Test procedure .....	15
10.1	General .....	15
10.2	Cold water test procedure .....	15
10.3	Elevated temperature test procedure .....	15
11	Determination of TON and TFN .....	16
12	Determination of colour and turbidity .....	16

<b>13</b>	<b>Expression of results .....</b>	<b>16</b>
<b>14</b>	<b>Test report .....</b>	<b>17</b>
<b>14.1</b>	<b>General information .....</b>	<b>17</b>
<b>14.2</b>	<b>Information on the product/material .....</b>	<b>17</b>
<b>14.3</b>	<b>Information for site-applied products .....</b>	<b>18</b>
<b>14.4</b>	<b>Information on the test procedure .....</b>	<b>18</b>
<b>14.5</b>	<b>Test results .....</b>	<b>19</b>
<b>Annex A (informative) Schematic presentation of test method .....</b>		<b>20</b>
<b>Annex B (normative) Sequence of additional migration periods .....</b>		<b>21</b>
<b>Annex C (normative) Panel qualification for odour and flavour testing .....</b>		<b>23</b>
<b>C.1</b>	<b>General .....</b>	<b>23</b>
<b>C.2</b>	<b>Individual TON determination .....</b>	<b>23</b>
<b>C.3</b>	<b>Ranking test .....</b>	<b>24</b>
<b>C.4</b>	<b>Long term monitoring .....</b>	<b>24</b>
<b>Annex D (informative) Preparation of dilution series for panel qualification .....</b>		<b>25</b>
<b>D.1</b>	<b>Series of successive MtBE dilutions .....</b>	<b>25</b>
<b>D.1.1</b>	<b>MtBE spike solution .....</b>	<b>25</b>
<b>D.1.2</b>	<b>Series of successive dilutions .....</b>	<b>25</b>
<b>D.2</b>	<b>Series of successive 1-butanol concentrations .....</b>	<b>25</b>
<b>D.2.1</b>	<b>1-butanol spike solution .....</b>	<b>25</b>
<b>D.2.2</b>	<b>Series of successive dilutions .....</b>	<b>26</b>
<b>Bibliography .....</b>		<b>27</b>